

FSP ST 850 uninterruptible power supply (UPS) Line-Interactive 0.85 kVA 510 W 4 AC outlet(s)

Gamintojas: **FSP** · Modelis: **PPF5100100** · EAN: **4713224528941** · Prekės kodas: **684777**



162,90 €

Kaina su PVM

Be PVM: **134,63 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Simulated sine wave
- ✓ Built-in AVR for voltage stabilization
- ✓ Easy replacement battery compartment & hot-swappable battery design
- ✓ Built-in USB communication port and RJ-45 network protection
- ✓ Off-mode charging
- ✓ Cold start function
- ✓ Auto restart while AC is recovering



Aprašymas

ST Series intelligent UPS

A Great Partner for Small Equipment

The ST series is equipped with automatic voltage regulation to reduce the impact of unstable voltage on equipment. The intelligent UPS' functions can also provide power during outages, and the battery automatically charges when power is restored. FSP's intelligent UPS can provide equipment with an uninterrupted supply of power at any time.

Techninė specifikacija

Specifications

Sandėlio grupė USV & Stromversorgung [+611][-96]

Features

UPS topology	Line-Interactive
Output power capacity	0.85 kVA
Output power	510 W
Waveform	Sine
Input operation voltage (min)	81 V
Input operation voltage (max)	270 V
Input frequency	50/60 Hz
Output operation voltage (min)	110 V
Output operation voltage (max)	240 V
Output frequency	50/60 Hz
Output voltage regulation	5%
Noise level	40 dB
Power protection features	Battery discharge, Overcharge, Overload
Audible alarm(s)	Yes
Audible alarm modes	Alarm when on battery, Fault, Low battery alarm, Overload alarm
Power source type	AC

Ports & interfaces

AC outlet types	Type F
AC outlets quantity	4 AC outlet(s)
USB port	Yes
USB 2.0 ports quantity	1
USB port type	USB Type-B
Ethernet LAN (RJ-45) ports	2

Battery

Battery capacity	9 Ah
Battery voltage	12 V
Number of battery cells	1
Battery recharge time	6.8 h
Hot-swap battery	Yes

Design

Form factor	Tower
-------------	-------

Product colour	Black
Cooling type	Active
Built-in fan	Yes
Control type	Buttons
Display type	LCD
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	0 - 90%
Packaging content	
Batteries included	Yes
Weight & dimensions	
Width	99 mm
Depth	288 mm
Height	280 mm
Weight	7.6 kg
Matmenys ir svoris	
Svoris	12,72kg