

Canon Digital IXUS 285 HS A 1/2.3" Compact camera 20.2 MP CMOS 5184 x 3888 pixels Silver

Gamintojas: **CANON** · Modelis: **7284C001** · EAN: **4549292251036** · Prekės kodas: **684800**



496,90 €

Kaina su PVM

Be PVM: **410,66 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Compact camera 20.2 MP CMOS Silver
- ✓ Image sensor size: 1/2.3"
- ✓ Image stabilizer
- ✓ Optical zoom: 12x Digital zoom: 4x
- ✓ TTL
- ✓ ISO sensitivity (min): 80 ISO sensitivity (max): 3200 Fastest camera shutter speed: 1/2000 s Slowest camera shutter speed: 1 s ± 2EV (1/3EV step)
- ✓ Video recording 1920 x 1080 pixels Full HD
- ✓ PictBridge Mini-USB B HDMI Wi-Fi Near Field Communication (NFC)
- ✓ Lithium-Ion (Li-Ion)



Aprašymas

Fit style and performance in your pocket with this 12x zoom IXUS – share effortlessly via Wi-Fi and NFC.

For those who want ultra-slim styling, simple connectivity, versatile shooting and superb results in any light

Put style and performance in your pocket with this slim 12x zoom IXUS. Shoot stunning photos and Full HD movies with ease and share effortlessly via Wi-Fi and NFC.

A closer look at the IXUS 285 HS A

Roll your mouse over the hotspots to reveal key features that deliver quality performance, useful versatility, easy connectivity, and more.

12x optical zoom lens

Capture moments near or far in superb quality

25mm wide angle lens

Include more in your scene, great for landscapes and interiors

IXUS design

Sleek, compact and comfortable. Stylish too

Pocketable style

This ultra-slim and stylish metal-bodied IXUS is easy to carry with you wherever you go and features a flexible 25mm ultra-wide 12x optical zoom lens with 24x ZoomPlus; so you can easily capture every moment, near or far, in superb quality photos and movies. Auto Zoom helps you select the best framing at the touch of a button.

Superb quality

Enjoy exceptional quality, detailed images – even in low light - thanks to a 20.2 Megapixels CMOS sensor and DIGIC 4+ processing. An intelligent optical Image Stabilizer ensures sharp stills and steady movies in any situation, while the large 7.5 cm (3.0”) LCD screen allows easy shooting and playback.

Instant Full HD movies

Making great movies is fun and easy. With one touch of a button you can effortlessly shoot great Full HD movies (1080p) in MP4 format. Experience the creative versatility of shooting movies using the optical zoom and still enjoy sharp, steady results thanks to the Dynamic Image Stabilizer.

Effortless creativity

At the touch of the shutter, Creative Shot automatically analyses the scene and creates 5 additional unique images of your original shot. Get close and capture stunning everyday detail with 1 cm Macro or simply point and shoot with Hybrid Auto and let the camera automatically create a fun HD (720p) movie summary of the day.

Quick connections

Connect to your compatible smart device with just one tap using Wi-Fi with Dynamic NFC for easy sharing. Use Image Sync to automatically back-up new images to cloud services and capture great group shots with wireless Remote Shooting from your smart device. The Wi-Fi Button offers a quick and easy shortcut to Wi-Fi functions.

Techninė specifikacija

Specifications	
Sandėlio grupė	Camera > Digital Cameras [+224][-97]
Picture quality	
Camera type	Compact camera
Megapixel (approx.)	20.2 MP
Sensor type	CMOS
Maximum image resolution	5184 x 3888 pixels
Image sensor size	1/2.3"

Still image resolution(s)	5184 x 3888, 2592 x 1944, 3648 x 2736, 2048 x 1536, 640 x 480 5184 x 2912, 3648 x 2048, 1920 x 1080, 640 x 360 5184 x 3456, 3648 x 2432, 2048 x 1368, 640 x 424 3888 x 3888, 2736 x 2736, 1536 x 1536, 480 x 480
Image stabilizer	Yes
Image formats supported	JPEG
Image sensor aspect ratio	4:3
Total megapixels	21.1 MP
Colour filter type	Primary colour filter
Lens system	
Optical zoom	12x
Digital zoom	4x
Focal length range	4.5 - 54
Minimum focal length (35mm film equiv)	25 mm
Maximum focal length (35mm film equiv)	300 mm
Minimum aperture number	7
Maximum aperture number	3.6
Focusing	
Focus	TTL
Focus adjustment	Auto
Auto focusing (AF) modes	Continuous Auto Focus, Servo Auto Focus, Single Auto Focus, Tracking Auto Focus
Closest focusing distance	0.01 m
Exposure	
ISO sensitivity (min)	80
ISO sensitivity (max)	3200
Light exposure correction	± 2EV (1/3EV step)
Light metering	Centre-weighted, Evaluative (Multi-pattern), Spot
ISO sensitivity	80, 100, 200, 400, 800, 1600, 3200
Auto Exposure (AE) lock	Yes
Shutter	
Fastest camera shutter speed	1/2000 s
Slowest camera shutter speed	1 s
Flash	
Flash modes	Auto, Manual, Red-eye reduction, Slow synchronization
Flash exposure compensation	Yes
Video	

Video recording	Yes
Maximum video resolution	1920 x 1080 pixels
HD type	Full HD
Video formats supported	MP4
Memory	
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC
Display	
Display	LCD
Display diagonal	7.62 cm (3")
Display resolution	461000 dot
Display brightness adjustment	Yes
Number of manual brightness adjustment levels	5
Ports & interfaces	
PictBridge	Yes
USB version	2
HDMI	Yes
USB connector	Mini-USB B
HDMI connector type	Micro
Network	
Bluetooth	No
Wi-Fi	Yes
Near Field Communication (NFC)	Yes
Camera	
White balance	Auto, Cloudy, Custom modes, Daylight, Fluorescent, Fluorescent H, Tungsten
Scene modes	Fireworks, Portrait
Shooting modes	Auto
Photo effects	Black&White, Neutral, Sepia, Vivid
Self-timer delay	2,10,Custom
Histogram	Yes
Orientation sensor	Yes
Playback zoom (min)	2x
Built-in processor	Yes
Image processor	DIGIC 4+
Design	

Product colour	Silver
Market segment	Consumer
Battery	
Battery technology	Lithium-Ion (Li-Ion)
Battery life (CIPA standard)	180 shots
Battery type	NB-11LH
Power	
USB Type-C charging port	No
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	99.6 mm
Depth	22.8 mm
Height	58 mm
Weight	146 g
Packaging content	
AC adapter included	No
Wrist strap included	Yes
Cables included	AC
Battery charger included	Yes
Batteries included	Yes