BenQ SW272QN, 27, QHD, IPS, 60Hz, 99 Adobe RGB, USB-C 90W, Nano mattee Black

Gamintojas: **BENQ** · Modelis: **9H.Y0DLB.QBE** · EAN: **4718755097409** · Prekės kodas: **686548**



1 128,91 €

Kaina su PVM

Be PVM: **932,98 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Nano Matte Black Panel with TUV anti-reflection certification ensures the high quality of professional deliverables
- ✓ 90W USB Type-C to transfer various data and deliver power, wireless Hotkey Puck for unlimited convenience
- ✓ 99% Adobe RGB and 99% DCI-P3/Display P3, Delta E ≤ 1.5, 1.07 billion colors, 16 bit 3D LUT, for accurate color delivery













Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Aprašymas

Capture the Moment, from Edit to Final Output

Exclusive Screen-to-Print Solution

Paired with Paper Color Sync, the SW272QN delivers industry-leading screen-to-print accuracy, making it the ultimate platform for precise photo editing and dependable soft proofing.

Paper Color Sync for Precise Soft-Proofing

Offering the finest creative experiences with color consistency to simulate paper texture on-screen, and Paper Color Sync for accurate printed output, BenQ has achieved unparalleled color performance beyond the industry standard.

Nano Matte Black for Reliable Contrast

SW272QN integrates Nano Matte Black panel to reduce highlight diffusion and maintain deeper black levels in controlled lighting conditions. With consistent, predictable contrast across the screen, it ensures precise retouching and dependable screen-to-print results.

Video Format Support

BenQ photographer monitors help pros get the best video results, with HDR10 support and multiple video formats.

Color Precision, From Panel to Production

Led by color experts, BenQ AQCOLOR Technology is built on BenQ’s participation in ICC and ISO* to help establish color-related standards and implementation guidelines. With Delta E ≤ 1.5 and BenQ ICCsync, it delivers reliable out-of-the-box color accuracy with minimal setup. A 16-bit 3D lookup table (LUT) further improves color blending for precise color reproduction.**

* International Color Consortium
**International Organization of Standardization

Corner-to-Corner Uniformity

Uneven color and dim corners aren’t just annoying, they distort your work. BenQ tackles what others overlook. Through full screen calibration, we ensure consistent brightness and color across the entire screen. So whether you're editing center frame or checking the edges, you can create with total confidence.

Consistent Color, Every Shot

Palette Master Ultimate
Hardware Calibration Simplified with Precision
Effortless calibration, no experience needed. Follow the visual menus and clear prompts for hardware calibration that meets international standards.

*Calibrator Supported: X-rite i1Display Pro, X-rite i1Display Pro Plus, Datacolor Spyder X, Datacolor Spyder X2 (Pro/ Elite/ Ultra), MYIRO-1 ect.

Third-Party Certified Accuracy

BenQ photographer monitors are Pantone Validated, Pantone SkinTone Validated, and Calman Verified, meeting rigorous standards for trusted color accuracy in both photo and video. For professionals who require deeper control, the SW272QN supports advanced 3D LUT (Lookup Table) calibration and is compatible with ColourSpace software, delivering consistent, high-fidelity color across the entire creative workflow.

Compatible with Mac Devices

Expand Your Efficiency

Quick to transfer various data and deliver power up to 90W. Your Thunderbolt 3/4 devices are compatible with USB-C on BenQ displays, ensuring consistent and seamless work efficiency.

Wireless Hotkey Puck

The BenQ Hotkey Puck simplifies monitor control with direct access to your favorite settings, with no menu diving required. Designed for creatives, it keeps your workflow smooth and focused.

Craftsmanship in Design

Effortless Access Design

Designed with accessibility in mind, it’s easy to connect devices through accessible I/O ports, transfer data with the built-in card reader, and streamline your work for maximum convenience.

Elegance Leatherette Base

The leatherette base not only elevates your workspace with a touch of elegance but also saves space for what truly matters.

Optional Shading Hood Bridge

Enjoy the benefits of multi-monitor setups without sacrificing glare control. The HB27 connects two or more 27" BenQ photographer monitors with shading hoods, so you can retouch and edit seamlessly without reflections or distractions.

*Compatible with BenQ 27" photographer monitors only.

Pantone Connect Premium

Go digital with BenQ, the first brand to work with Pantone on a mobile app. As an existing owner or a new purchaser of BenQ professional monitors, you get one year of free Pantone Connect Premium for digitally mobile color consistency and accuracy.

Techninė specifikacija

Display	
Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Wide Quad HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz

Display number of colours	1.07 billion colours
LED backlight	Yes
Display brightness (peak)	300 cd/m²
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel density	109 ppi
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Colour gamut standard	Adobe RGB, DCI-P3, Rec. 709, sRGB
Colour gamut	100%
sRGB coverage (typical)	100%
Design	
Market positioning	Photo editing
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	90 W
HDMI ports quantity	2
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone outputs	1
HDCP	Yes
HDCP version	2.2
Ergonomics	
VESA mounting	Yes
Height adjustment	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Adjustable height (max)	14 cm
Pivot	Yes
Pivot angle	0 - 90°
Swivelling	Yes
Swivel angle range	30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, English, French, Hungarian, Italian, Japanese, Korean, Dutch, Polish, Portuguese, Romanian, Russian, Spanish, Swedish

Power

Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	26 kWh
Energy consumption (HDR) per 1000 hours	33 kWh
Power consumption (typical)	25 W
Power consumption (standby)	0.5 W
Power consumption (max)	160 W
AC input voltage	100 - 240 V
Power supply type	Internal

Weight & dimensions

Width (with stand)	613.9 mm
Depth (with stand)	274 mm
Height (with stand)	591.8 mm
Weight (with stand)	8.3 kg
Width (without stand)	626.1 mm
Depth (without stand)	270.6 mm
Height (without stand)	626.1 mm
Weight (without stand)	4.92 kg

Packaging content

Cables included	DisplayPort, HDMI, USB Type-C
Quick start guide	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Matmenys ir svoris

Matmenys (I × P × A)	10,00cm × 10,00cm × 10,00cm

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **F** A-G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Gamintojo ir saugos informacija

GAMINTOJAS

BenQ
Jihu Road Neihu 16, 114 Taipei, TW
benq.com

ATSAKINGAS ASMUO ES

BenQ Deutschland GmbH
Essener Straße 5, 46047 Oberhausen, DE
benq.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt