

LevelOne Gigabit Fiber PCIe Network Card, 1 x SFP

Gamintojas: **LEVELONE** · Modelis: **GNC-0110** · EAN: **4015867191057** · Prekės kodas: **686804**



95,90 €

Kaina su PVM

Be PVM: **79,26 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Wired
- ✓ 1000 Mbit/s
- ✓ PCI Express 1.1 Fiber
- ✓ Internal



Aprašymas

The LevelOne GNC-0110 Gigabit network card facilitates high-speed connectivity within a fiber-optic network, with PCI Express supporting speeds of up to 2 Gbps in full-duplex mode. Wake-on-LAN functionality allows remote start-up and shutdown. Interrupt Moderation: Delivers increased performance while significantly reducing CPU utilization. The network card supports 32 bit PCI 1.0 and PCI 2.2 bus, as well as supporting multiple operating systems. IEEE 802.1Q VLAN allows network segmentation, further enhancing performance and security.

- Interrupt Moderation: Delivers increased performance while significantly reducing CPU utilization
- Built-in Wake-on-LAN feature to startup/shutdown computers remotely
- High-speed gigabit network card with PCI Express v1.1 compliant
- IEEE 802.1Q VLAN allows network segmentation to enhance performance and security
- Supports most network operating systems (NOS)

Techninė specifikacija

Specifications

Sandėlio grupė Server, Storage & Network > Network Adapters [+1948][-605]

Ports & interfaces

Connectivity technology	Wired
Host interface	PCI Express
Interface	Fiber
Fiber ports quantity	1
Fiber optic connector	SFP
PCI version	1.1

Network

Maximum data transfer rate	1000 Mbit/s
Networking standards	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ad, IEEE 802.3x, IEEE 802.3z
Wake-on-LAN ready	Yes
Full duplex	Yes

Design

Internal	Yes
Product colour	Aluminium
LED indicators	Activity, Link
Country of origin	China

System requirements

Windows operating systems supported	Windows 2000, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 98, Windows ME, Windows NT, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
-------------------------------------	---

Operational conditions

Operating temperature (T-T)	0 - 55 °C
Operating relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	115 mm
Depth	68 mm
Height	17 mm

Weight	70 g
--------	------

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Package width	145 mm
---------------	--------

Package depth	220 mm
---------------	--------

Package height	30 mm
----------------	-------

Package weight	62 g
----------------	------

Packaging content

Mounting brackets included	Yes
----------------------------	-----

Manual	Yes
--------	-----

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Other features

Quick start guide	Yes
-------------------	-----