



MOBILE CHARGER WALL USB-C 20W/1PORT BLACK ACU- PD20 AXAGON



Modelis: ACU-PD20

Gamintojas: AXAGON

EAN: 8595247908292

Prekės kodas: 6895

11.99€ ~~13.00€~~

The compact wallcharger AXAGON ACU-PD20 enables fast charging of mobile devices. With 20W of maximum power, the charger charges phones, tablets and other mobile devices at the highest possible speed. The adapter offers a reversible USB-C connector.

The charger is equipped with Power Delivery 3.0 / Quick Charge 4+ USB Type-C, enabling fast charging of smartphones and tablets with a power of up to 20W.

The charger supports 20W PD charging for iPhone 12, 13, 14 and 15 and their Pro and Pro Max models. The adapter is also compatible with other fast phone charging standards such as Apple iPhone, iPad, Samsung, Huawei, Honor, Xiaomi.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The advanced protection system at the charging adapter output protects the device being charged from damage. The charger function also detects the device being charged and selects the optimal charging speed and progress.

The body of the power adapter has a pleasant shape and compact size. The combination of small dimensions and a wide range of input voltages, makes the charger an ideal travel helper.

Input:

- input voltage AC 100V-240V / 1A / 50-60 Hz (WIV function) supports multiple national power standards
- two-pin euro plug - integrated in the body of the charger

Output:

- USB-C port PD (tablets, phones) max. 20W: 5V/3A, 9V/2.22A, 12V/1.67A, PPS: 3-5V/3A, 3-11V/1A
- Charging technology: PD 3.0, PD 2.0, PPS, QC4+, QC 3.0, QC 2.0, AFC, FCP, SMART, Apple PD, Apple 2.4A

Maximum power:

- maximum power 20W
- maximum current 3A

Supported charging technologies:

- Standard charging of all devices that support 5V and Apple iPhone 5, 6, SE, 7 charging.
- SMART - charging max. 5V/3A, Quick Charge 1.0, USB Battery Charging 1.2 (DCP 1.5A) a Apple 2.4A (iPad).
- FCP - quick charging using Huawei Fast Charge Protocol.
- AFC - quick charging using Samsung Adaptive Fast Charging protocol.
- QC - quick charging using Qualcomm Quick Charge 2.0, Quick Charge 3.0 and Quick Charge 4+ protocol.
- PPS - quick charging using the Programmable Power Supply protocol (part of USB PD 3.0 and QC4+).
- PD - quick charging using USB Power Delivery 2.0 and Power Delivery 3.0 protocol.

Examples of supported phones and tablets:

- PD - quick charging of Apple iPhone 8, 8 Plus, X, XS, XS Max, XR, 11, 11 Pro, 11 Pro Max phone.
- PD - quick charging (up to 20W) Apple iPhone 12, 12 Mini, 12 Pro, 12 Pro Max, 12, 12 Mini, 12 Pro, 12 Pro Max, 13, 13 Mini, 13 Pro, 13 Pro Max, 14, 14 Plus, 14 Pro, 14 Pro Max, 15, 15 Plus, 15 Pro, 15 Pro Max phones.
- PD - quick charging (up to 20W) iPad mini, iPad Air, iPad Pro and other tablets.

The charger supports WIV, AIC and CC functions:

- Wide Input Voltage - function of a wide range of input voltage; it protects the adapter against undervoltage and overvoltage at the input and allows the use of more “national power standards”.
- Automatic Intelligent Communication - function of automatic recognition of the connected device to select optimal charging parameters.
- Constant Output Current - the current hold function prevents the output power fluctuations; this function ensures steady course of charging.

Complex output protection: OCP, OVP, OTP, OSP:

- Over Current Protection. Protection of output against current overload.
- Over Voltage Protection. Protection against overvoltage at the output.
- Over Temperature Protection. Protection against overheating of the adapter.
- Output Short Circuit protection. Short circuit protection at the output.

Other features:

- dimensions of the charger body 84 x 36 x 32 mm including a plug,
- weight: 52 g,
- material: non-flammable plastic.

Package contains:

- black wall charger,
- multilingual guide CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / TR / BG / CN / ARA,
- packed in a cardboard box with a hanging hole.

Summary: Axagon ACU-PD20 wall charger 1x QC3.0/AFC/FCP/PD type-C, 20W, black. Charger type: Indoor, Power source type: AC, Charger compatibility: Mobile phone, Smartphone, Smartwatch,

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Tablet, Universal, Watch. Input voltage: 100 - 240 V. USB Type-C ports quantity: 1, Fast charging, Power protection features: Over voltage, Overheating, Overload, Short circuit, Under voltage. Product colour: Black | Vendor Homepage: <https://www.axagon.eu/en/produkty/acu-pd20> | Charger compatibility: Mobile phone/Smartphone/Smartwatch/Tablet/Universal/Watch | Charger type: Indoor | Cooling fan: No | Fast charging: Yes | Fast charging technology: Adaptive Fast Charging/Power Delivery/Power Delivery 3.0/Quick Charge 2.0/Quick Charge 3.0/Quick Charge 3+/Quick Charge 4/Quick Charge 4+/Smart IC | MagSafe compatible: No | Mobile operating systems supported: Yes | Number of outputs: 1 | Number of simultaneously connected devices (max): 1 | Operating principle: Contact | Power protection features: Over voltage/Overheating/Overload/Short circuit/Under voltage | Power source type: AC | Special features: Smart IC | USB Power Delivery (USB PD): Yes | USB Power Delivery revision: 3.0 | USB Power Delivery up to: 20 | USB Type-C ports quantity: 1 | Wireless charging: No | Product colour: Black | Input frequency: 50 - 60 | Input voltage: 100 - 240 | Maximum power: 20 | Port 1 output power: 20 | Depth: 36 | Height: 32 | Weight: 52 | Width: 84 | Package depth: 85 | Package height: 35 | Package type: Display box | Package weight: 84 | Package width: 113 | Included power plug types: EU | Manual: Yes | Quantity per pack: 1 | Certification: CE | Compliance certificates: RoHS | Country of origin: China | Model name: ACU-PD20 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.000385 | Unit Calculated Weight: 0.08