

GIGABYTE R113-C10-AA02 AMD B650E Socket AM5 Rack (1U) Black, Steel

Gamintojas: **GIGABYTE** · Modelis: **6NR113C10MR000AC02** · EAN: **4719331874377** · Prekės kodas: **689570**



758,90 €

Kaina su PVM

Be PVM: **627,19 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Single AMD EPYC 4005 & Ryzen 9000 Series Processors
- ✓ Dual Channel DDR5 ECC/Non-ECC UDIMM, 4 x DIMMs
- ✓ 2 x 1Gb/s LAN ports via Intel I210-AT
- ✓ 2 x 2.5" SATA hot-swap bays
- ✓ 2 x 2.5" SATA internal bays
- ✓ 1 x M.2 slot with PCIe Gen5 x4 interface
- ✓ 1 x FHHL PCIe Gen5 x16 slot
- ✓ Single 400W 80 PLUS Gold power supply



Aprašymas

AMD EPYC™ CPUs for 24x7 Business Growth and Manageability

AMD EPYC™ 4004 Series Processors were a welcome addition to the 4th Gen AMD EPYC™ processor family, and now the 4005 Series comes out of a new processor family with "Zen 5" core architecture - lowering the threshold for businesses and hosting services that have been wanting to move to a platform with a server OS and other enterprise features, yet at an optimal price point in GIGABYTE solutions. SMB and hosting services rely on server-grade reliability so they can continue running 24x7. At the same time, they need to have a higher degree of manageability than what is found at the consumer level. On top of validating, GIGABYTE provides GIGABYTE Management Console (GMC) for system management and GIGABYTE Server Management (GSM) software for monitoring multiple servers.

Techninė specifikacija

Specifications	
Sandėlio grupė	PC-Systeme [+1197][-113]
Processor	
Built-in processor	No
Motherboard chipset	AMD B650E
Processor socket	Socket AM5
Number of processors supported	1
Compatible processor series	AMD EPYC™ 4005 Series, AMD Ryzen 9000 Series
Memory	
Number of DIMM slots	4
Supported memory types	DDR5-SDRAM
Memory channels	Dual-channel
ECC	Yes
Non-ECC	Yes
Storage	
Number of storage drives supported	5
Hot-swap HDD bays	Yes
Number of 2.5" bays	4
Storage drive sizes supported	2.5,M.2
Supported storage drive types	HDD & SSD
Supported storage drive interfaces	Serial ATA, PCI Express 5.0
RAID levels	0, 1, 10
SSD form factor	M.2
Graphics	
On-board graphics card model	Aspeed AST2600
Network	
Ethernet LAN	Yes
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
LAN controller	Intel® I210-AT
Ports & interfaces	
USB 2.0 ports quantity	0
Ethernet LAN (RJ-45) ports	2

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
VGA (D-Sub) ports quantity	1
COM ports quantity	1
Expansion slots	
PCI Express x16 (Gen 5.x) slots	1
Number of M.2 (M) slots	1
Features	
Trusted Platform Module (TPM)	Yes
Compatible operating systems	Ubuntu 22.04 Ubuntu 24.04; Windows Server 2022; Windows Server 2025; Windows 10 21H2; Windows 11
Design	
Chassis type	Rack (1U)
Product colour	Black, Steel
LED indicators	LAN, HDD, SSD, Status
On/off switch	Yes
Reset button	Yes
Cooling type	Active
Heat sink included	Yes
Number of fans	3 fan(s)
Fan diameter	4 cm
Power	
Power supply	400 W
Number of main power supplies	1
Redundant power supply (RPS) support	Yes
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	3 - 6 A
DC output current (+5 V)	16 A
DC output current (+12 V)	33 A
80 PLUS certification	80 PLUS Gold
Operational conditions	
Operating temperature (T-T)	10 - 30 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	8 - 80%
Storage relative humidity (H-H)	20 - 95%

Weight & dimensions

Width	430 mm
Depth	393.2 mm
Height	43.5 mm
Weight	6.25 kg

Packaging data

Packaging content	1 x R113-C10-AA02; 1 x CPU heatsink
Package width	599 mm
Package depth	535 mm
Package height	161 mm
Package weight	11.2 kg