

TP-Link VIGI 4MP Outdoor Full-Color Wi-Fi Bullet Network Camera

Gamintojas: **TP-LINK** · Modelis: **VIGI C340-W(4MM)** · EAN: **4897098683675** · Prekės kodas: **689674**



85,90 €

Kaina su PVM

Be PVM: **70,99 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **4MP High Definition:** The camera comes with 4MP—more than enough pixels to pick up some of the more discrete details
- ✓ **24h Full-Color:** Obtain 24-hour color details, even in pitch-black conditions, via high-sensitivity sensor and included spotlight LEDs
- ✓ **Wireless Outdoor Connection:** Simple and quick deployment with Wi-Fi signals
- ✓ **Waterproof:** Reliable IP66 for stable outdoor performance
- ✓ **Smart Detection** (human detection, motion detection, area intrusion, line-crossing, video tampering): Receive notifications and check feeds when someone crosses a boundary, enters an area you've set, or obstructs the camera
- ✓ **H.265+:** Without using any extra bandwidth, your cameras transmit compressed crystal-clear video to save disk space, ease network loads, and reduce monitoring costs without sacrificing image quality
- ✓ **VIGI App:** Manage your security from the palm of your hand with the VIGI app



Aprašymas

All The Colors,

All The Time

4MP Outdoor Full-Color Bullet Network Camera

- High Definition
- Full-Color

- Smart Detection
- Active Defense
- Two-Way Audio
- On-Board Storage
- Wired/Wireless Networking
- SmartVid
- Remote Monitoring
- Smart Video Coding
- ONVIF Ensures Compatibility
- IP66

Outdoor Wi-Fi Connection, Simple Wiring

Just power up your camera, then the transmission starts by its 2x2 MIMO antennas. Waterproof hardware protect stable performance in outdoor scenarios.

Clarity and Colors, All in One

Monitor 24-hour clear and colorful details even in pitch dark night. VIGI C340-W provides maximum 4MP resolutions and ensures colorful monitoring with its large-aperture lens, high-sensitivity sensor, and attached supplemental lights.

We keep an eye on your business.

Smart Detection

Receive notifications and check feeds when someone crosses a boundary, enters an area you've set, or obstructs the camera.

Motion Detection

Get instant notifications when your camera detects motion.

Area Intrusion

Set customized activity zones around key areas for more focused monitoring.

Line-Crossing

Set a boundary and receive an alert anytime a person crosses it from either or both directions.

Camera Tampering

Receive alerts when someone obstructs the camera.

Active Defense

Warn and expel potential intruders instantly with sound and light alarms when abnormal events are detected.

Every Event is Under Your Control.

VIGI camera intelligently detect activities, inform you instantly and response automatically by smart detection and two-way audio.

Never miss a detail.

SmartVid-Smart Video Enhancement

Smart IR

Keeps objects from being under-rendered when far away or overexposed when close to camera at night.

Wide Dynamic Range

Adjusts for lighting contrast to minimize shadowing effects and renders images true to life.

3D DNR

Removes abnormal pixelation to provide clearer video and eliminate distortion.

More compression. More savings. Same quality.

Without using any extra bandwidth, your cameras transmit compressed crystal-clear video to save disk space, ease network loads, and reduce monitoring costs without sacrificing image quality.

Flexible Management and Storage

Take full control over your security via three management method, VIGI NVR, App, and Security Manger. Local storage is available for each methods, as well as on-board storage with SD card slot.

Flexible Installation

Find the perfect vantage point by simply securing your camera to ceiling, pole or wall.

One system. Full security.**Run your business with peace of mind.**

The VIGI professional surveillance system by TP-Link is dedicated to protecting the business you've worked hard to build — whenever, wherever. Our outstanding functions, reliable quality guarantees, and simplified installation work together to ensure your business stays safe and sound.

Techninė specifikacija

Specifications	
Sandėlio grupė	Netzwerkkameras [+927][-46]
Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired & Wireless
Certification	CE, RCM, BSMI, VCCI, RoHS, NTRA, KC
Design	
Mounting type	Ceiling/wall
Product colour	White
Form factor	Box
LED indicators	Yes
Housing material	Plastic
International Protection (IP) code	IP66
Weatherproof	Yes
Camera	
Minimum illumination	0 lx
Lens viewing angle, horizontal	79°
Lens viewing angle, vertical	43°
Lens viewing angle, diagonal	93°

Image sensor	
Sensor type	CMOS
Number of sensors	1
Optical sensor size	25.4 / 3 mm (1 / 3")
Panoramic camera	
Digital Wide Dynamic Range (DWDR) (panoramic camera)	Yes
Lens system	
Fixed focus	Yes
Maximum aperture number	1.6
Night vision	
Night vision	Yes
Night vision distance	30 m
Video	
Maximum resolution	2560 x 1440 pixels
Total megapixels	4 MP
Video compression formats	H.264, H.264+, H.265, H.265+
Supported graphics resolutions	1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2560 x 1440
Supported video modes	1080p, 1440p
Video recording	Yes
Video streaming	Yes
Noise reduction	Yes
Noise reduction technology	3D noise reduction
Image quality adjustment	Brightness, Contrast, Mirror
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No
Ethernet interface type	Fast Ethernet
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi data rate (max)	150 Mbit/s
Storage	
Built-in HDD	No
Card reader integrated	Yes

Compatible memory cards		MicroSD (TransFlash)
Ports & interfaces		
Ethernet LAN (RJ-45) ports		1
Power		
Power source type		DC
Operational conditions		
Operating temperature (T-T)		-30 - 60 °C
Weight & dimensions		
Width		70.6 mm
Depth		173.4 mm
Height		80 mm
Weight		195 g
Packaging data		
Package width		152 mm
Package depth		258 mm
Package height		111 mm
Package weight		600 g
Packaging content		
Number of cameras		1
Manual		Yes
Matmenys ir svoris		
Matmenys (I × P × A)		27,00cm × 15,00cm × 10,00cm
Svoris		0,60kg