

i-tec USB-C Dual HDMI Docking Station with Power Delivery 100 W + Universal Charger 100W

Gamintojas: **I-TEC** · Modelis: **C31DUALHDMIDPD100** · EAN: **8595611707742** · Prekės kodas: **690182**



144,90 €

Kaina su PVM

Be PVM: **119,75 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Compatible with USB-C, USB4 and Thunderbolt laptops & tablets. (The host device must support DisplayPort Alt mode).
- ✓ 2x HDMI supporting up to dual 4K/60Hz (macOS supports a single extended display only).
- ✓ 6x USB-ports (4x USB-A, 2x USB-C) make it easy to connect multiple USB devices and peripherals.
- ✓ Provides up to 100W Power Delivery for compatible USB-C, USB4 and Thunderbolt laptops & tablets. The host device must support USB-C Power Delivery.
- ✓ GLAN Ethernet supports network speeds of 10/100/1000 Mbps speeds, providing a robust and high-speed internet connection.
- ✓ Combo 3.5 mm audio input/output jack for easy connection to headset or speakers.
- ✓ VESA bracket available to help keep your desk tidy and free from cables, plus K-lock slot for added security.
- ✓ Power-saving On/Off switch to reduce energy consumption when the docking station is not in use.
- ✓ Note: USB-C 100W charger included.



Aprašymas

Modern USB-C office docking station with support for up to 2 external monitors with 4K resolution. The station is compatible with any laptop equipped with a USB-C, USB4 or Thunderbolt 3/4/5 port. 6x USB ports, reliable and quick connection to your business network thanks to an

integrated LAN port and support for installation behind a monitor make the docking station an ideal partner for professionals. And of course, the station is capable of charging your laptop or tablet with up to 100W.

Note: macOS does not support Multi Stream Transport (MST) technology. Connecting two monitors to the station on macOS will result in both monitors showing the same image.

- Connect up to two 4K/60 Hz external monitors
- Power delivery: up to 100 W
- Two available HDMI ports
- 6x USB ports (1x USB-C 10Gbps, 1x USB-C 5Gbps, 2x USB-A 5Gbps and 2x USB-A 2.0 for easy connection of your USB devices and peripherals.
- Gigabit Ethernet RJ-45 provides reliable, robust and high-speed Internet connection supporting 10/100/1000 Mbps speeds
- Combined jack for audio and microphone on the front panel
- Kensington lock protects against theft, particularly in shared offices or public spaces
- On/off switch for maximum energy savings
- The station features VESA support, allowing smart vertical installation behind a VESA compatible monitor
- Supports Windows 10/11, macOS, Android, iPadOS, ChromeOS and Linux

NOTE: USB-C 100W charger included.

Techninė specifikacija

Specifications	
Sandėlio grupė	Sonstiges Notebook Zubehör [+278][[-2]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	2
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
HDMI version	2
Combo headphone/mic port	Yes
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s

Performance

Product colour	Black
Card reader integrated	No
Data transfer rate	10 Gbit/s
Maximum digital resolution	3840 x 2160 pixels
Number of displays supported	2
Maximum refresh rate	240 Hz
Cable lock slot	Yes
Cable lock slot type	Kensington
VESA mounting	Yes
On/off switch	Yes
LED indicators	Yes
Plug and Play	Yes
Brand compatibility	Universal

Power

Power source type	USB
Power connector	USB Type-C
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	2.3 A
Output voltage	5 - 20 V
Output current	5 A
Power consumption (max)	100 W
USB cable length	1 m

Software

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	Android, ChromeOS, iPadOS

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 100%

Weight & dimensions

Width	113 mm
-------	--------

Depth	113 mm
Height	40 mm
Weight	242 g
Packaging data	
Quantity per pack	1 pc(s)
Packaging content	
Cables included	AC, USB
AC adapter included	Yes
Manual	Yes
Other features	
Short circuit protection	Yes
Overload protection	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	34,00cm × 15,00cm × 6,00cm
Svoris	0,82kg