

Acer Vero SL2520n Standard throw projector 4000 ANSI lumens DLP 1080p (1920x1080) 3D White

Gamintojas: **ACER** · Modelis: **MR.JYT11.001** · EAN: **4711474618948** · Prekės kodas: **690380**



1 121,90 €

Kaina su PVM

Be PVM: **927,19 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Business Standard throw projector White
- ✓ DLP 4000 ANSI lumens
- ✓ Laser
- ✓ 1080p (1920x1080) 16:9 3500000:1
- ✓ Screen size compatibility: 889 - 23114 mm (35 - 910")
- ✓ Focus: Manual Zoom capability
- ✓ Ethernet LAN
- ✓ Built-in speaker(s) 15 W
- ✓ 3D
- ✓ DC 185 W



Aprašymas

Sustainable Projection with PCR Materials¹

Take the next step towards a more sustainable future with our PCR-built¹ projectors that deliver impressive projection while reducing your environmental footprint.

High Efficiency, Low TCO

Our energy-efficient Acer Vero projectors are designed to give you the maximum amount of lamp life before needing replaced – saving you maintenance costs and reducing your energy bill for a lower total cost of ownership over the lifetime of your device.

Non-stop 24/7 Projection

Acer Vero projectors not only provide a more sustainable choice in projection, but are also capable of continuous day-in and day-out usage without missing a beat.

Advanced Projection Technology

Our Acer Vero projectors are equipped with the latest generation of laser and LED technology to give you unparalleled performance no matter the environment.

Techninė specifikacija

Specifications	
Sandėlio grupė	Entertainment Electronics > Projektors/Beamers [+467][[-289]
Projector	
Projector brightness	4000 ANSI lumens
Projection technology	DLP
Projector native resolution	1080p (1920x1080)
Contrast ratio (typical)	3500000:1
Native aspect ratio	16:9
Screen size compatibility	889 - 23114 mm (35 - 910")
Supported aspect ratios	4:3, 16:9
Projector brightness (economic mode)	3200 ANSI lumens
Horizontal scan range	15 - 135 kHz
Vertical scan range	24 - 120 Hz
Keystone correction, horizontal	-15 - 15°
Keystone correction, vertical	-15 - 15°
Light source	
Light source type	Laser
Lamp power	57 W
Lens system	
Focus	Manual
Aperture range (F-F)	2.8 - 21.41
Zoom capability	Yes
Offset	132%
Video	
Full HD	Yes
3D	Yes
Supported graphics resolutions	1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)

Ports & interfaces

VGA (D-Sub) ports quantity	0
HDMI ports quantity	2
Serial interface type	RS-232
HDMI connector type	Full-size
HDMI version	2
HDBaseT port	Yes
USB 2.0 Type-A ports quantity	1
Audio (L/R) out	1
DC-in jack	Yes

Network

Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1

Storage

Card reader integrated	No
------------------------	----

Features

HDCP	Yes
Projection modes	Ceiling, Front, Rear
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)

Multimedia

Built-in speaker(s)	Yes
RMS rated power	15 W
Number of built-in speakers	1

Design

Product type	Standard throw projector
Market positioning	Business
Product colour	White
Placement	Ceiling
Cable lock slot	Yes
Cable lock slot type	Kensington

Display

Built-in display	No
------------------	----

Power

Power source	DC
Power consumption (typical)	185 W
Power consumption (standby)	0.5 W
Power consumption (economy mode)	140 W
AC input voltage	100 - 240 V
Weight & dimensions	
Weight	2.9 kg
Width	216 mm
Depth	286 mm
Height	115.5 mm
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC, HDMI
Carrying case	Yes
AC adapter included	Yes