

# ACT USB-C hub 3.0, 3x USB-A, card reader, PD pass-through

 Gamintojas: **ACT** · Modelis: **AC7050** · EAN: **8716065395556** · Prekės kodas: **692491**


## 33,90 €

Kaina su PVM

 Be PVM: **28,02 €**


Sandėlyje


**Prekė internetu**

 Nuskenuokite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Solid aluminium USB-C 3.2 Gen1 (USB 3.0) Hub with 3 USB-A ports to use your USB-A peripherals on your USB-C device
- ✓ Power delivery Pass-Through port for charging your connected USB-C device
- ✓ Micro SD/SD card reader for transferring your pictures and files to and from memory cards
- ✓ Plug and play on every USB-C port, no additional power supply needed
- ✓ Backward compatible with USB 2.0 specifications



## Aprašymas

**Connect 3 USB-A devices to your laptop with USB-C with the AC7050 3-Port USB-C 3.2 Gen1 (USB 3.0) Hub. Besides, the AC7050 is also equipped with a micro SD/SD card reader and USB-C pass-through port with Power Delivery. The hub is a plug and play device. No additional power supply is needed**

### Connect USB-A peripherals to your notebook with USB-C

Does your notebook only have USB-C ports? Connect the AC7050 to your notebook and use your USB-A flash drive, external HDD or other USB-A peripherals on your notebook.

### USB-C pass-through port

The AC7050's USB-C pass-through port supports power delivery for charging your notebook. Your notebook is always charged with the right amount of power thanks to the pre-defined Power Delivery profiles. The charger communicates with the notebook to negotiate the most effective charging profile.

#### SD card and micro SD card reader

Transfer files, documents and pictures from your SD and micro SD cards to the notebook with USB-C at a speed of 5Gbps. The AC7050 supports the most common used memory cards.

#### Plug and play, no additional power supply needed

The AC7050 is a plug and play device and is powered by the USB port of the laptop. No additional power supply is needed. The 3-Port Hub is backwards compatible with USB 2.0 specifications.

### Techninė specifikacija

| Specifications                                  |                                                                    |
|-------------------------------------------------|--------------------------------------------------------------------|
| Sandėlio grupė                                  | USB Hubs [+728][-6]                                                |
| Ports & interfaces                              |                                                                    |
| Ports quantity                                  | 6                                                                  |
| Host interface                                  | USB 3.2 Gen 1 (3.1 Gen 1) Type-C                                   |
| Hub interfaces                                  | USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C |
| USB 2.0 ports quantity                          | 0                                                                  |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 3                                                                  |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity | 1                                                                  |
| HDMI ports quantity                             | 0                                                                  |
| Card reader integrated                          | Yes                                                                |
| Card reader slot                                | 2                                                                  |
| Compatible memory cards                         | MicroSD (TransFlash), SD                                           |
| Features                                        |                                                                    |
| Data transfer rate                              | 5000 Mbit/s                                                        |
| Product colour                                  | Grey                                                               |
| Housing material                                | Aluminium                                                          |
| USB Power Delivery (USB PD)                     | Yes                                                                |
| USB Power Delivery up to                        | 85 W                                                               |
| Plug and Play                                   | Yes                                                                |
| Power                                           |                                                                    |
| Power source type                               | USB                                                                |
| Weight & dimensions                             |                                                                    |
| Width                                           | 29 mm                                                              |
| Depth                                           | 110 mm                                                             |

|                                   |           |
|-----------------------------------|-----------|
| Height                            | 10 mm     |
| Weight                            | 54 g      |
| Packaging data                    |           |
| Quantity per pack                 | 1 pc(s)   |
| Package width                     | 125 mm    |
| Package depth                     | 25 mm     |
| Package height                    | 160 mm    |
| Package weight                    | 95 g      |
| Package type                      | Box       |
| Operational conditions            |           |
| Minimum operating temperature     | 0 °C      |
| Operating temperature (T-T)       | 0 - 45 °C |
| Operating relative humidity (H-H) | 10 - 85%  |
| Logistics data                    |           |
| Harmonized System (HS) code       | 84719000  |