



MOBILE CHARGER CAR USB 2PORT/31.5W PWC-QC5 AXAGON



Modelis: PWC-QC5

Gamintojas: AXAGON

EAN: 8595247904034

Prekės kodas: 6926

9.99€ ~~10.99€~~

Universal AXAGON PWC-QC5 car USB charger to quickly charge up to two mobile devices at a time.

With a total power of 31.5W, the charger recharges mobile phones and tablets at the same speed as the mains USB power adapter.

Two independent USB outputs Quick Charge 3.0 and SMART 5V/2.6A allow fast charging of most mobile devices.

It is compatible with Apple iPhone, iPad, Samsung, Huawei, Honor, HTC, Xiaomi, LG, Motorola and other fast charging standards.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The Quick Charge 3.0 technology allows up to 4 times faster charging of supported devices than a conventional USB charger.

The AIC function recognizes the connected device and automatically selects the optimal charging speed, while the CV/CC function ensures steady course of charging.

The advanced protection system at the charging adapter output protects the device being charged from damage.

The car charger indicates the correct input power with a blue LED built inside, its light does not dazzle and does not distract you while driving.

The body of the power adapter has a pleasant shape and size, so it can be easily removed from the car cigarette lighter socket.

Input:

- input voltage DC 12V - 24V (WIV function), supports both passenger cars and trucks
- standard CL input - car cigarette lighter socket

Outputs:

- two independent outputs
- 1x QC USB type A port: Quick Charge 3.0 - 3.6-6.5V/3A, 6.5-9V/2.1A, 9-12V/1.6A
- 1x USB type A port SMART: smart charging- 5V/2.4A and standard charging 5V
- support for simultaneous charging from both outputs
- total maximum power 31.5W (QC port 19.5W + SMART port 12W)
- total maximum current 5.4A (QC port 3A + SMART port 2.4A)

Supported charging technologies:

- QC USB port: Quick charging QC2.0, QC3.0, AFC, FCP, PE+, SMART
- SMART USB port: Standard 5V and SMART 5V/2.4A

The charger charges devices with the following technologies:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- Standard charging of all devices that support 5 V and Apple iPhone 5, 6, SE, 7 charging.
- SMART 5V/2.4A charging, Qualcomm Quick Charge 1.0, USB Battery Charging 1.2 and quick charging of Apple iPhone 8, X, XR, XS, XS Max and iPads.
- QC - quick charging of devices that support Qualcomm Quick Charge 2.0 and Quick Charge 3.0.
- AFC - quick charging of devices that support Samsung Adaptive Fast Charging.
- FCP - quick charging of devices that support Huawei Fast Charge Protocol.
- PE+ - quick charging of devices that support MediaTek Pump Express+ and Pump Express+ 2.0.

The charger supports WIV, AIC, and CV/CC functions:

- Wide Input Voltage - function of a wide range of input voltage; it protects the adapter against undervoltage and overvoltage at the input and allow automatic detection of 12V or 24V on-board.
- Automatic Intelligent Communication - function of automatic recognition of the connected device to select optimal charging parameters.
- Constant Output Voltage / Constant Output Current - the constant voltage and constant current hold function prevents the output power fluctuations; this function ensures steady course of charging.

Complex output protection: OCP, OVP, OTP, OSP:

- Over Current Protection - protection of output against current overload.
- Over Voltage Protection - protection against overvoltage at the output.
- Over Temperature Protection - protection against overheating of the adapter.
- Output Short Circuit protection - short circuit protection at the output.

Other features:

- Decently shining through blue LED indicates the input voltage connection,
- Dimensions: depth 59 mm, average 28 mm,
- Weight: 23 g,
- Material: non-flammable plastic.

Package contains:

- dual car charger,
- multilingual manual ENG/CZ/DE/ESP/FR/HU/IT/PL/RO/RU/SK/BG,
- packed in a cardboard box with a visibly presented product.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Summary: Axagon PWC-QC5. Charger type: Auto, Power source type: Cigar lighter, Charger compatibility: Mobile phone, Smartphone, Tablet, Universal. Input voltage: 12 - 24 V, Maximum output voltage: 12 V. USB 2.0 ports quantity: 2, Fast charging, Power protection features: Over voltage, Overheating, Overload, Short circuit. Product colour: Black | Vendor Homepage: <https://www.axagon.eu/en/produkty/pwc-qc5> | Charger compatibility: Mobile phone/Smartphone/Tablet/Universal | Charger type: Auto | Fast charging: Yes | Fast charging technology: Adaptive Fast Charging/Pump Express/Pump Express 2.0+/Quick Charge 2.0/Quick Charge 3.0/Smart IC | Number of simultaneously connected devices (max): 2 | Power protection features: Over voltage/Overheating/Overload/Short circuit | Power source type: Cigar lighter | Special features: Smart IC | USB 2.0 ports quantity: 2 | USB Power Delivery (USB PD): No | Wireless charging: No | Housing material: Plastic | LED indicators: Yes | Product colour: Black | Input voltage: 12 - 24 | Maximum output voltage: 12 | Maximum power: 31.5 | Minimum output voltage: 5 | Port 1 output current: 3 | Port 1 output power: 19.5 | Port 2 output current: 2.4 | Port 2 output power: 12 | Depth: 28 | Height: 28 | Weight: 23 | Width: 59 | Package depth: 78 | Package height: 33 | Package type: Display box | Package weight: 43 | Package width: 112 | Manual: Yes | Certification: CE, FCC | Compliance certificates: RoHS | Country of origin: China | User guide: Yes | Model: PWC-QC5 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.0002925 | Unit Calculated Weight: 0.05

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903