

LogiLink HD0060 video switch HDMI

Gamintojas: **LOGILINK** · Modelis: **HD0060** · EAN: **4052792070804** · Prekės kodas: **693053**



73,89 €

Kaina su PVM

Be PVM: **61,07 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Allows smart switching between five HDMI signal sources on one screen
- ✓ Compliant to HDMI 2.0 with a bandwidth of 6 Gbps/s at 600 MHz per channel (18 Gbit/s total)
- ✓ Connection In: 5x HDMI-A, USB micro-B; Connection Out: HDMI-A
- ✓ Supports Ultra HD 4K/60 Hz and Full 3D
- ✓ USB micro-B power cable 5 V/1 A
- ✓ Support of 36 bit Deep Color (12 bit per channel)
- ✓ Compliant to HDCP 2.2
- ✓ Supports DDC, HDR, CEC function and IR remote support
- ✓ Support uncompressed audio such as LPCM7.1
- ✓ Support compressed audio such as DTS, Dolby Digital (including DTS-HD Master Audio™ and Dolby TrueHD)



Aprašymas

Product information "HDMI switch, 5x1-Port, 4K/60 Hz, HDCP, HDR, CEC, RC, metal" from LogiLink

The LogiLink 4K HDMI switch allows convenient switching between five HDMI input sources (video camera, DVD/Blu-ray player, game console, streaming box, etc.) via remote control, intelligent automatic detection or alternatively via switch on the switch itself. Annoying plugging and unplugging of cables is a thing of the past. Thanks to Ultra HD (4K/60 Hz), you can experience media content in brilliantly sharp resolution with support for HDCP 2.2, HDR, CEC and 3D. The audio transmission in LPCM 7.1, DTS, Dolby Digital, DTS-HD Master Audio and Dolby TrueHD also leaves nothing to be desired.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Network > Switches [+2183][-1086]
Ports & interfaces	
Video port type	HDMI
HDMI ports quantity	6
HDMI version	2
HDMI in	5
Number of HDMI outputs	1
USB port type	Micro USB Type-B
Features	
Material	Metal
Product colour	Black
Consumer Electronics Control (CEC) support	Yes
High Dynamic Range (HDR) supported	Yes
Plug and Play	Yes
HDCP	Yes
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p
Bandwidth	6 Gbit/s
LED indicators	Yes
Bandwidth	600 MHz
Maximum resolution	3840 x 2160 pixels
External power adapter	Yes
3D	Yes
HD type	4K Ultra HD
Colour depth	36 bit
Audio decoders	DTS, Dolby Digital
Audio formats supported	LPCM
HDCP version	2.2
Power	
AC adapter output voltage	5 V
AC adapter output current	1 A
Weight & dimensions	
Width	61 mm

Depth	160 mm
Height	15 mm
Weight	203 g
Packaging data	
Package width	190 mm
Package depth	145 mm
Package height	60 mm
Package weight	420 g
Packaging content	
Quantity per pack	1 pc(s)
Remote control included	Yes
Manual	Yes
Cables included	USB
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Operating relative humidity (H-H)	10 - 85%