

ATEN 4-Port USB DVI Dual Link KVM Switch with Audio & USB 2.0 Hub (KVM cables included)

Gamintojas: **ATEN** · Modelis: **CS1784A** · EAN: **4710423777095** · Prekės kodas: **693423**



336,90 €

Kaina su PVM

Be PVM: **278,43 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Superior video quality: 1920 x 1200 @ 60Hz (Single Link); 2560 x 1600 @ 60Hz (Dual Link); nVidia 3D vision ready
- ✓ Computer selection via front panel pushbuttons, hotkeys, and mouse; DVI digital and analog monitor support – fully compliant with the DVI specifications
- ✓ Video DynaSync™ – Exclusive ATEN technology that eliminates boot-up display problems and optimizes resolution when switching between ports
- ✓ Multiplatform support – Windows, Linux, Mac, and Sun



Aprašymas

The CS1784A USB DVI Dual Link KVMP™ Switch charts a revolutionary direction in KVM switch functionality. It combines the capabilities of a 4-port KVM switch with a 2-Port USB hub, while providing a DVI monitor interface and audio support. Moreover it carries advanced features, such as nVidia 3D Vision ready 120Hz 3D display support, gaming keyboard compatibility and port selection/switching using a mouse, aimed at giving you flexibility, convenience and enjoyment.

1 x CS1784A USB DVI Dual Link KVMP™ Switch

4 x 2L-7D02UD DVI-D KVM Cable Sets

1 x 0AD8-1605-24M1 Power Adapter

1 x User Instructions

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Network > Switches [+2183][-1086]
Ports & interfaces	
Number of computers controlled	4
Keyboard port type	USB
Mouse port type	USB
Video port type	DVI-I
Console ports	3.5mm headphone, 3.5mm mic, DVI-I, USB A
DVI-I ports quantity	4
USB 2.0 Type-B ports quantity	4
Console USB ports quantity	2
USB hub	Yes
USB 2.0 Type-A hub ports quantity	2
USB connector type	USB Type-A, USB Type-B
Audio connections	Yes
Headphone outputs	6
Number of microphone inputs	6
DC-in jack	Yes
Performance	
HD type	WQXGA
Maximum resolution	2560 x 1600 pixels
Video bandwidth	60 Hz
Scan interval	1,5,99 s
Design	
Product colour	Black
Housing material	Metal
LED indicators	Yes
Push button	Yes
Hot keys	Yes
Display	
Built-in display	No
Power	
Power source	DC

Input voltage	5.3 V
Power consumption (typical)	5.91 W
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 80%
Weight & dimensions	
Width	270 mm
Depth	88 mm
Height	55.5 mm
Weight	2.32 kg
Packaging data	
Package width	98 mm
Package depth	325 mm
Package height	210 mm
Package weight	2.56 kg
Packaging content	
Quick installation guide	Yes
Manual	Yes
Logistics data	
Master (outer) case net weight	11.6 kg
Harmonized System (HS) code	85176200
Master (outer) case width	342 mm
Master (outer) case length	512 mm
Master (outer) case height	232 mm
Master (outer) case gross weight	13.5 kg
Products per master (outer) case	5 pc(s)