

Philips B Line LCD monitor with PowerSensor 252B9/00

Gamintojas: **PHILIPS** · Modelis: **252B9/00** · EAN: **8712581754648** · Prekės kodas: **695895**



405,89 €

Kaina su PVM

Be PVM: **335,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ B Line
- ✓ WUXGA (1920 x 1200)
- ✓ 25" (63.4 cm)



Aprašymas

Expand beyond boundaries with the new 16:10 frameless design Philips B Line monitor. Loaded with features to improve productivity and sustainability, this monitor takes it to the next level.

Techninė specifikacija

Specifications

Sandėlio grupė

Peripherals & Desktop > Monitors [+2277][-565]

Display

Display diagonal

63.5 cm (25")

Display resolution

1920 x 1200 pixels

Native aspect ratio	16:10
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Display number of colours	16.7 million colours
Backlight type	W-LED
Display brightness (typical)	300 cd/m²
Anti-glare screen	Yes
Aspect ratio	16:10
Contrast ratio (dynamic)	50000000:1
Dynamic contrast ratio marketing name	SmartContrast
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.279 x 0.282 mm
Pixel density	91 ppi
Horizontal scan range	30 - 96 kHz
Vertical scan range	48 - 76 Hz
Viewable size, horizontal	53.5 cm
Viewable size, vertical	33.9 cm
Digital horizontal frequency	30 - 96 kHz
Digital vertical frequency	48 - 76 Hz
Sync-on-green (SOG)	Yes
Display diagonal (metric)	63.4 cm
DDC/CI	Yes
Haze rate	25%
Surface hardness	3H
Colour gamut standard	sRGB
Colour gamut	90%
sRGB coverage (typical)	107.5%
NTSC coverage (typical)	90%

3D	No
Separate H/V sync	Yes
Display sRGB	Yes
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Component video sync	Separate Sync, Sync-on-green (SOG)
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	2 W
Design	
Market positioning	Home
Product colour	Black
Front bezel colour	Black
Feet colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	1
USB Type-A downstream ports quantity	4
VGA (D-Sub) ports quantity	1
DVI port	Yes
DVI-D ports quantity	1
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Audio input	No

PC Audio in	Yes
HDCP	Yes
HDCP version	1.4
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-175 - 175°
Tilt adjustment	Yes
Tilt angle range	-5 - 30°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Number of OSD languages	20
Plug and Play	Yes
LED indicators	Operation, Stand-by
Power	
Energy efficiency class (SDR)	E
Energy consumption (SDR) per 1000 hours	18 kWh
Power consumption (typical)	15 W
Power consumption (standby)	0.5 W
Power consumption (off)	0 W
Power consumption (PowerSave)	12.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	0 - 12192 m
Weight & dimensions	
Width (with stand)	546 mm
Depth (with stand)	206 mm
Height (with stand)	541 mm
Weight (with stand)	5.09 kg
Width (without stand)	546 mm
Depth (without stand)	49 mm
Height (without stand)	367 mm
Weight (without stand)	3.5 kg
Packaging data	
Package width	608 mm
Package depth	197 mm
Package height	524 mm
Package weight	7.44 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	VGA, DVI, HDMI, DisplayPort, Audio (3.5mm), AC
Manual	Yes
Bundled software	SmartControl
Sustainability	
Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	PVC/BFR, Mercury
Other features	
AC adapter included	Yes
Rotating	No
TV tuner integrated	No
Exterior finish type	Textured
Heavy metals free	Hg (mercury)

EasyRead mode	Yes
LowBlue mode	Yes
Compliance certificates	WEEE, RoHS
Mean time between failures (MTBF)	70000 h
Compliance industry standards	CE, FCC Class B, SEMKO, cETLus, CU-EAC, TUV Ergo, TUV/GS, EPA, ICES-003, UKRAINIAN, SASO, KUCAS, VCCI, RCM, CCC
Certification	CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, TUV Ergo, TUV/GS, EPA, ICES-003, UKRAINIAN, SASO, KUCAS, VCCI, RCM, CCC
Picture enhancement	SmartImage
Regulatory Approvals	CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; TUV Ergo; TUV/GS; EPA; ICES-003; UKRAINIAN; SASO; KUCAS; VCCI; RCM; CCC
Supplied AC adapter type	1920 x 1200 @ 60 Hz
Recycling data	
Total amount of recyclable materials	85%
Recyclable packaging material	100%
Post-consumer recycled plastic	85%
Logistics data	
Harmonized System (HS) code	85285210