

ASUS Prime -RX9060XT-O8G AMD Radeon RX 9060 XT 8 GB GDDR6

Gamintojas: **ASUS** · Modelis: **90YV0M10-M0NA00** · EAN: **4711387994184** · Prekės kodas: **696378**



1 109,90 €

Kaina su PVM

Be PVM: **917,27 €**

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AMD Radeon RX 9060 XT 8 GB GDDR6
- ✓ 7680 x 4320 pixels 128 bit 20 Gbit/s PCI Express 5.0
- ✓ HDMI ports quantity: 1 DisplayPorts quantity: 2
- ✓ OpenGL version: 4.6
- ✓ 1x 8-pin



Aprašymas

Primed for Power

Experience Primal performance with the Prime Radeon™ RX 9060 XT graphics card featuring a compact 2.5-slot design for expansive compatibility, enhanced by a triple-fan setup for supreme cooling.

Cooling

2.5-slot Design

The Prime Radeon™ RX 9060 XT features a 2.5 slot design with a carefully arranged layout for the shroud, heatsink and heat pipes to let the three Axial-tech fans leverage chassis side-panel ventilation and deliver optimal thermal performance.

Axial-tech Upgrades

Three tried-and-true Axial-tech fans feature a smaller hub that facilitates longer blades and a barrier ring to increase downward air pressure for

lower temperatures, less noise and higher performance.

0dB Technology

All three fans come to a standstill when GPU temperatures are below 55°C, letting you play less demanding games or perform light tasks in relative silence. Fans start up again when temperatures are over 60°C, establishing a speed curve that balances performance and acoustics for work or play.

Dual Ball Fan Bearings

Different bearing types have unique pros and cons. Dual-ball bearings excel at durability and can last up to twice as long as sleeve bearing designs.

Vented Backplate

Large backplate vents significantly enhance heat dissipation, helping to keep the GPU cooler during intense tasks. This additional airflow helps ensure optimal temperatures, boosting performance, longevity and stability by defending against overheating and thermal throttling.

MaxContact Design

MaxContact is a special ASUS manufacturing process that effectively expands the surface area of the heat spreader that sits atop the GPU by 5%, compared to traditional designs. This improves temperatures by up to 2°C, in concert with an extensive heatsink array and powerful Axial-tech fans.

Techninė specifikacija

Specifications	
Sandėlio grupė	Components & Accessories > Graphics Cards [+443][-317]
Processor	
Graphics processor family	AMD
Graphics processor	Radeon RX 9060 XT
Maximum resolution	7680 x 4320 pixels
CUDA	No
Parallel processing technology support	Not supported
Processor boost clock speed	3310 MHz
Stream processors	2048
Maximum displays per videocard	3
Memory	
Discrete graphics card memory	8 GB
Graphics card memory type	GDDR6
Memory bus	128 bit
Data transfer rate	20 Gbit/s
Ports & interfaces	
Interface type	PCI Express 5.0
HDMI ports quantity	1
DVI-D ports quantity	0
DVI-I ports quantity	0

DisplayPorts quantity	2
Thunderbolt 3 ports quantity	0
Mini HDMI ports quantity	0
HDMI version	2.1b
VGA (D-Sub) ports quantity	0
Mini DisplayPorts quantity	0
DisplayPort version	2.1a
USB Type-C ports quantity	0
Performance	
TV tuner integrated	No
OpenGL version	4.6
Dual Link DVI	No
HDCP	Yes
HDCP version	2.3
Overclocked (OC) edition	Yes
Design	
Cooling type	Active
Cooling technology	ASUS Axial-tech
Number of fans	3 fan(s)
Form factor	Full-Height/Full-Length (FH/FL)
Bracket height	Full-Height (FH)
Number of slots	2.5
Illumination	No
SFF ready	Yes
Product colour	Black
Power	
Minimum system power supply	550 W
Supplementary power connectors	1x 8-pin
Weight & dimensions	
Weight	871 g
Length	304 mm
Depth	50 mm
Height	126 mm
Packaging data	

Package width	405 mm
Package depth	233 mm
Package height	88.5 mm
Package weight	1.49 kg
Package type	Box
Packaging content	
Manual	Yes