

LG 32SM5J-B Digital signage display 81.3 cm (32") IPS Wi-Fi 400 cd/m² Full HD Black 24/7

Gamintojas: **LG** · Modelis: **32SM5J-B.AEU** · EAN: **8806091356611** · Prekės kodas: **697081**



1 002,90 €

Kaina su PVM

Be PVM: **828,84 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Brightness(Typ.) : 400 cd/m²
- ✓ Bezel : 13 mm (T/R/L), 18 mm (B)
- ✓ Depth : 55.5 mm
- ✓ Interface : HDMI(3) / USB 2.0 / RS232C / RJ45 / IR / Audio Out
- ✓ Built-in Speaker : 10W + 10W



Aprašymas

Various Sensor Connection

LG webOS smart signage platform helps to easily provide additional solutions by supporting simple connections with external sensors such as GPIO, NFC/RFID, temperature sensors, etc., via USB plug-in.

Mobile & Web Monitoring

Through the Control Manager, the embedded web monitoring solution, you can control and monitor the status of the SM5J series displays in different locations in real-time. It is available on internet connected devices, allowing you to flexibly and rapidly respond to emergency situations.

Compatible with AV Control System

The SM5J series supports Crestron Connected for high compatibility with professional AV controls to achieve seamless integration and automated control, boosting business management efficiency.

Real-Time LG ConnectedCare Service

Maintenance is easy and fast with the optional LG ConnectedCare service, a cloud service solution provided by LG. It remotely manages the status of displays in client workplaces for fault diagnosis and remote-control services, supporting the stable operation of clients' businesses.

LG's Simple Advertisement Helper, Promota

Using LG's Promota application, downloadable on a mobile device, you can easily create your own display contents. With Promota, you can add text and images to create an online profile for your business as well as deliver information such as event news, seasonal menus, promotions, and even more while recommending easy-to-use templates relevant to your industry.

Real-Time Promotion

With Beacon and Bluetooth Low Energy (BLE), shop managers can provide coupons and information in real-time.

Content Sharing

Content Mirroring among devices is available on a Wi-Fi network.

Wireless Access Point

The SM5J series operates as a virtual router which can be an wireless access point for mobile devices.

Techninė specifikacija

Specifications	
Sandėlio grupė	Peripherals & Desktop > Monitors [+2277][-565]
Display	
Display diagonal	81.3 cm (32")
Display technology	IPS
Display resolution	1920 x 1080 pixels
Display brightness	400 cd/m²
HD type	Full HD
Response time	10 ms
Contrast ratio (typical)	1100:1
Contrast ratio (dynamic)	1000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.7 million colours
Haze rate	1%
Ports & interfaces	
HDMI ports quantity	3
USB port	Yes
USB version	2
Ethernet LAN (RJ-45) ports	1
RS-232C	Yes

Remote (IR) input	1
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	20 W
Design	
Product design	Digital signage flat panel
Product colour	Black
VESA mounting	Yes
Orientation	Horizontal/Vertical
Panel mounting interface	200 x 200 mm
Bezel width (bottom)	1.8 cm
Bezel width (side)	1.3 cm
Bezel width (top)	1.3 cm
Performance	
Purpose	Universal
Operating hours (hours/days)	24/7
HDCP	Yes
HDCP version	2.2
Power	
Power consumption (typical)	55 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Heat dissipation	187.67 BTU/h
Weight & dimensions	
Display width	729.4 mm
Display depth	55.5 mm
Display height	428.9 mm
Display weight	5.7 kg
Width (with stand)	729.4 mm
Depth (with stand)	154.2 mm
Height (with stand)	481 mm
Weight (with stand)	6.5 kg
Packaging content	

Remote control included	Yes
Cables included	AC, HDMI
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Logistics data	
Harmonized System (HS) code	85285210
Sensors	
Ambient light sensor	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	81,00cm × 13,00cm × 51,00cm