

ASUS ROG -STRIX-1000P-GAMING-WHITE power supply unit 1000W 20+4 pin ATX ATX

Gamintojas: **ASUS** · Modelis: **90YE00W4-B0NA00** · EAN: **4711387835517** · Prekės kodas: **700212**



267,89 €

Kaina su PVM

Be PVM: **221,40 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ GaN MOSFET delivers superior power efficiency by up to 30% and a more organized internal layout for cooler operation
- ✓ "GPU-FIRST" voltage sensing with patented-intelligent voltage stabilizer enhances voltage delivery by up to 45% to your graphics card for smoother gameplay and unwavering performance
- ✓ Large ROG heatsinks cover critical components, delivering lower temperatures and noise than reference designs
- ✓ Dual ball fan bearings can last up to twice as long as sleeve bearing designs
- ✓ 0dB technology lets you enjoy light gaming in relative silence
- ✓ ATX 3.1 compatible: ROG Strix Platinum White Edition is compliant with ATX 3.1 standard, ensuring enhanced voltage and current regulation
- ✓ PCIe 5.0 Ready: ROG Strix Platinum White Edition features a native 12V-2x6 connector for next-gen graphics card power
- ✓ 80 PLUS platinum certified: ROG Strix Platinum White Edition utilizes low-ESR capacitors and premium components for industry-leading power efficiency



Aprašymas

ROG Strix 1000W Platinum White Edition

Superior Stability.

Next-Level Efficiency

The ROG Strix Platinum White Edition PSU delivers the top-tier performance and unwavering stability demanded by gamers. Featuring next-gen GaN

MOSFET for superior power efficiency. The “GPU-FIRST” voltage sensing with patented-intelligent voltage stabilizer ensures a steady flow of power to the graphics card. Plus, it is ready for latest hardwares with ATX 3.1 compliance and a native 12V-2x6 connector. The ROG Strix Platinum Series ensures your high-end rig has the power to conquer any challenge.

Techninė specifikacija

Specifications	
Sandėlio grupė	PC Components Power Supplies PSUs above 800 Watts [+0][-0]
Power	
Total power	1000 W
AC input voltage	100 - 240 V
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	130 W
Combined power (+12V)	1000 W
Combined power (+5V)	130 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	25 A
Max output current (+12V)	83.3 A
Max output current (+5V)	25 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Power protection features	Overheating, Over current, Over power, Over voltage, Short circuit, Under power
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	3
Motherboard power cable length	61 cm
Number of SATA power connectors	6
SATA power cable length	400,120 mm
Peripheral (Molex) power cable length	400,150 mm
PCI Express power connectors (6+2 pin)	4
PCI Express power connectors (16-pin)	1
PCI Express power cable length	75 cm
CPU power connector (4+4 pin)	Yes
CPU power cable length	100 cm
Cabling type	Fully-Modular

Performance

Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Platinum
ATX version	3.1
Mean time between failures (MTBF)	120000 h

Design

Product colour	White
Cooling type	Semi-passive
Number of fans	1 fan(s)
Fan location	Top

Packaging content

Cables included	CPU, PCIe, SATA, Peripheral (Molex)
-----------------	-------------------------------------

Weight & dimensions

Width	160 mm
Depth	150 mm
Height	86 mm
Weight	1.81 kg

Packaging data

Package width	320 mm
Package depth	200 mm
Package height	108 mm
Package weight	2.91 kg
Package type	Box

Matmenys ir svoris

Matmenys (I × P × A)	16,00cm × 15,00cm × 9,00cm
Svoris	3,73kg