

Axagon EE25-GTR Ribbed aluminum USB 3.2 Gen 2 - SATA 6G external box for 2.5" SSD/HDD

Gamintojas: **AXAGON** · Modelis: **EE25-GTR** · EAN: **8595247906779** · Prekės kodas: **701316**



18,90 €

Kaina su PVM

Be PVM: **15,62 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HDD/SSD enclosure Serial ATA, Serial ATA II, Serial ATA III 2.5"
- ✓ Number of storage drives supported: 1
- ✓ USB connectivity
- ✓ S.M.A.R.T. support TRIM support UASP support
- ✓ 10 Gbit/s
- ✓ Power source type: USB
- ✓ Black



Aprašymas

Ribbed aluminum external AXAGON EE25-GTR RIBBED box with USB 3.2 Gen2 interface for 2.5" SATA HDD or SSD. The double-sided USB-C connector on the box together with the supplied USB-C -> USB-A cable and USB-A -> USB-C adapter enables a reliable connection to a computer.

Thanks to the fast USB 3.2 Gen 2 interface with a transfer speed of up to 10 Gb/s, the speed of 2.5" SSD disks is not limited. Compared to conventional boxes with a USB 3.2 Gen 1 interface, the transfer speed of this box with SSD disk is about 20% higher. The TRIM feature support limits the gradual degradation of SSD performance over time. Reading S.M.A.R.T. information monitoring the condition of the external drive. Hibernation support for connected disk and box.

The inner box frame fixes well and protects the inserted disk. The ribbed aluminum box body helps cool and protect the drive. Rubber feet restrict

movement on the table. The elegant box surface prevents unwanted fingerprints.

Input:

- USB 3.2 Gen 2 (USB 3.1 Gen 2) SuperSpeed USB 10 Gbps.
- Speed up to 10 Gbit/s.
- Connection via reversible USB type C female connector.

Device support:

- SATA III - 6 Gb/s (600 MB/s) interface,
- supports 2.5" SSD/HDD,
- max. disk capacity - all without restriction,
- max. 2.5" disk height - 9.5 mm.

Other features:

- Compatible with USB 3.2 Gen 2 (USB 3.1 Gen 2), backward compatible with USB 3.2 Gen 1 (USB 3.1 Gen 1 / USB 3.0), USB 2.0.
- Supports transmission rates 10 000 / 5 000 / 480 Mbit/s (SuperSpeed+ / SuperSpeed / HighSpeed).
- Compliant with Serial ATA 3.0 specification (SATA/600), transmission rates of up to 6 Gb/s (600 MB/s).
- Compliant with Serial ATA 2.0 specification (SATA/300), transmission rates of up to 3 Gb/s (300 MB/s).
- Compliant with Serial ATA 1.0 specification (SATA/150), transmission rates of up to 1.5 Gb/s (150 MB/s).
- The total bandwidth / transmission rate of the box is determined by the SATA interface used (theor. 6 Gbit/s).
- Supports BOT (Bulk-Only Transport).
- Supports UASP (USB Attached SCSI) for faster data transmission in Windows 8 and later.
- Supports TRIM functionality to limit gradual degradation of the SSD performance over time.
- Supports S.M.A.R.T. (Self-Monitoring, Analysis, and Reporting Technology) system monitoring disk condition.
- SSD boot support in external box.
- Possibility to connect your device while running thanks to the Hot Plug support.
- Full Plug and Play support.
- HDD Auto Spindown - automatic spindown of a disk after period of inactivity lasting 10 minutes.
- HDD Turn Off - turns off the disk after removing the device or sleeping the PC.
- Connection via USB 3.2 Gen 2 type C female connector.
- USB Type C male / USB Type A male cable 60 cm long is included.
- USB-A - USB-C adapter is included.
- A decent LED indicating the connection to the computer's USB port (permanent light) and data transfer (blinking).
- Box dimensions 114 x 77 x 16 mm.
- Weight 100 g.

Supported operating systems:

- MS Windows 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2008 / 2012 / 2016 / 2019 / 2022 and later (all 32-bit and 64-bit Windows OS versions are supported), Mac OS X 10.x and later, Linux with kernel 2.6.x and later.

Note: Drivers are included with supported operating systems and are installed completely automatically. No other drivers need to be installed and are not even available.

Package contains:

- USB-C 3.2 Gen 2 external box for 2.5" SATA disk,
- USB-C - USB-A cable 60 cm long,
- USB-A - USB-C adapter,
- self-adhesive rubber pads,
- mounting material and screwdriver,
- multilanguage quick guide CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / TR / BG / CN / ARA,
- packed in a cardboard box.

Techninė specifikacija

Specifications	
Sandėlio grupė	PC Components Drives External HDD Enclosures [+0][-0]
Storage	
Storage drive size	2.5"
Supported storage drive interfaces	Serial ATA, Serial ATA II, Serial ATA III
Number of storage drives supported	1
Supported storage drive heights	5,7,9.5 mm
NVMe	No
Ports & interfaces	
USB connectivity	Yes
USB version	3.2 Gen 2 (3.1 Gen 2)
USB connector type	USB Type-C
USB connector gender	Female
Design	
Product type	HDD/SSD enclosure
Product colour	Black
Material	Aluminium
LED indicators	Yes
Certification	CE, RoHS
Performance	
Data transfer rate	10 Gbit/s
UASP support	Yes
TRIM support	Yes
S.M.A.R.T. support	Yes
Plug and Play	Yes
Power	
Power source type	USB
External power adapter	No
System requirements	
Mobile operating systems supported	Yes
Windows operating systems supported	Yes
Linux operating systems supported	Yes
Mac operating systems supported	Yes

Weight & dimensions

Width	114 mm
Depth	77 mm
Height	16 mm
Weight	100 g
Cable length	0.6 m
Package width	35 mm
Package depth	155 mm
Package height	100 mm
Package weight	193 g

Packaging content

Package type	Box
AC adapter included	No
Cables included	USB Type-C to USB Type-C, USB Type-C to USB Type-A
Screws included	Yes
Screwdriver included	Yes
Manual	Yes

Technical details

Warranty period	2 year(s)
Compliance certificates	RoHS

Matmenys ir svoris

Matmenys (l × p × a)	10,00cm × 16,00cm × 4,00cm
Svoris	0,19kg