

DELL S Series S3423DWC computer monitor 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Black

Gamintojas: **DELL** · Modelis: **DELL-S3423DWC** · EAN: **5397184656891** · Prekės kodas: **702403**



963,90 €

Kaina su PVM

Be PVM: **796,61 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 86.4 cm (34") LCD VA
- ✓ Wide Quad HD 3440 x 1440 pixels 21:9
- ✓ 100 Hz 4 ms 350 cd/m² 3000:1
- ✓ AMD FreeSync
- ✓ F 31 kWh 31 W



Aprašymas

DELL S Series S3423DWC 86,4 cm (34) 3440 x 1440 Pixel Wide Quad HD LCD Schwarz (210-BEJE)

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display

Display diagonal

86.4 cm (34")

Display resolution	3440 x 1440 pixels
Native aspect ratio	21:9
Display technology	LCD
Touchscreen	No
HD type	Wide Quad HD
Panel type	VA
Response time	4 ms
Screen shape	Curved
Contrast ratio (typical)	3000:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
Backlight type	LED
Display brightness (typical)	350 cd/m²
Anti-glare screen	Yes
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.2318 x 0.2318 mm
Pixel density	109 ppi
Viewable size, horizontal	79.7 cm
Viewable size, vertical	33.4 cm
Viewable size diagonal	86.4 cm
Digital horizontal frequency	30 - 160 kHz
Digital vertical frequency	48 - 100 Hz
Display diagonal (metric)	86.42 cm
High Dynamic Range (HDR) supported	No
Colour gamut standard	sRGB
Colour gamut	99%

Performance

NVIDIA G-SYNC	No
AMD FreeSync	Yes
AMD FreeSync type	FreeSync
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	10 W
Design	
Market positioning	Business
Product colour	Black
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB upstream port type	USB Type-B, USB Type-C
Number of upstream ports	2
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	0
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
VGA (D-Sub) ports quantity	0
DVI port	No
HDMI ports quantity	2
HDMI version	2
DisplayPorts quantity	0
Audio output	Yes
Built-in KVM switch	Yes
HDCP	Yes
AC (power) in	Yes
Network	
Wi-Fi	No

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	10 cm
Pivot	No
Swivelling	No
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes

Power

Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	31 kWh
Power consumption (typical)	31 W
Power consumption (standby)	0.4 W
Power consumption (max)	160 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m

Weight & dimensions

Width (with stand)	808.2 mm
Depth (with stand)	217.1 mm
Height (with stand)	489.4 mm

Weight (with stand)	9.74 kg
Width (without stand)	808.2 mm
Depth (without stand)	64 mm
Height (without stand)	364.5 mm
Weight (without stand)	6.65 kg
Bezel width (side)	8.65 mm
Bezel width (top)	8.64 mm
Bezel width (bottom)	2.21 cm
Packaging data	
Package width	223.5 mm
Package depth	942.3 mm
Package height	449.6 mm
Package weight	15.2 kg
Packaging content	
Stand included	Yes
Cables included	AC, USB Type-A, USB Type-C to USB Type-C
Sustainability	
Doesn't contain	PVC/BFR
Carbon footprint	
Total carbon footprint (kg of CO2e)	764
Total carbon emissions, standard deviation (kg of CO2e)	225
Carbon emissions, manufacturing (kg of CO2e)	384.88
Carbon emissions, logistics (kg of CO2e)	71.65
Carbon emissions, energy usage (kg of CO2e)	299.02
Carbon emissions, end-of-life (kg of CO2e)	8.41
PAIA version	1.3.2, 2022
Other features	
Heavy metals free	Hg (mercury)
Compliance certificates	RoHS
Ethernet LAN (RJ-45) ports	0
Logistics data	
Harmonized System (HS) code	85285210
Matmenys ir svoris	
Svoris	10,61kg