

Fujitsu Displays B27-9 TS FHD kompiuterio monitorius 68,6 cm (27") 1920 x 1080 pikseliai „Full HD“ LCD Juoda

 Gamintojas: **FUJITSU TECHNOLOGY SOLUTIONS** · Modelis: **S26361-K1692-V160** · EAN: **4059595827604** · Prekės kodas: **702875**


224,90 €

Kaina su PVM

 Be PVM: **185,87 €**

Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68,6 cm (27") Juoda
- ✓ Aukščio reguliavimas 15 cm Įmontuoti garsiakalbiai
- ✓ HDMI versija: 1.4 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.2
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 75 Hz Reakcijos laikas: 5 ms
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): C EPEAT Bronze, ENERGY STAR



Aprašymas

FUJITSU Display B27-9 TS FHD

The Fujitsu Display B27-9 TS FHD is an FHD (1920x1080 resolution) widescreen monitor optimized for SAP software and your daily office applications. Elaborate down to the last details it's the right tool for all office worker. With stylish matt black housing, 5-in-1 adjustable stand base and consistent picture quality it's satisfying all needs for comfortable working equipment. Almost bezel-free housing for fashionably or seamless multi-monitor workplace offering you a visual delight. Adjust monitor into most comfortable position with 5-in-1 stand (150mm height adjust, starting with 40mm picture over desk level, 35° backward tilt, 345° swivel and 90° pivot function). Build-In accessories like speakers, USB 3.1 Gen 1 hub (3x

downstream type A, 1x connector type C) and cable guide save costs and clean desk space. Easy configure monitor with DisplayView per mouse click, enabling you to work comfortably without wasting time. Multi-generation compatibility with DisplayPort, HDMI and VGA interface. In-Plane-Switching (IPS) monitor with vivid colors and generous 27 inch diagonal that offers ideal picture quality for fatigue-proof work. Robust design released for 24h/7 days permanent operation.

Techninė specifikacija

Display	
Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	75 Hz
Display number of colours	16.78 million colours
Backlight type	LED
Display brightness (typical)	250 cd/m²
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1200 (WUXGA)
Contrast ratio (dynamic)	20000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	30 - 82 kHz
Vertical scan range	48 - 76 Hz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Performance	
Flicker-free technology	Yes
Multimedia	
Built-in speaker(s)	Yes

Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Business
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
Number of upstream ports	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
VGA (D-Sub) ports quantity	1
DVI port	No
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Audio input	Yes
Headphone outputs	1
Headphone connectivity	3.5 mm
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	0 - 90°
Swivelling	Yes
Swivel angle range	0 - 345°
Tilt adjustment	Yes
Tilt angle range	-5 - 35°

On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
LED indicators	Yes
Power	
Energy efficiency class (SDR)	C
Energy consumption (SDR) per 1000 hours	13 kWh
Power consumption (typical)	12.6 W
Power consumption (standby)	0.19 W
Power consumption (max)	15 W
Power consumption (average)	13 W
Power consumption (off)	0.14 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	10 - 85%
Weight & dimensions	
Width (with stand)	611.3 mm
Depth (with stand)	275 mm
Height (with stand)	384.9 mm
Weight (with stand)	7.56 kg
Width (without stand)	611.3 mm
Depth (without stand)	63.5 mm
Height (without stand)	362.2 mm
Weight (without stand)	5 kg
Packaging data	
Package width	735 mm
Package depth	228 mm
Package height	470 mm
Package weight	9.61 kg
Packaging content	
Cables included	AC, DisplayPort, USB Type-A to USB Type-B
Quick start guide	Yes

Sustainability

Sustainability certificates EPEAT Bronze, ENERGY STAR

Other features

Rotating Yes

Power plug type Type E

Certification ENERGY STAR 8.0, TCO Certified Displays 8.0, EPEAT Bronze (dedicated regions), Zero bright and dark pixel faults, Subpixel faults according to ISO9241-307 (Pixel fault class I), TÜV Flicker Free Certified, TÜV Low Blue Light Certified

Logistics data

Harmonized System (HS) code 85285210

Matmenys ir svoris

Svoris 9,57kg

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **C** A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Fujitsu Limited

Kamikodanaka 4-1-1, 211-8588 Kanagawa, JP
global.fujitsu

ATSAKINGAS ASMUO ES

Fujitsu Germany GmbH

Mies-van-der-Rohe-Straße 8, 80807 München, DE
fujitsu.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt