

Viewsonic VG Series VG2757V-2K kompiuterio monitorius 68,6 cm (27") 2560 x 1440 pikseliai Quad HD LED Juoda

Gamintojas: **VIEWSONIC** · Modelis: **VG2757V-2K** · EAN: **766907024357** · Prekės kodas: **703537**



577,90 €

Kaina su PVM

Be PVM: **477,60 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68,6 cm (27") Juoda
- ✓ Aukščio reguliavimas 11 cm Įmontuoti garsiakalbiai Integruota kamera
- ✓ USB aukštakrypčio prievado tipas: C tipo USB HDMI HDMI versija: 2.0 „DisplayPort“ kiekis: 1
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 100 Hz Reakcijos laikas: 5 ms
- ✓ 2560 x 1440 pikseliai Quad HD Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): E ENERGY STAR, ErP, TCO BIS, BSMI, CE, EAC, REACH, RoHS, WEEE, cTUVus
- ✓ Garantinis laikotarpis: 5 metai





Aprašymas

The VG2757V-2K is a 27" QHD videoconferencing monitor featuring Windows Hello compatibility. It boasts a Zoom® Certified QHD pop-up webcam that delivers exceptional audiovisuals and discreetly hides away for privacy when not in use. With Windows Hello, it ensures secure facial recognition for swift and convenient logins, eliminating the dependency on passwords. Equipped with 90W and 15W USB-C ports, ethernet, and daisy-chain support, the VG2757V-2K serves as a complete integrated docking station for charging, data transfer, and network connectivity, effectively reducing cable clutter. Its extensive ergonomic flexibility allows tilt, swivel, pivot, and height adjustments for various workflows. Enhanced by vDisplay Manager software for efficient multitasking and on-screen display controls, it offers a comprehensive videoconferencing solution.

Windows Hello with Zoom® Certified Desktop Videoconferencing Solution

Tailored to Every Work Environment

Transform any workspace into a secure productivity and videoconferencing hub. Whether it's in an executive office, a dynamic hot-desking setup, or the comfort of a home office, this monitor seamlessly integrates into diverse work environments to enhance efficiency and collaboration.

Windows Hello for Secure Hassle-free Login

Enjoy hassle-free access to your digital workspace with Windows Hello, ensuring a swift and secure sign-in with facial recognition. Enhance authentication security, reduce password issues, and minimize the risk of data breaches.

*Users must set up a Windows Hello PIN before activating facial recognition or fingerprint login. For more information, click [here](#).

*Please note that Windows Hello does not work when the monitor is pivoted to portrait mode.

Reliable and Seamless Virtual Meetings

Featuring a Zoom® Certified built-in pop-up camera, microphone, and front-facing 5W speakers, the VG2757V-2K monitor meets high audio and video standards, ensuring a seamless and hassle-free communication experience anytime.

Designed for Privacy and Confidence

Get peace of mind on and off the screen. The pop-up 5MP webcam with built-in LED fill lights ensures you look your best when it's your time to shine and protects your privacy when off-camera.

Looking Your Best Made Easy

Say goodbye to unflattering camera angles. Enhance your video quality and enjoy portrait lighting with built-in LED fill lights, offering color temperature and brightness adjustments.

Integrated Docking Station with Daisy Chain

The docking capability of the VG2757V-2K streamlines workflows by eliminating the need for dongles and adapters. USB-C ensures seamless data, video, audio, and delivers 90W charging, complemented by a built-in ethernet port (RJ45) for stable, high-speed connectivity. The DisplayPort output can be easily daisy-chained to another monitor for a productivity-boosting workstation setup.

Greater Control from Your Desktop

The intuitively designed control hub puts your video conferencing tools within arm's reach. Use the hotkeys to adjust display settings, turn on/off the microphone and speaker, and toggle the LED fill lights setting with ease.

Power Up and Speed On

An additional 15W USB-C port provides extra connectivity options and rapid charging for smartphones and other mobile devices, ensuring they are always ready to go when you are.

Eye ProTech+ for Always-on Eye Protection

Work comfortably over extended periods with ViewSonic Eye ProTech+. Combining Flicker-Free technology with a built-in low blue light screen, this monitor helps maintain fresh-feeling eyes and prevent digital eye fatigue at all times without compromising image quality.

Work the Way You Want

The VG2757V-2K offers a full range of ergonomic flexibility for every task and workflow. Raise your display to the optimal height, swivel it to be fully flat, or rotate it 90 degrees for portrait viewing. Up to ± 5 degrees of camera tilt ensures you're framed right, no matter how you choose to work.

Smooth Visuals with 100Hz Refresh Rate

With a fast 100Hz refresh rate, experience a truly fluid visual display. This improves viewing clarity, reduces screen stutter in fast action scenes, and enhances work-related tasks, reducing eye strain and boosting productivity.

Stunning Image Quality

Whether you're working or relaxing, the 16:9 screen featuring QHD 2560 x 1440 resolution display delivers enhanced quality visuals, improving your workflow and downtime by making in-screen content more enjoyable and immersive.

vDisplay Manager

ViewSonic's proprietary vDisplay Manager software is available for free and allows users to organise and divide their screen into multiple segments. ViewSonic's vDisplay Manager enables users to adjust their monitor settings to their needs for a more efficient workflow.

Excellent Software Compatibility

Compatible with video conferencing software, this monitor allows you to conduct meetings with ease. Choose different software based on your needs and preferences, fostering smoother collaboration with various partners.

Effortless Installation

Installation could not be easier. Simply open the box, screw the base without tools to the quick release stand, snap the stand into place, and lift your fully assembled display out of the box.

Eco-friendly, Biodegradable Packaging

The VG2757V-2K is packaged and shipped in environmentally-friendly, recyclable cardboard. The packaging design emphasizes green thinking by minimizing plastic use and employing mono-color printing to reduce the consumption of dyes and pollutants.

Certified Environmental Sustainability

The VG2757V-2K is an EPEAT, EnergyStar, and TCO certified product that can save on energy costs while reducing greenhouse gases.

*Energy savings may vary based on actual usage and other factors.

*Certifications and safety regulations are dependent on the purchase area.

Techninė specifikacija

Ekranas	
Ekranas įstrižainė	68,6 cm (27")
Ekranas rezoliucija	2560 x 1440 pikseliai
Natūralus kraštinių santykis	16:9
Ekranas technologija	LED
HD tipas	Quad HD
Skydo tipas	IPS
Reakcijos laikas	5 ms
Ekranas forma	Plokščias
Kontrasto santykis (tipinis)	1300:1
Maksimalus atnaujinimo dažnis	100 Hz
Ekranas spalvų skaičius	16,7 milijonai spalvų
Ekranas ryškumas (pikinis)	350 cd/m²
Neblizgantis ekranas	Taip
Palaikomos grafikos rezoliucijos	2560 x 1440
Kontrasto santykis (dinaminis)	80000000:1
Matymo kampas, horizontalus	178°
Matymo kampas, vertikalus	178°
Atsako laikas (min.)	5 ms
Pikselių žingsnis	0,233 x 0,233 mm
Horizontali diapazono riba	15 - 150 kHz
Vertikali diapazono riba	50 - 100 Hz
Ekranas įstrižainės dydis (metrinė)	69 cm
Paviršiaus kietumas	3H
Spalvų gylis	8 bitai
Spalvų gamos standartas	NTSC
Spalvų gama	76%
Palaikomas sRGB (įprastas)	100%
NTSC aprėptis (tipinė)	76%
Veikimo charakteristikos	
Mažo kiekio mėlynos šviesos technologija	Taip
Multimedija	
Įmontuoti garsiakalbiai	Taip

Integruota kamera	Taip
Garsiakalbių skaičius	2
RMS galingumas	5 W
Megapikseliai	5 MP
Įmontuotas mikrofonas	Taip
Konstrukcija	
Produkto spalva	Juoda
Kojelių spalva	Juoda
Ryšys	
Įmontuotas USB jungčių daugiklis	Taip
HDMI	Taip
Ausinių išvestis	Taip
USB koncentratoriaus versija	3.2 Gen 1 (3.1 Gen 1)
USB aukštakrypčio prievado tipas	C tipo USB
Priešsrovinių prievadų skaičius	1
USB A tipo žemakrypčių prievadų skaičius	1
USB C tipo žemakrypčių prievadų skaičius	1
„USB Type C DisplayPort Alternate Mode“	Taip
HDMI portų kiekis	1
HDMI versija	2.0
„DisplayPort“ kiekis	1
„DisplayPort“ išėjimų skaičius	1
Ausinių jungtis	3,5 mm
Tinklas	
Ethernet LAN jungtis	Taip
Ergonomija	
VESA tvirtinimo pagrindas	Taip
Aukščio reguliavimas	Taip
Suderinama su VESA sienos tvirtinimo sistema	100 x 100 mm
Reguliuojamas aukštis (maks.)	11 cm
Sukimasis	Taip
Pasukimo kampas	90 - 90°
Sukiojamas	Taip
Pasukamas	0 - 120°

Pokrypio reguliavimas	Taip
Posvyrio kampo intervalas	-5 - 40°
Energijos valdymas	
Energijos vartojimo efektyvumo klasė (SDR)	E
Energijos sąnaudos (SDR) per 1000 valandų	22 kWh
Energijos suvartojimas	29,77 W
Energijos suvartojimas (laukimo režimu)	0,5 W
Galios suvartojimas (maks.)	34,29 W
AC įėjimo įtampa	100 - 240 V
Maitinimo tipas	Vidinis
Energijos efektyvumo skalė	Nuo A iki G
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 40 °C
Darbo santykinės drėgmės diapazonas	20 - 90%
Svoris ir matmenys	
Plotis (su stovu)	612,7 mm
Gylis (su stovu)	217,2 mm
Aukštis (su stovu)	533,4 mm
Svoris (su stovu)	8 kg
Plotis (be stovo)	612,7 mm
Gylis (be stovo)	56,9 mm
Aukštis (be stovo)	390,1 mm
Svoris (be stovo)	5,5 kg
Pakuotės duomenys	
Pakuotės plotis	705 mm
Pakuotės gylis	250 mm
Pakuotės aukštis	475 mm
Paketo svoris	11,5 kg
Pakuotės turinys	
Pridėti kabeliai	HDMI, C tipo USB, USB C tipo jungties adapteris į USB A tipo jungtį
Greitos pradžios vadovas	Taip
Tvarumas	
Tvarumo sertifikatai	ENERGY STAR, ErP, TCO
Kitos savybės	

Svoris	8,35 kg
Garantinis laikotarpis	5 metai
Atitikties sertifikatai	BIS, BSMI, CE, EAC, REACH, RoHS, WEEE, cTUVus

Logistikos duomenys

Gaminių skaičius pagrindinėje (išorinėje) dėžėje	1 vnt
Padėklo bendrasis plotis	120 cm
Padėklo bendrasis ilgis	100 cm
Padėklo bendrasis aukštis	2,02 m
Darniosios sistemos (DS) kodas	8528521000

Matmenys ir svoris

Matmenys (I × P × A)	22,00cm × 61,00cm × 53,00cm
Svoris	10,80kg

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **E** A-G

- > [Energijos etiketė](#)
- > [Gaminio informacijos lapas](#)
- > [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- > [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Viewsonic

ATSAKINGAS ASMUO ES

ViewSonic Technology GMBH

Fürst-Leopold-Platz 1, 46284 Dorsten, DE
viewsonic.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt