

DELL P Series 24 USB-C Hub Monitor - P2423DE

Gamintojas: **DELL** · Modelis: **DELL-P2423DE** · EAN: **5397184567975** · Prekės kodas: **704001**



352,90 €

Kaina su PVM

Be PVM: **291,65 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60.5cm (23.8") Quad HD 2560 x 1440 W-LED IPS
- ✓ 5ms, 16:9, 300cd/m², 1000:1
- ✓ USB, HDMI, DisplayPort



Aprašymas

Experience pure productivity on a 23.8-inch QHD monitor featuring extensive connectivity and ComfortView Plus.

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display

Display diagonal	60.5 cm (23.8")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9

Display technology	LCD
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Display number of colours	16.7 million colours
Backlight type	W-LED
Display brightness (typical)	300 cd/m²
Anti-glare screen	Yes
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 1440p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	8 ms
Pixel pitch	0.2058 x 0.2058 mm
Pixel density	123 ppi
Horizontal scan range	29 - 113 kHz
Vertical scan range	49 - 75 Hz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Viewable size diagonal	60.5 cm
Display diagonal (metric)	60.45 cm
High Dynamic Range (HDR) supported	No
sRGB coverage (typical)	99%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Business

Product colour	Black
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Type-C downstream ports quantity	0
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery up to	90 W
VGA (D-Sub) ports quantity	0
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	2
DisplayPort version	1.4
HDCP	Yes
Charging port type	USB Type-C
AC (power) in	Yes
Network	
Wi-Fi	No
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes

Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Plug and Play	Yes
LED indicators	Yes
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	20 kWh
Power consumption (typical)	20 W
Power consumption (standby)	0.3 W
Power consumption (max)	170 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	2 A
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m
Weight & dimensions	
Width (with stand)	537.8 mm
Depth (with stand)	179.6 mm
Height (with stand)	496.1 mm
Weight (with stand)	5.55 kg
Width (without stand)	537.8 mm
Depth (without stand)	52.1 mm
Height (without stand)	318.5 mm
Weight (without stand)	3.92 kg
Bezel width (side)	5.48 mm
Bezel width (top)	5.42 mm

Bezel width (bottom)	1.67 cm
Packaging data	
Package weight	7.97 kg
Packaging content	
Stand included	Yes
Cables included	AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
Quick start guide	Yes
Sustainability	
Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	PVC/BFR
Carbon footprint	
Total carbon footprint (kg of CO2e)	587
Total carbon emissions, standard deviation (kg of CO2e)	140
Carbon emissions, manufacturing (kg of CO2e)	321.68
Carbon emissions, logistics (kg of CO2e)	69.85
Carbon emissions, energy usage (kg of CO2e)	191.36
Carbon emissions, end-of-life (kg of CO2e)	4.11
PAIA version	PAIA 1.3.0, 2021
Other features	
Heavy metals free	Hg (mercury)
Compliance certificates	RoHS
Ethernet LAN (RJ-45) ports	1
Logistics data	
Harmonized System (HS) code	85285210
Matmenys ir svoris	
Svoris	6,90kg