

EIZO FlexScan FLT computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Gamintojas: **EIZO** · Modelis: **FLT-BK** · EAN: **4995047068907** · Prekės kodas: **704174**



656,90 €

Kaina su PVM

Be PVM: **542,89 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ EIZO's most sustainable monitor with EU energy efficiency class A
- ✓ Only 6 watts typical power consumption thanks to unique energy-saving technologies
- ✓ Enhanced EcoView features for even greater energy savings and integrated power consumption indicator
- ✓ Housing made of 95% recycled plastic, eco-conscious packaging materials
- ✓ Slim monitor arm for optimum ergonomics and a tidy working environment
- ✓ Practical connection via USB-C with DisplayPort signal and power delivery up to 60 watts
- ✓ Power supply via supplied USB-C power adapter or external USB-C power sources, such as a monitor or laptop
- ✓ TCO Certified Generation 10, EPEAT Gold and EPEAT Climate +
- ✓ 5-year warranty including on-site replacement service for maximum investment security



Aprašymas

The FlexScan FLT is EIZO's most sustainable monitor with Class A rank on the European energy label. Thanks to a particularly energy-saving LCD panel and unique energy-saving technologies, the typical power consumption is just 6 watts. With its EcoView features, the 23.8-inch monitor with Full HD resolution can even fall below this value. The FLT displays information about the current power consumption on demand. But it's not just in operation that the monitor scores in terms of sustainability. Its housing is made from 95% recycled plastic, which reduces waste, conserves

resources and promotes the reuse of materials. The packaging is also made from recycled materials. At the same time, the packaging size has been reduced, which reduces greenhouse gas emissions during transportation by increasing charging efficiency. The monitor's USB-C connectivity enables a laptop to be connected with just one cable and, in addition to video and USB signals, also transmits a power supply of up to 60 watts. The FLT itself can also draw its power supply from a computer or monitor in reverse, e.g. as part of a daisy chain, and then does not require a mains adapter. The standard swivel arm allows flexible and ergonomic positioning and allows the FLT to seamlessly blend into any modern workspace.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	250 cd/m²
Anti-glare screen	Yes
Supported graphics resolutions	1920 x 1080 (HD 1080)
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.275 x 0.275 mm
Pixel density	93 ppi
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Digital horizontal frequency	31 - 68 kHz
Digital vertical frequency	59 - 61 Hz
Display diagonal (metric)	60.5 cm

Colour gamut standard	sRGB
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Office
Product colour	Black
Housing material	Recycled plastic
Ports & interfaces	
Built-in USB hub	Yes
HDMI	No
Headphone out	No
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	60 W
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Swivelling	Yes
Swivel angle range	0 - 180°
Tilt adjustment	Yes
Tilt angle range	-40 - 40°

On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Swedish
Power	
Energy efficiency class (SDR)	A
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	5 kWh
Power consumption (typical)	6 W
Power consumption (standby)	0.3 W
Power consumption (max)	94 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width (with stand)	550.2 mm
Depth (with stand)	359.6 mm
Height (with stand)	398.2 mm
Weight (with stand)	4.5 kg
Width (without stand)	550.2 mm
Depth (without stand)	24.4 mm
Height (without stand)	327.8 mm
Weight (without stand)	2.4 kg
Packaging content	
Swivel arm	Yes
Cables included	USB Type-C to USB Type-C, AC
Power adapter included	Yes
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO

Sustainability compliance	Yes
---------------------------	-----

Other features

Automatic brightness control	Yes
------------------------------	-----

Warranty period	5 year(s)
-----------------	-----------

Look-up table (LUT) bit depth	10
-------------------------------	----

Compliance certificates	CE, Federal Communications Commission (FCC), ICES, PSE, RCM, RoHS, TÜV mark, UKCA, VCCI, WEEE
-------------------------	---

Certification	CE, UKCA, CB, TÜV/GS, TÜV/Ergonomics (including ISO 9241-307), TCO Certified Generation 10, TÜV/Low Blue Light Content, TÜV/Flicker Free, RCM, cTÜVus, FCC-B, CAN ICES-3 (B), TÜV/S, PSE, VCCI-B, EPA ENERGY STAR, RoHS, WEEE, EPEAT 2018 Gold (US), EPEAT Climate +
---------------	--

Logistics data

Harmonized System (HS) code	85285210
-----------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	64,00cm × 42,00cm × 18,00cm
----------------------	-----------------------------

Svoris	7,13kg
--------	--------