

AOC G2 CU34G2XP computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED Black, Red

Gamintojas: **AOC** · Modelis: **CU34G2XP/BK** · EAN: **4038986111331** · Prekės kodas: **704616**



338,90 €

Kaina su PVM

Be PVM: **280,08 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 86.4 cm (34") Black, Red
- ✓ Height adjustment 13 cm
- ✓ USB upstream port type: USB Type-B HDMI HDMI version: 2.0
DisplayPorts quantity: 2 DisplayPort version: 1.4
- ✓ Screen shape: Curved
- ✓ Maximum refresh rate: 180 Hz Response time: 5 ms Response time measurement type: GTG (Gray to Gray) Response time (MPRT): 1 ms
- ✓ 3440 x 1440 pixels UltraWide Quad HD Panel type: VA
- ✓ Energy efficiency class (SDR): G CE
- ✓ Warranty period: 3 year(s)



Aprašymas

Unleash visual perfection with the CU34G2XP/BK, a 34-Inch Ultrawide Curved Monitor Offering WQHD Resolution and 180Hz Refresh Rate

The CU34G2XP/BK, a 34-inch curved ultrawide monitor, goes beyond gaming, offering an immersive visual experience for design, content creation, and gaming. With a stunning WQHD resolution of 3440x1440, an impressive 180Hz refresh rate, and a rapid 1ms GtG response time, it ensures ultra-smooth visuals and eliminates motion blur, allowing you to relax and feel like you're inside the game. The HDR400 support enriches colors and details, making it an ideal choice for creative professionals who demand precision in their work.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]
Display	
Display diagonal	86.4 cm (34")
Display resolution	3440 x 1440 pixels
Native aspect ratio	21:9
Display technology	LED
Touchscreen	No
HD type	UltraWide Quad HD
Panel type	VA
Response time	5 ms
Screen shape	Curved
Contrast ratio (typical)	4000:1
Maximum refresh rate	180 Hz
Display number of colours	1.073 billion colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	430 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Anti-glare screen	Yes
Screen curvature rating	1500R
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.23175 x 0.23175 mm
Pixel density	109.7 ppi
Digital horizontal frequency	30 - 220 kHz
Digital vertical frequency	48 - 144 Hz
Display diagonal (metric)	86.4 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400
Haze rate	25%

Surface hardness	3H
Colour gamut standard	Adobe RGB, DCI-P3, NTSC, sRGB
sRGB coverage (typical)	120.9%
NTSC coverage (typical)	105.4%
Adobe RGB coverage	120.9%
BT.2020 coverage	70.2%
DCI-P3 coverage	96.3%
Performance	
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Gaming
Product colour	Black, Red
Frameless design	Yes
Front bezel colour	Black/Red
Detachable stand	Yes
Feet colour	Black, Red
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB upstream port type	USB Type-B
USB Type-A downstream ports quantity	4
HDMI ports quantity	2
HDMI version	2
DisplayPorts quantity	2
DisplayPort version	1.4
Audio output	Yes

Headphone outputs	1
Headphone connectivity	3.5 mm
HDCP	Yes
HDCP version	2.2
Charging port type	USB Type-A
AC (power) in	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Pivot	No
Swivelling	Yes
Swivel angle range	30 - 30°
Tilt adjustment	Yes
Tilt angle range	3.5 - 21.5°
Picture-in-Picture	Yes
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, Dutch, English, Finnish, French, German, Italian, Japanese, Korean, Croatian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Ukrainian
Number of OSD languages	19
LED indicators	Operation, Stand-by
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	45 kWh
Energy consumption (HDR) per 1000 hours	82 kWh
Power consumption (typical)	59 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	808.3 mm
Depth (with stand)	237.4 mm
Height (with stand)	528.2 mm
Weight (with stand)	8.02 kg
Width (without stand)	808.3 mm
Depth (without stand)	102.9 mm
Height (without stand)	367.5 mm
Weight (without stand)	6.51 kg
Packaging data	
Package width	280 mm
Package depth	903 mm
Package height	548 mm
Package weight	12 kg
Packaging content	
Stand included	Yes
Cables included	AC, HDMI, DisplayPort
Other features	
Brand specific technologies	Crosshair
Low input lag	Yes
FPS counter	Yes
Dial point	Yes
Shadow control	Yes
Motion blur reduction	Yes
Picture-by-Picture (PbP)	Yes
Bezel thickness type	Frameless
Warranty period	3 year(s)
Compliance certificates	CE
Light effects	No
Certification	WEEE,REACH compliant,RoHs compliant,CB,TUV-Bauart-Mark,ISO 9241-307,EAC,FCC
Matmenys ir svoris	
Matmenys (I × P × A)	91,00cm × 55,00cm × 29,00cm

Svoris

11,15kg