

iiyama ProLite XB2492HSU-B1 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Gamintojas: **IIYAMA** · Modelis: **XB2492HSU-B1** · EAN: **4948570126187** · Prekės kodas: **704777**



176,90 €

Kaina su PVM

Be PVM: **146,20 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60.5 cm (23.8") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ HDMI HDMI version: 1.4 DisplayPorts quantity: 1 DisplayPort version: 1.2
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 120 Hz Response time: 3 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): B ErP, TCO CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE



Aprašymas

The ProLite XB2492HSU is a 24" Full HD monitor for anyone who values both high performance and a more sustainable choice. Packaged without plastic and made from 85% post-consumer recycled materials, it meets TCO Certification and EPEAT Silver standards. Its IPS panel delivers sharp detail, vibrant colours and wide viewing angles, while the 4-side slim bezel design creates a sleek, distraction-free workspace. EyeSafe and Eye Comfort certifications reduce eye strain, and the 150mm height-adjustable ergonomic stand ensures all-day comfort.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	3 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	120 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.275 x 0.275 mm
Horizontal scan range	30 - 140 kHz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Display diagonal (metric)	60.5 cm
DDC/CI	Yes
Colour gamut standard	NTSC, sRGB
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%
Performance	
AMD FreeSync	Yes
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Number of speakers	2
RMS rated power	4 W

Design

Market positioning	Business
Product colour	Black

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of downstream ports	2
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
HDCP	Yes

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	0 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	5 - 23°
On Screen Display (OSD)	Yes

On Screen Display (OSD) languages		Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian, Ukrainian
Power		
Energy efficiency class (SDR)		B
Energy efficiency class (HDR)		Not available
Energy consumption (SDR) per 1000 hours		9.1 kWh
Power consumption (typical)		10.7 W
Power consumption (standby)		0.5 W
Power consumption (off)		0.3 W
AC input voltage		100 - 240 V
AC input frequency		50/60 Hz
Power supply type		Internal
Energy efficiency scale		A to G
Weight & dimensions		
Width (with stand)		543 mm
Depth (with stand)		209.5 mm
Height (with stand)		492 mm
Weight (with stand)		4.5 kg
Width (without stand)		543 mm
Depth (without stand)		209.5 mm
Height (without stand)		373.5 mm
Packaging data		
Package width		684 mm
Package depth		122 mm
Package height		400 mm
Package weight		6.8 kg
USB cable length		1.5 m
Packaging content		
Cables included		AC, USB, HDMI
Quick start guide		Yes
HDMI cable length		1.5 m
Power cable length		1.5 m
Sustainability		
Sustainability certificates		ErP, TCO

Other features

Packaging content	quick start guide, safety guide
Weight	4.5 kg
Width	543 mm
Depth	209.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
User controls	picture adjust (brightness, contrast, ECO, ACR, OD, Adaptive Sync, X-Res Technology, DPS), colour settings (6-axis, i-Style colour, blue light reducer, gamma, RGB range, colour temp.), OSD settings (OSD H. position, OSD V. position, OSD time, OSD rotate, OSD background, DDC/CI, display information), miscellaneous (sharpness, video mode adjust, opening logo, power LED, USB charge, audio settings (volume, mute), recall (recall all))
Control panel	Joystick: Center: Power/ Menu, Up: Input Select, Down, Left: i-Style colour/ Eco/ Blue Light Reducer, Right: Volume/ Mute Audio

Matmenys ir svoris

Matmenys (I × P × A)	68,00cm × 40,00cm × 13,00cm
Svoris	6,64kg