

DELL Plus S3225QC computer monitor 80.3 cm (31.6") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black, Silver

Gamintojas: **DELL** · Modelis: **DELL-S3225QC** · EAN: **5397184962381** · Prekės kodas: **705283**



667,90 €

Kaina su PVM

Be PVM: **551,98 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 80.3cm (31.6") 4K Ultra HD 3840 x 2160
- ✓ 0.03ms, 16:9, 250cd/m²

- ✓ USB, HDMI



Aprašymas

A 31.6-inch 4K QD-OLED monitor with AI-enhanced 3D Spatial Audio for captivating entertainment experiences.

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display

Display diagonal 80.3 cm (31.6")

Display resolution 3840 x 2160 pixels

Native aspect ratio	16:9
Display technology	QD-OLED
Touchscreen	No
HD type	4K Ultra HD
Response time	0.03 ms
Screen shape	Flat
Maximum refresh rate	120 Hz
Display number of colours	1.07 billion colours
Display brightness (peak)	1000 cd/m²
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1280 x 960, 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p
Contrast ratio (dynamic)	1500000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.1814 x 0.1814 mm
Pixel density	140 ppi
Viewable size, horizontal	69.9 cm
Viewable size, vertical	39.5 cm
Digital horizontal frequency	25 - 300 kHz
Digital vertical frequency	48 - 120 Hz
Display diagonal (metric)	80.3 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black
DCI-P3 coverage	99%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium Pro
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	5
RMS rated power	25 W

Design

Market positioning	Office
Product colour	Black, Silver
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Silver

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-C downstream ports quantity	2
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	90 W
HDMI ports quantity	1
HDMI version	2.1
HDCP	Yes
HDCP version	1.4/2.3

Network

Wi-Fi	No
-------	----

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington

Adjustable height (max)	11 cm
Pivot	No
Swivelling	Yes
Swivel angle range	-4 - 4°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
Picture-in-Picture	Yes
On Screen Display (OSD)	Yes
Plug and Play	Yes
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	40 kWh
Energy consumption (HDR) per 1000 hours	40 kWh
Power consumption (typical)	40 W
Power consumption (standby)	0.5 W
Power consumption (max)	320 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	4 A
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12191 m
Weight & dimensions	
Width (with stand)	718.8 mm
Depth (with stand)	223.7 mm
Height (with stand)	614 mm
Weight (with stand)	9.78 kg

Width (without stand)	718.8 mm
Depth (without stand)	70.3 mm
Height (without stand)	457.6 mm
Weight (without stand)	6.95 kg
Bezel width (side)	9.65 mm
Bezel width (top)	6.66 mm
Bezel width (bottom)	5.63 cm
Packaging data	
Package weight	14.9 kg
Packaging content	
Stand included	Yes
Cables included	AC, USB Type-C to USB Type-C
Sustainability	
Sustainability certificates	ENERGY STAR
Doesn't contain	Arsenic, Mercury, PVC/BFR
Carbon footprint	
Total carbon footprint (kg of CO2e)	431
Carbon emissions, manufacturing (kg of CO2e)	186.19
Carbon emissions, logistics (kg of CO2e)	28.02
Carbon emissions, energy usage (kg of CO2e)	195.24
Carbon emissions, end-of-life (kg of CO2e)	21.12
PAIA version	GaBi version 1, 2024
Other features	
Compliance certificates	RoHS
Ethernet LAN (RJ-45) ports	0
Matmenys ir svoris	
Matmenys (I × P × A)	96,00cm × 19,00cm × 56,00cm
Svoris	14,80kg