

Fujitsu P27-8 TS UHD computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black

Gamintojas: FUJITSU TECHNOLOGY SOLUTIONS · Modelis: S26361-K1610-V160 · EAN: 4057185785563 · Prekės kodas: 705466



360,89 €

Kaina su PVM

Be PVM: 298,26 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") Black
- ✓ Height adjustment 13 cm Built-in speaker(s)
- ✓ DisplayPorts quantity: 1
- ✓ Screen shape: Flat
- ✓ Response time: 5 ms
- ✓ 3840 x 2160 pixels 4K Ultra HD Panel type: IPS
- ✓ Energy efficiency class (SDR): G EPEAT Gold, ENERGY STAR

Aprašymas

FUJITSU Display P27-8 TS UHD

The FUJITSU Display P27-8 TS UHD has a 3840 x 2160 Ultra HD resolution ships with a thin bezel housing ideal for multi-monitor use scenarios. The monitor has a 178°/178° wide viewing angle that delivers consistent picture quality, a 100% sRGB color space, ECO function, DisplayView IT Suite manageability software and a range of connectivity options ideal for medium- and large-sized businesses.

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display

Display diagonal

68.6 cm (27")

Display resolution

3840 x 2160 pixels

Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	4K Ultra HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1300:1
Display number of colours	1.073 billion colours
Display brightness (typical)	350 cd/m²
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1400 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2048 x 1536 (QXGA), 2560 x 1440
Contrast ratio (dynamic)	20000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.155 x 0.155 mm
Horizontal scan range	15.6 - 135 kHz
Vertical scan range	29 - 76 Hz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Colour gamut	77%
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	1
USB Type-A downstream ports quantity	4
DVI port	No

HDMI ports quantity	2
DisplayPorts quantity	1
Mini DisplayPorts quantity	1
Headphone outputs	1
Headphone connectivity	3.5 mm
Ergonomics	
Cable lock slot	Yes
Height adjustment	Yes
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Swivelling	Yes
Swivel angle range	0 - 340°
Tilt adjustment	Yes
Tilt angle range	-5 - 35°
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Japanese, Lithuanian, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Power	
Energy efficiency class (SDR)	G
Energy consumption (SDR) per 1000 hours	27 kWh
Power consumption (typical)	29.6 W
Power consumption (max)	37.5 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	0.4 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G
Annual energy consumption	71.75 kWh
Weight & dimensions	
Width (with stand)	613 mm
Depth (with stand)	227 mm
Height (with stand)	396 mm
Weight (with stand)	7.81 kg
Width (without stand)	613 mm
Depth (without stand)	57 mm

Height (without stand)	364 mm
Weight (without stand)	4.83 kg
Sustainability	
Sustainability certificates	EPEAT Gold, ENERGY STAR
Other features	
Energy efficiency class (legacy scale)	B
Certification	TÜV GS, EAC, FCC Class B, cUL, KC#E-Standby, BSMI, CCC, SASO
Supplied AC adapter type	AC
Logistics data	
Harmonized System (HS) code	85285210
Matmenys ir svoris	
Svoris	10,37kg