

AG Neovo DW2401 computer monitor 60.5 cm (23.8") 2560 x 1440 pixels Wide Quad HD LED Black

Gamintojas: **AG NEOVO** · Modelis: **DW2401** · EAN: **4710739597691** · Prekės kodas: **705623**



343,89 €

Kaina su PVM

Be PVM: **284,21 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ WQHD 2560 x 1440 resolution
- ✓ Wide viewing angle panel ensures the images being clear in every angle
- ✓ USB-C one-cable connectivity provides up to 65W charging power, video, and audio
- ✓ 105% DCI-P3, 133% sRGB, and 115% Adobe RGB color space
- ✓ Full function ergonomic stand, including tilt, swivel, pivot and height adjustment



Aprašymas

DW2401 - 24-Inch 1440p USB-C Monitor

The DW2401 24-Inch USB-C monitor is designed to boost productivity for a flexible workplace at the office and home. With a one-cable solution, it is easy to connect the laptop or tablet while charging the device, allowing you to start working quickly. In addition, the LCD monitor features 2560 x 1440 WQHD resolution, wide viewing angle and richer color performance, delivering crisp and accurate image performance in detail. Its full-function ergonomic stand allows to build up a productive and comfortable working environment for document editing, web design, artwork creation and video production.

USB-C ONE-CABLE CONNECTION TO START PRODUCTIVE WORK QUICKLY

Start to work quickly and keep your desktop looking neat with the USB Type C port connectivity. The video, audio, data and power can be

transferred via the convenience of one cable.

USB Power Delivery

Power and charge your laptop, tablet or mobile phone through the USB-C cable and connector (up to 65 W). When charging connected device via USB Type-C Connector, check if the device is equipped with a USB Type-C Connector that supports charging function via USB Power Delivery.

Super Speed Data Transfer

Enjoy fast data transfer rates up to 5 Gbps.

2K Video Quality

Display 2K video from your notebook over a single USB-C connector and cable.

2560 X 1440 CRISP IMAGE QUALITY STUNNING COLOR AND RESOLUTION

The DW2401 USB-C monitor with 1440p resolution not only delivers greater image detail and crystal clear pictures but also increases more screen real-estate to view more content for productive work.

VIBRANT COLOR PERFORMANCE

The monitor provide wider color space to cover various standard, including 133% sRGB, 115% Adobe RGB and 105% DCI-P3 color gamut to offer vivid images for impressive color performance.

ACCURATE AND CONSISTENT

Achieving Delta E $\leq$ 2 color accuracy, the DW2401 renders true-to-life color reproduction and ensures your creatives on the screen can be exactly represented as you see.

SMOOTHER MOTION PICTURE QUALITY

The DW2401 features 75hz refresh rate to provide smooth scrolling and see more visual elements on fast-moving objects.

SEAMLESS GAMEPLAY

The adaptive sync functionality can synchronize with the graphics card to squash screen tearing, stutter, and input latency. You can enjoy seamless gameplay for the sports, racing games for console or casual gaming.

IPS WIDE VIEWING ANGLE

With IPS panel technology, this 24-inch 1440p USB-C monitor delivers the same image quality whether you are looking at the screen from above, below, the front, or the side.

BEZEL LESS DESIGN

A bezel less design allows for multiple monitor setups with a reduced bezel gap, which won't just let you enjoy a nearly seamless viewing experience, but also enhance productivity at work.

A MORE COMFORATBLE WORKSPACE

With advanced ergonomic features including swivel, pivot, height adjust, and tilt, this monitor is designed to provide a greater range of adjustment for increased productivity and comfort.

Enhanced Viewing Comfort

The flicker free backlight and blue light filter of this 24-inch bezel less monitor ensure better viewing comfort effectively by reducing eye fatigue after long periods of use.

Loaded with Connectivity

In addition to USB 3.1 Type C port, the DisplayPort, HDMI inputs and dual speakers give you the freedom and flexibility to connect to a variety of multimedia devices.

VESA Mounting Compatible

Supporting 75 x 75mm VESA mounting standard, you can flexibly set up your workspace from our accessory options.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Wide Quad HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000000:1
Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
Backlight type	LED
Display brightness (typical)	300 cd/m²
Anti-glare screen	Yes
Aspect ratio	16:9
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.206 x 0.206 mm
Digital horizontal frequency	30 - 112 kHz
Digital vertical frequency	50 - 76 Hz
Display diagonal (metric)	60.45 cm
Haze rate	25%
Surface hardness	3H
Colour gamut standard	DCI-P3
Colour gamut	105%
sRGB coverage (typical)	133%
NTSC coverage (typical)	115%

Adobe RGB coverage	115%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Photo editing
Product colour	Black
Frameless design	Yes
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
Headphone out	Yes
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone outputs	1
Headphone connectivity	3.5 mm

AC (power) in	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	No
Height adjustment	Yes
Panel mounting interface	75 x 75 mm
Adjustable height (max)	12 cm
Pivot	Yes
Pivot angle	0 - 90°
Swivelling	Yes
Swivel angle range	0 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
Picture-in-Picture	Yes
Power	
Energy efficiency class (SDR)	E
Energy consumption (SDR) per 1000 hours	17 kWh
Power consumption (typical)	17 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	2 A
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width (with stand)	539.6 mm
Depth (with stand)	197.9 mm
Height (with stand)	513.8 mm

Weight (with stand)	5.8 kg
Width (without stand)	539.6 mm
Depth (without stand)	53.3 mm
Height (without stand)	324.5 mm
Weight (without stand)	3.9 kg
Packaging data	
Package width	810 mm
Package depth	145 mm
Package height	438 mm
Package weight	8.5 kg
Package type	Box
Warranty card	Yes
Packaging content	
Stand included	Yes
Cables included	AC, HDMI, USB Type-C
Screws included	Yes
Quick start guide	Yes
Other features	
Country of origin	Taiwan
Picture-by-Picture (PbP)	Yes
Compliance certificates	CE, Low Voltage Directive (LVD), REACH, RoHS, WEEE
Delta E	2
Sustainability	
Sustainability compliance	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	82,00cm × 44,00cm × 16,00cm
Svoris	8,50kg