

DELL P Series P2225H computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black, Silver

Gamintojas: **DELL** · Modelis: **P2225H** · EAN: **5715063530160** · Prekės kodas: **705730**



206,90 €

Kaina su PVM

Be PVM: **170,99 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 54.6 cm (21.5") Black, Silver
- ✓ Height adjustment 15 cm
- ✓ USB upstream port type: USB Type-B HDMI HDMI version: 1.4
DisplayPorts quantity: 1 DisplayPort version: 1.2
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 100 Hz Response time: 8 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): D ENERGY STAR, TCO RoHS



Aprašymas

DELL P Series P2225H Computerbildschirm 54,6 cm (21.5) 1920 x 1080 Pixel Full HD LCD Schwarz - Silber (P2225H)

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display	
Display diagonal	54.6 cm (21.5")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	Edge LED
Display brightness (peak)	250 cd/m²
Display brightness (typical)	250 cd/m²
Anti-glare screen	Yes
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480p, 576p, 720p, 1080p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.248 x 0.248 mm
Pixel density	102.44 ppi
Horizontal scan range	30 - 110 kHz
Vertical scan range	48 - 100 Hz
Viewable size, horizontal	47.6 cm
Viewable size, vertical	26.8 cm
High Dynamic Range (HDR) supported	No
Surface hardness	3H
sRGB coverage (typical)	99%
Performance	
NVIDIA G-SYNC	No

AMD FreeSync	No
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Office
Product colour	Black, Silver
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of upstream ports	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	15 W
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
HDCP	Yes
HDCP version	1.4
AC (power) in	Yes
Network	
Wi-Fi	No
Ergonomics	

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Power	
Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	10.9 kWh
Power consumption (typical)	10.9 W
Power consumption (standby)	0.3 W
Power consumption (max)	60 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	1.5 A
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m
Weight & dimensions	

Width (with stand)	488.1 mm
Depth (with stand)	181.8 mm
Height (with stand)	482.4 mm
Weight (with stand)	4.04 kg
Width (without stand)	488.1 mm
Depth (without stand)	50 mm
Height (without stand)	285.8 mm
Weight (without stand)	2.58 kg
Bezel width (side)	6 mm
Bezel width (top)	6 mm
Bezel width (bottom)	1.2 cm
Packaging data	
Package weight	6.15 kg
Packaging content	
Stand included	Yes
Cables included	AC, DisplayPort
Power adapter included	Yes
Remote control included	No
Stylus included	No
Quick start guide	Yes
DisplayPort cable length	1.8 m
Sustainability	
Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	PVC/BFR
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	139
Carbon emissions, manufacturing (kg of CO2e)	70
Carbon emissions, logistics (kg of CO2e)	12
Carbon emissions, energy usage (kg of CO2e)	54
Carbon emissions, end-of-life (kg of CO2e)	3
Total carbon emissions, w/o use phase (kg of CO2e)	85
PAIA version	GaBi version 1, 2024
Other features	

Heavy metals free	Hg (mercury)
Compliance certificates	RoHS
Ethernet LAN (RJ-45) ports	0
Matmenys ir svoris	
Svoris	1,00kg