

iiyama TF2438MSC-B2 touch control panel 60.5 cm (23.8") 1920 x 1080 pixels

Gamintojas: **IIYAMA** · Modelis: **TF2438MSC-B2** · EAN: **4948570127269** · Prekės kodas: **705867**



506,91 €

Kaina su PVM


Be PVM: **418,93 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt



Aprašymas

The ProLite TF2438MSC-B2 is a robust and highly responsive 24" Full HD open frame touchscreen monitor designed for professional integration in demanding commercial and industrial environments. The IPS panel delivers sharp detail, accurate colours and wide viewing angles, ensuring excellent visibility whether installed at service counters, kiosks, control points or customer-facing systems. Featuring DeepContrast PCAP+ 10-point touch technology with optical bonding, the screen provides smooth, precise interaction with reduced reflections for improved readability in bright environments. The edge-to-edge glass is protected with a scratch-resistant 7H surface and anti-fingerprint coating, helping maintain a clean, professional appearance even under heavy daily use. With IPX1 protection against humidity and dripping water, the display offers additional reliability in busy or semi-exposed locations. Built with a durable metal housing, the TF2438MSC-B2 is engineered for long-term operation and seamless integration into enclosures, kiosks and custom installations. Flexible connectivity, integrated speakers and support for landscape, portrait and face-up orientations provide maximum installation freedom across a wide range of applications including retail, POS, interactive signage, automation systems and industrial environments. A dependable touchscreen solution designed to perform where reliability, durability and precision matter most.

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display

Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Display technology	LCD
Panel type	IPS
Display brightness	525 cd/m²
Touchscreen technology	Projected capacitive system
Number of simultaneous touchpoints	10
Native aspect ratio	16:9
Colour depth	8 bit
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Native refresh rate	120 Hz

Performance

Wi-Fi	No
Product colour	Black
Mean time between failures (MTBF)	50000 h
VESA mounting	Yes

Audio

Built-in speaker(s)	Yes
Number of speakers	2

Power

Energy efficiency class	E
Energy consumption per 1000 hours	18 kWh
Power consumption (typical)	22 W
Power consumption (standby)	1.5 W
Power consumption (off)	0.3 W
AC input frequency	50/60 Hz

Weight & dimensions

Width	562 mm
Depth	47.5 mm
Height	337 mm
Weight	6.5 kg

Packaging data

Package weight	8.2 kg
Package depth	115 mm
Package width	635 mm
Package height	409 mm
Packaging content	
Cables included	AC, USB, HDMI
Quick start guide	Yes
Sustainability	
Sustainability certificates	ErP
Other features	
Compliance certificates	CE, cTUVus, EAC, REACH, RoHS, TÜV mark, UKCA, WEEE
Technical details	
International Protection (IP) code	IP1X
Display number of colours	16.7 million colours
Matmenys ir svoris	
Matmenys (I × P × A)	63,00cm × 12,00cm × 41,00cm
Svoris	6,50kg