

Philips Evnia 8000 49M2C8900L/00 computer monitor 124.2 cm (48.9") 5120 x 1440 pixels Dual QHD QD-OLED White

Gamintojas: PHILIPS · Modelis: 49M2C8900L/00 · EAN: 8712581803926 · Prekės kodas: 706641



1 058,90 €

Kaina su PVM

Be PVM: 875,12 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Low input lag reduces time delay between devices to monitor
- ✓ SmartImage game mode optimized for gamers
- ✓ VESA ClearMR 8000: for trusted, high-quality imagery
- ✓ True 10-bit display reproduces smoother gradients on visuals
- ✓ DisplayHDR™ TrueBlack 400 delivers incredible shadow details
- ✓ 32:9 SuperWide screen designed to replace multiscreen setups
- ✓ QD OLED for superior colors and vibrant visuals
- ✓ LowBlue mode and Flicker-free easy-on-the eyes viewing
- ✓ Ambiglow intensifies entertainment with halo of light
- ✓ DTS Sound™ with 30W output: for enhanced audio



Aprašymas

Experience luxurious gaming with this monitor's colourful QD OLED display, incredible DisplayHDR™ TrueBlack 400 certification and booming DTS Sound™ speakers. This monitor is likely to give you a gaming escapade that's hard to forget.

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display	
Display diagonal	124.2 cm (48.9")
Display resolution	5120 x 1440 pixels
Native aspect ratio	32:9
Display technology	QD-OLED
Touchscreen	No
HD type	Dual QHD
Panel type	OLED
Response time	0.03 ms
Screen shape	Curved
Contrast ratio (typical)	1000000:1
Maximum refresh rate	144 Hz
Display number of colours	1.07 billion colours
Display brightness (peak)	1000 cd/m²
Display brightness (typical)	250 cd/m²
Anti-glare screen	Yes
Screen curvature rating	1800R
Dynamic contrast ratio marketing name	Mega Infinity DCR
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.233 x 0.233 mm
Pixel density	108.77 ppi
Vertical scan range	48 - 144 Hz
Viewable size, horizontal	119.7 cm
Viewable size, vertical	33.9 cm
Display diagonal (metric)	124.3 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black
DDC/CI	Yes
Surface hardness	2H
Colour depth	10 bit
Colour gamut standard	DCI-P3
Colour gamut	99%
sRGB coverage (typical)	153.1%
NTSC coverage (typical)	127.4%

Adobe RGB coverage	125.2%
DCI-P3 coverage	99%
Display sRGB	Yes
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium Pro
Ambient lighting type	3-sided
Fast charging	Yes
Fast charging technology	Power Delivery 3.0
VESA Adaptive Sync support	Yes
Component video sync	Separate Sync
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	4
RMS rated power	30 W
Audio decoders	DTS
Design	
Market positioning	Gaming
Product colour	White
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	90 W
HDMI ports quantity	2
HDMI version	2.1

DisplayPorts quantity	1
DisplayPort version	1.4
Audio output	Yes
Built-in KVM switch	Yes
HDCP	Yes
HDCP version	1.4/2.2/2.3
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	12 cm
Swivelling	Yes
Swivel angle range	-20 - 20°
Tilt angle range	-5 - 15°
Picture-in-Picture	Yes
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Number of OSD languages	21
Plug and Play	Yes
LED indicators	Operation, Stand-by
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	65 kWh
Energy consumption (HDR) per 1000 hours	85 kWh
Power consumption (typical)	156.5 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	3658 - 12192 m

Weight & dimensions

Width (with stand)	1195 mm
Depth (with stand)	359 mm
Height (with stand)	544 mm
Weight (with stand)	14 kg
Width (without stand)	1195 mm
Depth (without stand)	181 mm
Height (without stand)	369 mm
Weight (without stand)	10.8 kg

Packaging data

Package width	1290 mm
Package depth	475 mm
Package height	300 mm
Package weight	19.4 kg

Packaging content

Stand included	Yes
Cables included	AC, DisplayPort, HDMI, USB, USB Type-C to USB Type-C
Remote control included	Yes
Manual	Yes

Sustainability

Doesn't contain	Mercury, PVC/BFR
Sustainability compliance	Yes

Other features

Low input lag	Yes
Compatible operating systems	Mac OS X Windows 11/10/8.1/8
Picture-by-Picture (PbP)	Yes
Exterior finish type	Textured
Heavy metals free	Hg (mercury)

Woofers	Yes
LowBlue mode	Yes
Compliance certificates	RoHS
Mean time between failures (MTBF)	30000 h
Picture enhancement	SmartImage game
Regulatory Approvals	CB, CE mark, FCC Class B, ICES-003, TUV/ISO9241-307, TUV-BAUART, EAC
Delta E	2
Recycling data	
Packaging recyclability rate	100%
Matmenys ir svoris	
Matmenys (I × P × A)	36,00cm × 120,00cm × 54,00cm
Svoris	18,53kg