


XPG GAMMIX D35 memory module 32 GB 1 x 32 GB DDR4 288-pin DIMM

Gamintojas: **ADATA** · Modelis: **AX4U320032G16A-SBKD35** · EAN: **4711085942876** · Prekės kodas: **706716**



399,91 €

Kaina su PVM

Be PVM: **330,50 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ PC 32 GB DDR4
- ✓ 288-pin DIMM 1 x 32 GB
- ✓ CAS latency: 16
- ✓ 1.35 V
- ✓ Intel Extreme Memory Profile (XMP) 2.0



Aprašymas

Compact Low-Profile Heatsink Design

GAMMIX D35's composed and understated triangular outline is specifically designed for gamers with unique personalities. The D35's small heatsink allows for easy installation in small chassis.

Top Quality RAM for High Durability

The GAMMIX D35 has undergone strict selection and screening procedures, passing reliability and compatibility tests, and delivers a strong and durable product that epitomizes the highest of quality!

Higher Performance and Reliability

Using only the highest quality IC chips and PCBs, the GAMMIX D35 is made to deliver higher overclocking performance and reliability.

Works with the Latest AMD Platforms

ADATA memory have been tested and verified to work with the latest AMD platforms for hassle-free compatibility and excellent overclocking performance.

Supports Intel® XMP 2.0

Intel® Extreme Memory Profile (XMP) 2.0 makes overclocking a snap and enhances system stability. Instead of adjusting individual parameters in BIOS, you can do it right through your PC's operating system.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Arbeitsspeicher / RAM > DDR4-RAM [+995][-167]
Features	
Internal memory	32 GB
Memory layout (modules x size)	1 x 32 GB
Internal memory type	DDR4
Component for	PC
Memory form factor	288-pin DIMM
CAS latency	16
Memory clock speed	3200 MHz
Buffered memory type	Unregistered (unbuffered)
Memory ranking	2
Memory voltage	1.35 V
Intel Extreme Memory Profile (XMP)	Yes
Intel Extreme Memory Profile (XMP) version	2
Cooling type	Heatsink
Operational conditions	
Operating temperature (T-T)	0 - 85 °C
Storage temperature (T-T)	-20 - 65 °C
Sustainability	
Compliance certificates	RoHS
Weight & dimensions	
Width	34 mm
Depth	133.3 mm
Height	5.9 mm
Weight	29.27 g
Packaging data	

Package width	70 mm
Package depth	170 mm
Package height	12.2 mm
Package weight	49.57 g
Package type	Tray
Matmenys ir svoris	
Svoris	0,07kg