

## Samsung S80UD kompiuterio monitorius 68,6 cm (27") 3840 x 2160 pikseliai 4K Ultra HD LCD Juoda

Gamintojas: **SAMSUNG** · Modelis: **LS27D800UAUXEN** · EAN: **8806095541945** · Prekės kodas: **707187**



### 398,90 €

Kaina su PVM

Be PVM: **329,67 €**

**Sandėlyje**





**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

### Pagrindinės savybės

- ✓ 68,6 cm (27") Juoda
- ✓ Aukščio reguliavimas 12 cm
- ✓ USB aukštakrypčio prievado tipas: B tipo USB HDMI HDMI versija: 2.0 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.2
- ✓ Ekranų forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 60 Hz Reakcijos laikas: 5 ms
- ✓ 3840 x 2160 pikseliai 4K Ultra HD Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): F TCO TÜV mark





Aprašymas

Samsung ViewFinity S8 - LED-Monitor (27) - 3840 x 2160 4K [Energieklasse F] (LS27D800UAUXEN)

Techninė specifikacija


| Display                               |                               |
|---------------------------------------|-------------------------------|
| Display diagonal                      | 68.6 cm (27")                 |
| Display resolution                    | 3840 x 2160 pixels            |
| Native aspect ratio                   | 16:9                          |
| Display technology                    | LCD                           |
| Touchscreen                           | No                            |
| HD type                               | 4K Ultra HD                   |
| Panel type                            | IPS                           |
| Response time                         | 5 ms                          |
| Screen shape                          | Flat                          |
| Contrast ratio (typical)              | 1000:1                        |
| Maximum refresh rate                  | 60 Hz                         |
| Display number of colours             | 1.07 billion colours          |
| Display brightness (typical)          | 350 cd/m²                     |
| Display brightness (min)              | 280 cd/m²                     |
| Dynamic contrast ratio marketing name | Mega Infinity DCR             |
| Viewing angle, horizontal             | 178°                          |
| Viewing angle, vertical               | 178°                          |
| Viewable size, horizontal             | 59.7 cm                       |
| Viewable size, vertical               | 33.6 cm                       |
| Display diagonal (metric)             | 68 cm                         |
| High Dynamic Range (HDR) supported    | Yes                           |
| High Dynamic Range (HDR) technology   | High Dynamic Range 10 (HDR10) |
| sRGB coverage (typical)               | 99%                           |
| Performance                           |                               |
| Fast charging                         | Yes                           |

|                                      |                       |
|--------------------------------------|-----------------------|
| Fast charging technology             | Power Delivery        |
| Flicker-free technology              | Yes                   |
| <b>Multimedia</b>                    |                       |
| Built-in speaker(s)                  | No                    |
| Built-in camera                      | No                    |
| <b>Design</b>                        |                       |
| Market positioning                   | Professional          |
| Product colour                       | Black                 |
| Front bezel colour                   | Black                 |
| <b>Ports &amp; interfaces</b>        |                       |
| Built-in USB hub                     | Yes                   |
| HDMI                                 | Yes                   |
| Headphone out                        | Yes                   |
| USB hub version                      | 3.2 Gen 1 (3.1 Gen 1) |
| USB upstream port type               | USB Type-B            |
| Number of upstream ports             | 1                     |
| USB Type-A downstream ports quantity | 2                     |
| USB Type-C downstream ports quantity | 1                     |
| USB Power Delivery (USB PD)          | Yes                   |
| USB Power Delivery up to             | 90 W                  |
| HDMI ports quantity                  | 1                     |
| HDMI version                         | 2                     |
| DisplayPorts quantity                | 1                     |
| DisplayPort version                  | 1.2                   |
| Built-in KVM switch                  | Yes                   |
| HDCP                                 | Yes                   |
| HDCP version                         | 2.2                   |
| Charging port type                   | USB Type-C            |
| <b>Network</b>                       |                       |
| Ethernet LAN                         | Yes                   |
| <b>Ergonomics</b>                    |                       |
| VESA mounting                        | Yes                   |
| Height adjustment                    | Yes                   |
| Panel mounting interface             | 100 x 100 mm          |

|                                         |             |
|-----------------------------------------|-------------|
| Adjustable height (max)                 | 12 cm       |
| Pivot                                   | Yes         |
| Pivot angle                             | -30 - 30°   |
| Swivelling                              | Yes         |
| Swivel angle range                      | -92 - 92°   |
| Tilt adjustment                         | Yes         |
| Tilt angle range                        | -2 - 25°    |
| Picture-in-Picture                      | Yes         |
| <b>Power</b>                            |             |
| Energy efficiency class (SDR)           | F           |
| Energy efficiency class (HDR)           | G           |
| Energy consumption (SDR) per 1000 hours | 25 kWh      |
| Energy consumption (HDR) per 1000 hours | 41 kWh      |
| Power consumption (typical)             | 25 W        |
| Power consumption (standby)             | 0.5 W       |
| Power consumption (max)                 | 170 W       |
| Power consumption (off)                 | 0.3 W       |
| AC input voltage                        | 100 - 240 V |
| Power supply type                       | Internal    |
| Energy efficiency scale                 | A to G      |
| <b>Operational conditions</b>           |             |
| Operating temperature (T-T)             | 10 - 40 °C  |
| Operating relative humidity (H-H)       | 10 - 80%    |
| <b>Weight &amp; dimensions</b>          |             |
| Width (with stand)                      | 612.9 mm    |
| Depth (with stand)                      | 220 mm      |
| Height (with stand)                     | 556.6 mm    |
| Weight (with stand)                     | 6.1 kg      |
| Width (without stand)                   | 612.9 mm    |
| Depth (without stand)                   | 41.6 mm     |
| Height (without stand)                  | 367.7 mm    |
| Weight (without stand)                  | 3.7 kg      |
| <b>Packaging data</b>                   |             |
| Stand type                              | HAS stand   |

|                             |                             |
|-----------------------------|-----------------------------|
| Package width               | 687 mm                      |
| Package depth               | 510 mm                      |
| Package height              | 160 mm                      |
| Package weight              | 7.9 kg                      |
| <b>Packaging content</b>    |                             |
| Stand included              | Yes                         |
| Cables included             | AC, USB Type-C              |
| Power cable length          | 1.5 m                       |
| <b>Sustainability</b>       |                             |
| Sustainability certificates | TCO                         |
| <b>Other features</b>       |                             |
| Brand specific technologies | Eye Saver                   |
| Picture-by-Picture (PbP)    | Yes                         |
| Samsung Eye Saver Mode      | Yes                         |
| Adaptive picture            | Yes                         |
| Auto source switch+         | Yes                         |
| Compliance certificates     | TÜV mark                    |
| Certification               | Windows 11                  |
| Image size                  | Y                           |
| Off Timer Plus              | Yes                         |
| <b>Matmenys ir svoris</b>   |                             |
| Matmenys (I × P × A)        | 68,00cm × 51,00cm × 16,00cm |
| Svoris                      | 8,18kg                      |

## Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė

**F** A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

## Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

## Gamintojo ir saugos informacija

### GAMINTOJAS

**Samsung Electronics Co Ltd**  
Samsung-ro 129, 16677 Suwon-si, KR  
[samsung.com](http://samsung.com)

### ATSAKINGAS ASMUO ES

**Samsung Electronics Iberia, S.A**  
Avenida de Barajas 32, 28108 Alcobendas, ES  
[samsung.com](http://samsung.com)

### PLATINTOJAS

**MB KOMPIUTERIŲ GURU**  
V. Nagevičiaus g. 3, LT-08237 Vilnius  
[info@shopro.lt](mailto:info@shopro.lt)