

DELL Plus S2725QC computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Silver

Gamintojas: **DELL** · Modelis: **DELL-S2725QC** · EAN: **5397184962367** · Prekės kodas: **707264**



418,90 €

Kaina su PVM

Be PVM: **346,20 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6cm (27") 4K Ultra HD 3840 x 2160 Edge LED IPS
- ✓ 8ms, 16:9, 350cd/m², 1500:1
- ✓ USB, HDMI



Aprašymas

27-inch 4K USB-C monitor with 120Hz refresh rate and dual 5W speakers for elevated entertainment.

Endless entertainment

Whether you're watching movies or playing games, enjoy an immersive viewing experience with improved eye comfort on a 4-star certified monitor

4-star certified monitor for eye comfort

Low blue light

The improved ComfortView Plus reduces harmful blue light emissions to ≤35%, for all-day comfort without sacrificing colour accuracy.

Refresh rate

A smooth, tear-free experience with AMD FreeSync™ Premium (refresh rate up to 120Hz) and an ultra-low 4ms response time create a captivating

experience for work and play.

Vivid colours

Immerse yourself in breathtaking 4K visuals with in-plane switching technology. Enjoy vibrant colours with 99% sRGB. The 1500:1 contrast ratio and HDR readiness deliver excellent depth and detail.

Smart design. Effortless experience.

Easy connectivity

Keep your desk organised and clutter-free with a single USB-C cable (up to 65W power delivery).

Easy access

Conveniently share and deliver content via pop-out quick access ports placed at the front of the display.

Ultra convenient

The side-access design includes an HDMI and a USB Type-A port, ensuring quick and convenient setup.

Dell Display and Peripheral Manager

Experience Dell's singular, innovative application to optimise the performance of your entire Dell PC workspace.

Maximise productivity

Easy Arrange tiles apps across screens with pre-set partitions and customises up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.

Customise your views

Work comfortably, day or night. Automate your brightness and contrast settings to match your schedule.

Works with devices on macOS®

Tested with devices on macOS, this USB-C monitor is ready-to-work with Mac® devices.

Designed with sustainability in mind

Intentional design in every part

At the heart of our design is a commitment to sustainability. That's why our monitor is crafted with recycled materials from top to bottom, including up to 85% post-consumer recycled plastic, 100% recycled aluminium, 50% recycled steel, and at least 20% recycled glass, making up to 46% recycled content by weight. Using these materials helps reduce waste and lower environmental impact.

Environmental standards

This monitor is certified ENERGY STAR® , meaning it has met high standards for energy efficiency.

Seamlessly modernise your tech

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.

Packaging with purpose

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fibre-based solution. Plus, we're saving over 600 trees each year by using less paper in packaging.

Techninė specifikacija

Specifications

Sandėlio grupė > Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display

Display diagonal	68.6 cm (27")
Display resolution	3840 x 2160 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	4K Ultra HD
Panel type	IPS
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	120 Hz
Display number of colours	1.07 billion colours
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	350 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2048 x 1280, 2560 x 1440, 3840 x 2160
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 2160p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.1554 x 0.1554 mm
Pixel density	163 ppi
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	27 - 270 kHz
Digital vertical frequency	48 - 120 Hz
High Dynamic Range (HDR) supported	No
Surface hardness	3H

sRGB coverage (typical)	99%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	10 W
Design	
Market positioning	Office
Product colour	Silver
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
HDMI ports quantity	2
HDMI version	2.1
HDCP	Yes
HDCP version	1.4/2.3

Network	
Wi-Fi	No
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Plug and Play	Yes
LED indicators	Power
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	25 kWh
Energy consumption (HDR) per 1000 hours	37 kWh
Power consumption (typical)	25.2 W
Power consumption (standby)	0.4 W
Power consumption (max)	180 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	2.3 A
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m
Weight & dimensions	
Width (with stand)	611.5 mm
Depth (with stand)	200.4 mm
Height (with stand)	518.6 mm
Weight (with stand)	6.5 kg
Width (without stand)	611.5 mm
Depth (without stand)	60 mm
Height (without stand)	356 mm
Weight (without stand)	4.85 kg
Bezel width (side)	7.4 mm
Bezel width (top)	7.3 mm
Bezel width (bottom)	1.3 cm
Packaging data	
Package weight	8.9 kg
Packaging content	
Stand included	Yes
Cables included	AC, USB Type-C to USB Type-C
Remote control included	No
Stylus included	No
Quick start guide	Yes
Sustainability	
Sustainability certificates	ENERGY STAR
Doesn't contain	Arsenic, Mercury, PVC/BFR
Other features	
Compliance certificates	RoHS
Ethernet LAN (RJ-45) ports	0
Technical details	

Native refresh rate	60 Hz
---------------------	-------

Matmenys ir svoris

Matmenys (I × P × A)	10,00cm × 65,00cm × 55,00cm
----------------------	-----------------------------

Svoris	8,90kg
--------	--------