

ASUS ProArt PA248QFV computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Silver

Gamintojas: **ASUS** · Modelis: **90LM05K1-B01K71** · EAN: **4711636032728** · Prekės kodas: **707335**



245,90 €

Kaina su PVM

Be PVM: **203,22 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 24.1-inch 16:10 WUXGA (1920 x 1200) display with 178° wide-view IPS panel
- ✓ International color standard 100% sRGB and 100% Rec. 709 wide color gamut
- ✓ Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
- ✓ 100Hz variable refresh rate (VRR), providing creators smooth fast-rendering and comfortable viewing experience
- ✓ Extensive connectivity including DisplayPort, HDMI and USB hub
- ✓ ASUS Light Sync solution with Ambient Light Sensor automatically adjusts the monitor's color gamut based on ambient lighting, for true colors in any environment
- ✓ VESA wall-mountable and ergonomic design with tilt, swivel, pivot and height adjustments for a comfortable viewing experience
- ✓ Green Sustainability: paper packaging and energy-efficient environmental standards

5 YIL GARANTIJĄ UŽATIMA GRŪN KARTY SAITYSAI



*Grąžinti iš keičiamųjų ir kitų būklės atvejais.



Aprašymas

ASUS ProArt Display PA248QV Gen2 (PA248QFV) Professional Monitor – 24.1-inch, 16:10, IPS, WUXGA (1920 x 1200), 100% sRGB, Color Accuracy $\Delta E < 2$, Calman Verified, 100Hz, HDR-10, Light Sync, Ergonomic stand, VESA MediaSync, Green Sustainability

All the Essentials for Pros

ProArt Display PA248QFV is a 24.1-inch 16:10 IPS monitor tailored for creative professionals. As the second-generation model of the PA248QV, it

offers enhanced performance with 100 Hz VRR for ultra-smooth visuals and introduces the new M Model color temperature for consistent P3 color on MacBooks. 100% sRGB color gamut, factory calibrated to Delta E < 2, and Calman Verified for superb color accuracy. With DisplayPort, HDMI, and a built-in USB hub, it ensures seamless connectivity for all your creative needs.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]
Display	
Display diagonal	61.2 cm (24.1")
Display resolution	1920 x 1200 pixels
Native aspect ratio	16:10
Display technology	LCD
Touchscreen	No
HD type	WUXGA
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Display brightness (peak)	350 cd/m²
Display brightness (typical)	350 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Contrast ratio (dynamic)	3000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.27 x 0.27 mm
Viewable size, horizontal	52.8 cm
Viewable size, vertical	33.8 cm
Digital horizontal frequency	26 - 126 kHz
Digital vertical frequency	48 - 100 Hz
Display diagonal (metric)	61 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)

Colour gamut standard	sRGB
sRGB coverage (typical)	100%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Professional
Product colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of downstream ports	4
HDMI ports quantity	1
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone outputs	1
Headphone connectivity	3.5 mm
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable lock slot type	Kensington
Adjustable height (max)	13 cm

Pivot	Yes
Pivot angle	90 - -90°
Swivelling	Yes
Swivel angle range	30 - -30°
Tilt adjustment	Yes
Tilt angle range	23 - -5°
Power	
Energy efficiency class (SDR)	C
Energy efficiency class (HDR)	D
Energy consumption (SDR) per 1000 hours	10 kWh
Energy consumption (HDR) per 1000 hours	14 kWh
Power consumption (typical)	11.03 W
Power consumption (PowerSave)	0.5 W
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	531.8 mm
Depth (with stand)	190.4 mm
Height (with stand)	531.3 mm
Weight (with stand)	5.4 kg
Width (without stand)	531.8 mm
Depth (without stand)	39.7 mm
Height (without stand)	350 mm
Weight (without stand)	3.7 kg
Packaging data	
Package width	610 mm
Package depth	140 mm
Package height	414 mm
Package weight	7.9 kg
Package type	Box
Packaging content	
Stand included	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	61,00cm × 43,00cm × 14,00cm
Svoris	7,90kg