

AOC B3 24B3CF2 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Gamintojas: **AOC** · Modelis: **24B3CF2** · EAN: **4038986141437** · Prekės kodas: **707689**



146,89 €

Kaina su PVM

Be PVM: **121,40 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60.5 cm (23.8") Black
- ✓ Height adjustment 11 cm Built-in speaker(s)
- ✓ USB upstream port type: USB Type-A HDMI HDMI version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 120 Hz Response time: 4 ms Response time measurement type: GTG (Gray to Gray) Response time (MPRT): 1 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): E CE
- ✓ Warranty period: 3 year(s)



Aprašymas

Compact brilliance with USB-C connectivity and Height-Adjustable Stands for enhanced productivity

Introducing the newest addition to the B3 line– a brilliant 23,8-inch display featuring an IPS panel for breathtaking visuals and true-to-life colors. If you're looking for a compact sized monitor, the 24B3CF2 is the ideal choice. Also, it offers USB-C which means it is possible to catch three birds with one stone. By one single cable, video signal, power delivery and data transfer are available which will improve your productivity. This monitor boasts height-adjustable stands, seamlessly integrating ergonomic features into your workspace. With the ability to customize the height according to your preferences, you can achieve the perfect viewing angle, reducing strain on your neck and eyes during extended work or studying sessions. Whether you're working or studying, enjoy a more comfortable and enjoyable viewing experience with the compact screen size of the 24B3CF2.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	120 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Anti-glare screen	Yes
Contrast ratio (dynamic)	20000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	93 ppi
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Display diagonal (metric)	60.5 cm
High Dynamic Range (HDR) supported	Yes
DDC/CI	Yes
Haze rate	25%
Surface hardness	3H

Colour gamut standard	Adobe RGB, DCI-P3, NTSC, sRGB
sRGB coverage (typical)	102.5%
NTSC coverage (typical)	89.4%
Adobe RGB coverage	87.8%
BT.2020 coverage	59.5%
DCI-P3 coverage	81.6%
Performance	
Fast charging	Yes
Fast charging technology	Power Delivery
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Built-in microphone	No
Design	
Market positioning	Home
Product colour	Black
Frameless design	Yes
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-A
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	1

USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
VGA (D-Sub) ports quantity	0
DVI port	No
HDMI ports quantity	1
HDMI version	1.4
Audio input	No
Headphone outputs	1
Headphone connectivity	3.5 mm
Microphone in	No
Built-in KVM switch	No
HDCP	Yes
HDCP version	1.4
Charging port type	USB Type-C
AC (power) in	Yes
Mobile High-Definition Link (MHL)	No
Network	
Ethernet LAN	No
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	11 cm
Pivot	No
Swivelling	No
Tilt adjustment	Yes
Tilt angle range	-5 - 23°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, Dutch, English, Finnish, French, German, Italian, Japanese, Korean, Croatian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Ukrainian
Number of OSD languages	19

Plug and Play	Yes
LED indicators	Operation, Stand-by
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	E
Energy consumption (SDR) per 1000 hours	18 kWh
Energy consumption (HDR) per 1000 hours	18 kWh
Power consumption (typical)	30 W
Power consumption (standby)	0.5 W
Power consumption (max)	130 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	542.4 mm
Depth (with stand)	229.8 mm
Height (with stand)	469.9 mm
Weight (with stand)	4.56 kg
Width (without stand)	542.4 mm
Depth (without stand)	44.6 mm
Height (without stand)	316.2 mm
Weight (without stand)	3.04 kg
Packaging data	
Package width	613 mm
Package depth	162 mm
Package height	519 mm
Package weight	7.04 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	AC, HDMI, USB Type-C
Power adapter included	Yes

HDMI cable length	1.5 m
Sustainability	
Doesn't contain	Mercury, PVC/BFR
Other features	
Low input lag	No
Local dimming	Yes
RS-232 interface	No
Warranty period	3 year(s)
Compliance certificates	CE
Mean time between failures (MTBF)	30000 h
Certification	WEEE,REACH compliant,RoHs compliant,CB,TUV-Bauart-Mark,ISO 9241-307,EAC,FCC
Matmenys ir svoris	
Matmenys (I × P × A)	61,00cm × 52,00cm × 16,00cm
Svoris	7,02kg