

LG 24BA650 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Gamintojas: **LG** · Modelis: **24BA650-B.AEU** · EAN: **8806096207055** · Prekės kodas: **707762**



216,90 €

Kaina su PVM

Be PVM: **179,26 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 23.8" Full HD (1920x1080) IPS display
- ✓ Built-in power and speakers
- ✓ 100Hz Refresh Rate / LG Switch app
- ✓ USB Type-C™ (PD 65W)
- ✓ Reader Mode & Flicker Safe
- ✓ Tilt/Height/Swivel/Pivot (Bi-direction) adjustable stand



Aprašymas

23.8" Full HD IPS display

Accurate color at wide angles

LG Full HD (1920x1080) monitor with IPS technology delivers a clear and consistent color. It can provide accurate color reproduction and help users to view the screen at a wide angle.

Productivity

- 24" Full HD (1920x1080) IPS
- 100Hz refresh rate
- CLI (Command Line Interface)

Usability

- LG Switch app

- Built-in power and speakers
- USB Type-C™ (PD 65W)

Comfort & Trust

- Ergonomic stand
- Reader Mode & Flicker Safe
- EPEAT & Energy Star

Versatile business monitors for various workspace

This versatile monitor can cover various works at many places, such as offices, public institutions, and customer service, with a clear IPS display and 3-side virtually borderless design.

Integrated power module**Fully use your desk**

By providing built-in power, workstations can be designed with a streamlined and clutter-less layout. This allows for better space utilization and organization, creating a cleaner and more efficient work environment.

USB Type-C™**Productivity hub****with easy connectivity**

USB Type-C™ port allows from display and data transferring to connected device charging (up to 65W), enabling support for your laptop all at the same time over a single cable.

Multi ports**A variety of interface**

The 24BA650 offers a variety of ports, solving the problem of limited connectivity for hardworking individuals. With its multiple ports, you can easily connect numerous devices for efficient desk setup. Say goodbye to the frustration of running out of ports.

Built-in speakers**All set for virtual meetings**

The 24BA650 comes with built-in speakers, eliminating the need for extra speaker installations when participating in web conferences or watching videos.

100Hz refresh rate**Smooth workflow**

A fast 100Hz refresh rate provides a smooth loading in various programs. It helps to allow less screen stuttering and motion blur, elevating work productivity.

LG Switch app**Switch swiftly**

LG Switch app helps to optimize the monitor for an efficient work environment. You can divide the display into six areas, manage the schedules, or launch a video call platform with a mapped hotkey effortlessly.

Ergonomic design**Easy and comfy**

The 24BA650 supports tilt, swivel, pivot, and height adjustment options to make a comfortable workstation for those who spend extended hours in front of monitors. Also, our ergonomic stand facilitates communication with customers or colleagues by allowing for a downward height adjustment.

Visual comfort**- Reader Mode**

Reader Mode adjusts color temperature and luminance that helps to lessen eye fatigue and provide eye comfort while reading documents on a

monitor.

- **Flicker Safe**

Flicker Safe reduces invisible flickering on the screen, which helps reduce eye strain.

- **CLI (Command Line Interface)**

Advanced management for monitors

LG business monitors offer CLI (Command Line Interface), a software for efficient device management. IT managers can update firmware and adjust settings like video mode, brightness, and response time in batches via the server program.

Better life for all

24BA650 complies with multiple standards such as Energy Star and EPEAT.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2745 x 0.2745 mm
Display diagonal (metric)	60.4 cm
High Dynamic Range (HDR) supported	No
Colour depth	8 bit
Colour gamut standard	sRGB

Colour gamut	99%
--------------	-----

Performance

NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Smart modes	Cinema, Custom, FPS, RTS, Vivid

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W

Design

Market positioning	Business
Product colour	Black
Detachable stand	Yes

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	1
USB Type-A downstream ports quantity	4
USB Power Delivery up to	65 W
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	2
DisplayPort out quantity	1
DisplayPort out version	1.4
DisplayPort version	1.4
Headphone connectivity	3.5 mm
Built-in KVM switch	Yes
HDCP	Yes
HDCP version	2.2

Ergonomics

VESA mounting	Yes
Cable lock slot	No
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	15 cm
Pivot	Yes
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
Picture-in-Picture	Yes
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, German, English, Spanish, Finnish, French, Hindi, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Number of OSD languages	18
Power	
Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	14 kWh
Energy consumption (HDR) per 1000 hours	0 kWh
Power consumption (typical)	14.8 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External
Weight & dimensions	
Width (with stand)	539.6 mm
Depth (with stand)	250 mm
Height (with stand)	517.5 mm
Weight (with stand)	6.6 kg
Width (without stand)	539.6 mm
Depth (without stand)	50 mm
Height (without stand)	323 mm

Weight (without stand)	3.8 kg
------------------------	--------

Packaging data

Package width	613 mm
---------------	--------

Package depth	491 mm
---------------	--------

Package height	184 mm
----------------	--------

Package weight	8.3 kg
----------------	--------

Package type	Box
--------------	-----

Packaging content

Stand included	Yes
----------------	-----

Cables included	DisplayPort, Power, USB Type-C
-----------------	--------------------------------

Screws included	Yes
-----------------	-----

DisplayPort cable length	1.8 m
--------------------------	-------

Power cable length	1.8 m
--------------------	-------

Sustainability

Sustainability certificates	Certified Enviro Cranberries (CEC), EPEAT Silver, ErP, TCO, UL ECOLOGO
-----------------------------	--

Other features

Brand specific technologies	Black Stabilizer, Super+ Resolution
-----------------------------	-------------------------------------

Low input lag	Yes
---------------	-----

Motion blur reduction	Yes
-----------------------	-----

Local dimming	Yes
---------------	-----

Matmenys ir svoris

Matmenys (I × P × A)	25,00cm × 54,00cm × 52,00cm
----------------------	-----------------------------

Svoris	7,93kg
--------	--------