

EIZO FlexScan EV2740S-WT kompiuterio monitorius 68,6 cm (27") 3840 x 2160 pikseliai 4K Ultra HD LCD Balta

Gamintojas: **EIZO** · Modelis: **EV2740S-WT** · EAN: **4995047070412** · Prekės kodas: **707890**



771,90 €

Kaina su PVM

Be PVM: **637,93 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68,6 cm (27") Balta
- ✓ Aukščio reguliavimas 16,9 cm Įmontuoti garsiakalbiai
- ✓ USB aukštakrypčio prievado tipas: C tipo USB HDMI „DisplayPort“ kiekis: 1
- ✓ Ekranų forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 60 Hz Reakcijos laikas: 6 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 3840 x 2160 pikseliai 4K Ultra HD Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): C ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO CB, CCC, CE, Kinijos RoHS, Federalinė ryšių komisija (FCC), GS mark, ICES, PSE, RCM, RoHS, cTUVus, UKCA, VCCI, WEEE
- ✓ Garantinis laikotarpis: 7 metai



Aprašymas

The EV2740S has all the features you need for a crisp, clear, and flicker-free display. With 4K UHD resolution, it displays four times as much information as standard Full HD (1920 x 1080) resolution. This means users can see more information at once on the 27-inch screen, reducing the need to scroll or switch between hidden windows. Although 4K monitors typically require more power due to their higher resolution and larger screen size, the EV2740S boasts a typical power consumption of just 12 watts. This helps companies reduce energy costs and minimize their environmental footprint. Like all EIZO 4K monitors, the EV2740S is equipped with a USB-C port. This transmits the video signal, provides access to the monitor's USB hub with four ports for peripheral devices, and delivers up to 70 watts of power—all with just one cable between the notebook and the screen. In Picture-by-Picture (PbyP) mode, the monitor displays images from two signal sources side by side. The EV2740S is certified to comprehensive global sustainability standards, including TCO Certified generation 10 and the ENERGY STAR® label. The EPEAT Gold award, the highest level, and EPEAT Climate+ underscore EIZO's commitment to sustainability.

Techninė specifikacija

Display	
Display diagonal	68.6 cm (27")
Display resolution	3840 x 2160 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	4K Ultra HD
Panel type	IPS
Response time	6 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	350 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Supported graphics resolutions	720 x 400, 1280 x 1024 (SXGA), 3840 x 2160, 800 x 600 (SVGA), 2560 x 1440, 1600 x 1200 (UXGA), 1024 x 768 (XGA), 1680 x 1050 (WSXGA+), 640 x 480 (VGA), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.155 x 0.155 mm
Pixel density	163 ppi
Viewable size, horizontal	59.7 cm

Viewable size, vertical	33.6 cm
Digital horizontal frequency	31 - 134 kHz
Digital vertical frequency	29 - 61 Hz
Display diagonal (metric)	68.5 cm
Colour depth	10 bit
Colour gamut standard	sRGB
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	2 W
Design	
Market positioning	Office
Product colour	White
Feet colour	White
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	70 W
HDMI ports quantity	1
DisplayPorts quantity	1

HDCP	Yes
HDCP version	1.4/2.3
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	16.9 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	0 - 344°
Tilt adjustment	Yes
Tilt angle range	-5 - 35°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Swedish
Power	
Energy efficiency class (SDR)	C
Energy consumption (SDR) per 1000 hours	13 kWh
Power consumption (typical)	12 W
Power consumption (standby)	0.27 W
Power consumption (max)	149 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width (with stand)	611.6 mm
Depth (with stand)	230 mm

Height (with stand)	376.3 mm
Weight (with stand)	8.6 kg
Width (without stand)	611.6 mm
Depth (without stand)	60.7 mm
Height (without stand)	364.3 mm
Weight (without stand)	5.8 kg

Packaging content

Stand included	Yes
Cables included	USB Type-C to USB Type-C, AC
Quick start guide	Yes

Sustainability

Sustainability certificates	ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO
Sustainability compliance	Yes

Other features

Picture-by-Picture (PbP)	Yes
Automatic brightness control	Yes
Warranty period	5 year(s)
Look-up table (LUT) bit depth	10
Compliance certificates	CB, CCC, CE, China RoHS, Federal Communications Commission (FCC), GS mark, ICES, PSE, RCM, RoHS, cTUVus, UKCA, VCCI, WEEE
Certification	CE, UKCA, CB, TÜV/GS, TÜV/Ergonomics (including ISO 9241-307), TCO Certified Generation 10, TÜV/Low Blue Light Content, TÜV/Flicker Free, RCM, cTUVus, FCC-B, CAN ICES-3 (B), TÜV/S, PSE, VCCI-B, EPA ENERGY STAR, RoHS, WEEE, China RoHS, CCC


Logistics data

Harmonized System (HS) code	85285210
-----------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	75,00cm × 46,00cm × 28,00cm
Svoris	12,19kg

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė



- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

EIZO Corporation

Shimokashiwano 153, 924-8566 Hakusan, JP
eizoglobal.com

ATSAKINGAS ASMUO ES

EIZO Europe GmbH

Belgrader StraÙe 2, 41069 Mönchengladbach, DE
eizo.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt