

Samsung S27D604UAU computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

 Gamintojas: **SAMSUNG** · Modelis: **LS27D604UAUXEN** · EAN: **8806095763675** · Prekės kodas: **708343**


262,90 €

Kaina su PVM

 Be PVM: **217,27 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") LED IPS
- ✓ Quad HD 2560 x 1440 pixels 16:9
- ✓ 100 Hz 5 ms 350 cd/m² 1000:1
- ✓ Flicker-free technology
- ✓ E 20 kWh 20 W



Aprašymas

Samsung ViewFinity S6 S27D604UAU - S60UD Series - LED-Monitor - USB - 68.6 cm (27) [Energieklasse E] (LS27D604UAUXEN)

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display

Display diagonal

68.6 cm (27")

Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	100 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	350 cd/m²
Dynamic contrast ratio marketing name	Mega Contrast
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display diagonal (metric)	68 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
sRGB coverage (typical)	99%
Performance	
Flicker-free technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Office
Product colour	Black
Front bezel colour	Black
Feet colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)

USB upstream port type	USB Type-B, USB Type-C
Number of upstream ports	2
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort out quantity	1
DisplayPort out version	1.4
DisplayPort version	1.4
Headphone outputs	1
Built-in KVM switch	Yes
HDCP	Yes
HDCP version	2.2
Network	
Ethernet LAN	Yes
Ergonomics	
VESA mounting	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	12 cm
Pivot	Yes
Pivot angle	-92 - 90°
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-2 - 25°
Picture-in-Picture	Yes
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	20 kWh
Energy consumption (HDR) per 1000 hours	32 kWh
Power consumption (typical)	20 W

Power consumption (standby)	0.5 W
Power consumption (max)	160 W
Power consumption (off)	0.3 W
AC input voltage	100 - 120 V
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	10 - 40 °C
Storage temperature (T-T)	10 - 80 °C
Weight & dimensions	
Width (with stand)	612.9 mm
Depth (with stand)	220 mm
Height (with stand)	556.6 mm
Weight (with stand)	6.1 kg
Width (without stand)	612.9 mm
Depth (without stand)	41.6 mm
Height (without stand)	367.7 mm
Weight (without stand)	3.6 kg
Packaging data	
Package width	687 mm
Package depth	510 mm
Package height	160 mm
Package weight	7.9 kg
Package type	Box
Packaging content	
Cables included	AC, USB Type-C, HDMI
Power cable length	1.5 m
Other features	
Brand specific technologies	Eye Saver
Warranty period	3 year(s)
Adaptive picture	Yes
Compliance certificates	TÜV mark, Electromagnetic Compatibility (EMC)
Certification	Windows 11
Matmenys ir svoris	

Matmenys (I × P × A)	22,00cm × 61,00cm × 56,00cm
Svoris	7,90kg