

MSI MAG 342CQRF E20 computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LCD Black

Gamintojas: **MSI** · Modelis: **9S6-3DB64H-089** · EAN: **4711377392426** · Prekės kodas: **709556**



344,90 €

Kaina su PVM

Be PVM: **285,04 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 86.4cm (34") UltraWide Quad HD 3440 x 1440 VA
- ✓ 0.5ms, 21:9, 300cd/m², 3500:1
- ✓ HDMI, DisplayPort



Aprašymas

86,4 cm (34) 3440 x 1440 Pixel MSI 9S6-3DB64H-089 21:9 UltraWide Quad HD VA 0,5 ms 200 Hz DisplayPort HDMI Pivot Height VESA (9S6-3DB64H-089)

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display

Display diagonal

86.4 cm (34")

Display resolution	3440 x 1440 pixels
Native aspect ratio	21:9
Display technology	LCD
Touchscreen	No
HD type	UltraWide Quad HD
Panel type	VA
Response time	0.5 ms
Screen shape	Curved
Contrast ratio (typical)	3500:1
Maximum refresh rate	200 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Display surface	Matt
Screen curvature rating	1500R
Contrast ratio (dynamic)	100000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.23175 x 0.23175 mm
Horizontal scan range	71.81 - 285.31 kHz
Vertical scan range	48 - 200 Hz
Viewable size, horizontal	79.7 cm
Viewable size, vertical	33.4 cm
Display diagonal (metric)	86.36 cm
Colour gamut standard	DCI-P3
Colour gamut	90%
sRGB coverage (typical)	119%
DCI-P3 coverage	90%
Performance	
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No

Built-in camera	No
Design	
Market positioning	Gaming
Product colour	Black
Frameless design	Yes
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
Headphone out	Yes
DVI port	No
HDMI ports quantity	2
HDMI version	2.0b
DisplayPorts quantity	1
DisplayPort version	1.4a
Audio input	No
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	75 x 75 mm
Cable lock slot type	Kensington
Adjustable height (max)	9 cm
Pivot	Yes
Pivot angle	-5 - 5°
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	31 kWh
Energy consumption (HDR) per 1000 hours	55 kWh
Power consumption (standby)	0.5 W

Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	808.6 mm
Depth (with stand)	270 mm
Height (with stand)	424 mm
Weight (with stand)	6.95 kg
Width (without stand)	808.6 mm
Depth (without stand)	119.7 mm
Height (without stand)	363.9 mm
Weight (without stand)	5.4 kg
Packaging data	
Package width	929 mm
Package depth	223 mm
Package height	503 mm
Package weight	10.8 kg
Package type	Box
Other features	
Warranty period	3 year(s)
Matmenys ir svoris	
Svoris	1,00kg