

GIGABYTE GAMING GeForce RTX 3060 OC 12G (rev. 2.0) NVIDIA 12 GB GDDR6

Gamintojas: **GIGABYTE** · Modelis: **GV-N3060GAMING OC-12GD 2.0** · EAN: **4719331309312** · Prekės kodas: **713401**



620,90 €

Kaina su PVM

Be PVM: **513,14 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ NVIDIA GeForce RTX 3060 12 GB GDDR6
- ✓ 7680 x 4320 pikseliai 192 bitai 15000 MHz PCI Express x16 4.0
- ✓ HDMI portų kiekis: 2 „DisplayPort“ kiekis: 2
- ✓ „DirectX“ versija: 12 Ultimate OpenGL versija: 4.6
- ✓ 1x 8-pin



Aprašymas

NVIDIA AMPERE ARCHITECTURE

The all-new NVIDIA Ampere architecture delivers the ultimate play, featuring advanced 2nd generation Ray Tracing Cores and 3rd generation Tensor Cores with greater throughput.

RTX. IT'S ON.

Experience today's biggest blockbusters like never before with the visual fidelity of real-time ray tracing and the ultimate performance of AI-powered DLSS.

DLSS AI ACCELERATION

NVIDIA DLSS is groundbreaking AI rendering that boosts frame rates with uncompromised image quality using the dedicated AI processing Tensor Cores on GeForce RTX. This gives you the performance headroom to crank up settings and resolutions for an incredible visual experience. The AI revolution has come to gaming.

VICTORY MEASURED IN MILLISECONDS

NVIDIA Reflex delivers the ultimate competitive advantage. The lowest latency. The best responsiveness. Powered by GeForce RTX 30 Series GPUs and NVIDIA® G-SYNC® monitors. Acquire targets faster, react quicker, and increase aim precision through a revolutionary suite of technologies to measure and optimize system latency for competitive games.

UP YOUR CREATIVE GAME

Take your creative projects to a new level with GeForce RTX 30 Series GPUs. Delivering AI-acceleration in top creative apps. Backed by the NVIDIA Studio platform of dedicated drivers and exclusive tools. And built to perform in record time. Whether you're rendering complex 3D scenes, editing 8K video, or livestreaming with the best encoding and image quality, GeForce RTX GPUs give you the performance to create your best.

STREAM LIKE A BOSS

Steal the show with incredible graphics and smooth, stutter-free live streaming. Next-generation hardware encoding and decoding combine to show off all your best moments in exquisite detail. And the all-new NVIDIA Broadcast app gives you powerful AI capabilities to improve audio and video quality with effects like virtual background, webcam auto frame, and microphone noise removal. So you can give your audience your best—every time.

DIRECTX 12 ULTIMATE

Developers can now add even more amazing graphics effects to Microsoft Windows-based PC games. GeForce RTX graphics cards deliver advanced DX12 features like ray tracing and variable rate shading, bringing games to life with ultra-realistic visual effects and faster frame rates.

WINDFORCE 3X COOLING SYSTEM

The WINDFORCE 3X cooling system features 3x 80mm unique blade fans, alternate spinning, 3 composite copper heat pipes direct touch GPU, 3D active fan and Screen cooling, which together provide high efficiency heat dissipation.

ALTERNATE SPINNING

Alternate Spinning can reduce the turbulence of adjacent fans and increase air pressure.

SMOOTH AIRFLOW

GIGABYTE turns the adjacent fans in the opposite direction, so that the airflow direction between the two fans is the same, reducing the turbulence and enhancing the airflow pressure.

3D ACTIVE FAN

The 3D Active Fan provides semi-passive cooling, and the fans will remain off when the GPU is in a low load or low power game.

UNIQUE BLADE FAN

The airflow is spilt by the triangular fan edge, and guided smoothly through the 3D stripe curve on the fan surface.

GRAPHENE NANO LUBRICANT

Graphene nano lubricant can extend the life of fan by 2.1 times, close to the life of double ball bearing, and is quieter.

SCREEN COOLING

Extended heatsink design allows air flow to pass through, providing better heat dissipation.

HEAT PIPES DIRECT TOUCH

The shape of the pure copper heat pipe maximizes the direct contact area with the GPU. The heat pipe also covers the VRAM through a large metal plate contact to ensure proper cooling.

RGB FUSION 2.0

With 16.7M customizable color options and numerous lighting effects, you can choose lighting effects or synchronize with other AORUS devices.

PROTECTION METAL BACK PLATE

The metal back plate not only provides an aesthetical shape, but also enhances the structure of the graphics card to provide complete protection.

POWER INDICATOR

When experiencing any power supply abnormality, the indicator will alert gamers by flashing light.

EXTREME DURABILITY AND OVERCLOCKING

The graphics card uses the better power phase design to allow the MOSFET to operate at lower temperature, and over-temperature protection design and load balancing for each MOSFET, plus the Ultra Durable certified chokes and capacitors, to provide excellent performance and longer system life.

FRIENDLY PCB DESIGN

Fully automated production process ensures top quality of the circuit boards and eliminates sharp protrusions of the solder connectors seen on the conventional PCB surface. This friendly design prevents your hands from getting cut or inadvertently damaging components when making your build.

AORUS ENGINE

The cutting edge intuitive interface allows you to adjust the clock speed, voltage, fan performance and power target in real-time according to your game's requirements.

Techninė specifikacija

Procesorius

Grafikos procesoriaus šeima	NVIDIA
Grafikos procesorius	GeForce RTX 3060
Maksimali rezoliucija	7680 x 4320 pikseliai
CUDA	Taip
Procesoriaus dažnis	1837 MHz
Paralelinio apdorojimo technologijos parama	Nepalaikomas
CUDA šerdys	3584
Maksimalus ekranų skaičius kiekvienai vienai vaizdo plokštei	4
„FireStream“	Ne
Atmintis	
Diskrečiojo grafikos adapterio atmintis	12 GB
Grafikos adapterio atminties tipas	GDDR6
Atminties magistralė	192 bitai
Atminties laikrodžio greitis	15000 MHz
Komandų grandinių skaičius	3
Atminties pralaida (maks)	360 GB/s
Ryšys	
Sąsajos tipas	PCI Express x16 4.0
HDMI portų kiekis	2
DVI-D prievadų skaičius	0
DVI-I prievadų skaičius	0
„DisplayPort“ kiekis	2
3 „Thunderbolt“ prievadų skaičius	0
Mini HDMI portų kiekis	0
HDMI versija	2.1
VGA (D-Sub) portų kiekis	0
„Mini DisplayPort“ kiekis	0
„DisplayPort“ versija	1.4a
Veikimo charakteristikos	
Integruotas TV tiuneris	Ne
„DirectX“ versija	12 Ultimate
OpenGL versija	4.6
Dvi DVI išvestys	Ne
NVIDIA G-SYNC	Taip

Konstrukcija

Aušinimo tipas	Aktyvus
Aušinimo technologija	GIGABYTE WINDFORCE 3X
Ventiliatorių skaičius	3 ventiliatorius(iai / ių)
Ventiliatoriaus skersmuo	8 cm
Forma	Full-Height/Full-Length (FH/FL)
Laikiklio aukštis	Full-Height (FH)
Iliuminacija	Taip
Apšvietimo spalva	Daugybė
Produkto spalva	Juoda, Nerūdijančiojo plieno

Energijos valdymas

Minimalus sistemos maitinimas	550 W
Papildomos maitinimo jungtys	1x 8-pin

Svoris ir matmenys

Ilgis	282 mm
Ilgis	41 mm
Aukštis	117 mm

Pakuotės duomenys

Pakuotės tipas	„Box“
----------------	-------

Pakuotės turinys

Naudojimo žinynas	Taip
-------------------	------

Logistikos duomenys

Darniosios sistemos (DS) kodas	84733020
--------------------------------	----------

Matmenys ir svoris

Svoris	1,24kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Vaizdo įrašas](#) youtube.com/watch?v=ccPUj5cCs4c

Gamintojo ir saugos informacija

GAMINTOJAS

GIGA-BYTE TECHNOLOGY CO., LTD.

Baoqiang Rd., Xindian Dist. No.6, 231 New Taipei City, TW
gigabyte.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt