

MSI Pro MP273QWDE E2 computer monitor 68.6 cm (27") 2560 x 1440 pixels Wide Quad HD LCD White

Gamintojas: **MSI** · Modelis: **9S6-3PB69H-045** · EAN: **4711377212861** · Prekės kodas: **713858**



249,90 €

Kaina su PVM

Be PVM: **206,53 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") White
- ✓ Height adjustment 13 cm Built-in speaker(s)
- ✓ HDMI HDMI version: 2.0b DisplayPorts quantity: 1 DisplayPort version: 1.2a
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 100 Hz Response time: 4 ms Response time measurement type: GTG (Gray to Gray) Response time (MPRT): 1 ms
- ✓ 2560 x 1440 pixels Wide Quad HD Panel type: IPS
- ✓ Energy efficiency class (SDR): E



Aprašymas

MSI PRO MP273QWDE E2 Office Monitor - IPS Panel 100Hz White 1ms MPRT Response Time - Flachbildschirm (TFT/LCD) - 27 [Energieklasse E] (9S6-3PB69H-045)

Techninė specifikacija

Specifications

Sandėlio grupė

> Monitore > Monitore (TFT, LCD, LED) [+1779][-139]

Display	
Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Wide Quad HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1300:1
Maximum refresh rate	100 Hz
Display number of colours	1.07 billion colours
LED backlight	Yes
Display brightness (peak)	400 cd/m²
Display brightness (typical)	400 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Anti-glare screen	Yes
Contrast ratio (dynamic)	100000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2331 x 0.2331 mm
Horizontal scan range	30 - 160 kHz
Vertical scan range	60 - 144 Hz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	69 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400
Colour depth	10 bit
Colour gamut standard	Adobe RGB, DCI-P3, NTSC, Rec. 2020, Rec. 709, sRGB
sRGB coverage (typical)	120%
NTSC coverage (typical)	103%
Adobe RGB coverage	101%

BT.2020 coverage	68%
DCI-P3 coverage	94%
Performance	
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Number of speakers	2
Design	
Market positioning	Business
Product colour	White
Frameless design	Yes
Feet colour	White
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
Headphone out	Yes
HDMI ports quantity	2
HDMI version	2.0b
DisplayPorts quantity	1
DisplayPort version	1.2a
Headphone outputs	1
HDCP	Yes
HDCP version	2.3
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	75 x 75 mm
Wall mountable	Yes
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Pivot	Yes

Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
Power	
Energy efficiency class (SDR)	E
Energy consumption (SDR) per 1000 hours	21 kWh
Power consumption (typical)	21 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
AC adapter output voltage	12 V
Power supply type	External
Weight & dimensions	
Weight (with stand)	5.8 kg
Packaging data	
Package weight	8.9 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	HDMI, Power
Power adapter included	Yes
Quick start guide	Yes
Matmenys ir svoris	
Svoris	7,00kg