

Canon imageFORMULA DR-C225 II Compact Duplex Document Scanner

Gamintojas: **CANON** · Modelis: **3258C003** · EAN: **4528472108384** · Prekės kodas: **715794**



360,89 €

Kaina su PVM

Be PVM: **298,26 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scanner type: ADF + Manual feed scanner 600 x 600 DPI
- ✓ Colour scanning Duplex scanning
- ✓ A4
- ✓ Maximum scan size: 216 x 356 mm Sensor type: CMOS CIS
- ✓ USB port
- ✓ Power supply type: AC 12.7 W



Aprašymas

Sleek space-saving design

A perfect match for a small office desktop or department, a slimline profile ensures the DR-C225II fits in the smallest space. With powerful CaptureOnTouch software and straightforward integration with cloud networks, it's the ultimate space-saver.

Techninė specifikacija

Specifications

Sandėlio grupė

Printers & Scanners [+138] [-3456]

Scanning

Maximum scan size	216 x 356 mm
Optical scanning resolution	600 x 600 DPI
Duplex scanning	Yes
Colour scanning	Yes
ADF scan speed (b/w, A4)	25 ppm
ADF scan speed (colour, A4)	25 ppm
Duplex ADF scan speed (b/w, A4)	50 ipm
Duplex ADF scan speed (colour, A4)	50 ipm

Design

Scanner type	ADF + Manual feed scanner
Built-in display	No
Product colour	Black

Performance

Sensor type	CMOS CIS
Daily duty cycle (max)	1500 pages
Light source	RGB LED
Scan drivers	ISIS, TWAIN
Scanner error detection	Yes
Ultrasonic double sheet detection	Yes

Paper handling

Maximum ISO A-series paper size	A4
---------------------------------	----

Ports & interfaces

USB port	Yes
USB version	2
Standard interfaces	USB 2.0

Power

Power supply type	AC
Power consumption (typical)	12.7 W
Power consumption (off)	0.5 W
AC input frequency	50 - 60 Hz
Input voltage	100-240 V
Power consumption (sleep)	1.8 W

Weight & dimensions

Width	300 mm
-------	--------

Depth	156 mm
Height	220 mm
Weight	2.8 kg
Packaging content	
Cables included	AC, USB
Quick start guide	Yes
AC adapter included	Yes
Sustainability	
Sustainability certificates	ENERGY STAR
System requirements	
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows Vista, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Yes
Mobile operating systems supported	Android, iOS
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Operating relative humidity (H-H)	20 - 80%
Other features	
Compliance certificates	RoHS
Logistics data	
Harmonized System (HS) code	84716070
Matmenys ir svoris	
Matmenys (l × P × A)	31,00cm × 39,00cm × 24,00cm
Svoris	4,20kg