

Samsung QM43B-T Digital signage flat panel 109.2 cm (43") LCD Wi-Fi 500 cd/m² 4K Ultra HD Black Touchscreen Built-in processor Tizen 6.5 24/7

Gamintojas: **SAMSUNG** · Modelis: **LH43QMBTBGCXEN** · EAN: **8806094522655** · Prekės kodas: **716026**



1 607,90 €

Kaina su PVM

Be PVM: **1 328,84 €**

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Incredibly clear screen with eye-catching 4K UHD picture quality
- ✓ Improved visibility with non-glare panel for hyper-realistic, immersive visual experience
- ✓ Efficient and reliable display even in dusty environments and repeated customer interactions
- ✓ Easy content creation, scheduling and publication with MagicINFO



Aprašymas

All-in-one touch solution for any environment

QMB-T displays maximize the touch display experience with a built-in, high performance Tizen-based media player. The all-in-one design eliminates the need for an external media player and an upgraded Tizen OS makes it easier than ever to utilize various touch apps.

Powerful touch experience

Upgraded Tizen OS makes playback more stable and opens up new possibilities with high-speed content. A responsive capacitive touch functionality offers an engaging user experience and the user-friendly design enables comfortable, productive digital interaction.

Captivate customers with UHD content

Samsung's QMB-T series provides UHD resolution capabilities for incredibly clear content, increasing customer engagement with lifelike images that have been optimized to display exactly as intended.

Better visibility even in sunlight

The QMB-T series offers improved visibility through non-glare glass which removes reflections that might disturb customer engagement, while the haze coating creates a smoother touch.

Built to be reliable and efficient

With an IP5X rating standard, the display is guaranteed to be efficient and reliable even in dusty environments. An innovative center IR means businesses implementing the display, won't have to make any adjustments and a conformal coating protects the display from repeated customer interactions.

Integrated content and device management solution

Samsung's MagicINFO solution enables easy content creation for touch display and simple scheduling and management from a selection of curated images and videos. An early warning alert system ensures no downtime.

Maintain meeting room settings without unintended changes

Custom Home

Designed to simplify conference room management, Custom Home allows admins to lock specific meeting room settings, preventing users from changing settings between meetings. Now, conference rooms can work throughout the day as intended, without errors, allowing IT to focus on other tasks.

Simplified calibration between screens with mobile app

Smart Calibration

Guarantee complete brand consistency across every display in every location. Using the Samsung mobile app, Smart Calibration ensures every display is calibrated correctly, showcasing brand logos and other collateral in the exact colors required.

Easier setups and updates for reduced workloads

Tizen Zero Config

Tizen Zero Config is essential for IT managers operating multiple units in different locations. Following display installation, IT professionals can register new apps through Tizen Business Manager and remotely install, eliminating needless travel and local installations.

Supports the latest web-based content

Upgradable Web-engine

Upload any piece of content, no matter how innovative. QMB-T's constant web-engine upgrades enables the latest types of content to be played without limitations, allowing for more diversified and engaging creative assets.

Flexible installation for custom designs

Auto Level

Keep content clear and steady. Auto Level automatically adjusts content when the screen is rotated from vertical to horizontal for increased versatility in any space. Plus, it automatically recognizes incorrect pivot directions to keep the display always in the correct orientation.

Techninė specifikacija

Specifications

Sandėlio grupė Signage [+4][·-17]

Display

Display diagonal 109.2 cm (43")

Display technology	LCD
Display resolution	3840 x 2160 pixels
Display brightness	500 cd/m²
HD type	4K Ultra HD
Touchscreen	Yes
Panel type	VA
Touchscreen technology	Capacitive
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	4000:1
Dynamic contrast ratio marketing name	Mega Contrast
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.245 x 0.245 mm
Display diagonal (metric)	108 cm
Horizontal scan range	30 - 81 kHz
Vertical scan range	48 - 75 Hz
Haze rate	25%
Pixel frequency (max)	594 MHz
RGB colour space	DCI-P3
Colour gamut	92%

Ports & interfaces

HDMI ports quantity	3
DVI port	No
DisplayPorts quantity	1
USB port	Yes
HDMI version	2
HDMI input ports quantity	3
DisplayPorts in	1
DisplayPort version	1.2
USB ports quantity	2
Ethernet LAN (RJ-45) ports	1
RS-232 interface	Yes
Infrared data port	Yes
Remote (IR) input	1

Design

Product design	Digital signage flat panel
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes
Screen shape	Flat
Panel mounting interface	200 x 200 mm
Bezel colour	Charcoal Black

Performance

Purpose	Universal
Operating hours (hours/days)	24/7
HDCP	Yes
HDCP version	2.2

Power

Power consumption (typical)	110 W
Power consumption (sleep)	0.5 W
Energy efficiency class (SDR)	G
Energy consumption (SDR) per 1000 hours	73 kWh
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G

Computer system

Computer system	Yes
Built-in processor	Yes
Computer system type	System on Chip (SoC)
Operating system installed	Tizen 6.5

Weight & dimensions

Display width	986.2 mm
Display depth	56.7 mm
Display height	584.4 mm
Display weight	14.5 kg

Packaging data

Package width	1134 mm
Package depth	141 mm

Package height	725 mm
Package weight	18.7 kg
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Certificates	
Certification	Class B 60950-1, 62368-1
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Other features	
Bluetooth	Yes
Flash memory	16000 MB
RS-232 input ports	1
RS-232 output ports	1
RJ-45 input ports	1
Optional features	WMN4070SG STN-L4355G
Technical details	
Audio out (mini jack)	1
Matmenys ir svoris	
Matmenys (I × P × A)	73,00cm × 112,00cm × 14,00cm
Svoris	18,70kg