HP Smart Tank 7605 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner

Gamintojas: **HP** · Modelis: **28C02A#BHC** · EAN: **195908302643** · Prekės kodas: **716204**



366,90 €

Kaina su PVM

Be PVM: **303,22 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės


- ✓ 35-sheet ADF; Scan to PDF; Two-sided printing
- ✓ Print speed up to 15 ppm (black) and 9 ppm (color)
- ✓ Print, Copy, Scan, Fax, ADF and Wireless
- ✓ Up to 1200 x 1200 rendered dpi





























Aprašymas

Full of productivity. Full of savings. Take productivity up a level with a modern touch interface and premium experience on this cartridge-free printer. Plus, get outstanding print quality at a low cost, with up to three years of Original HP ink included in the box.[1].

Techninė specifikacija

Printing	
Print technology	Thermal inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	15 ppm
Duplex printing mode	Auto
Print resolution colour	4800 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	9 ppm
Print speed (black, draft quality, A4/US Letter)	23 ppm
Print speed (colour, draft quality, A4/US Letter)	22 ppm
Print speed (ISO/IEC 24734) black	15 ppm
Print speed (ISO/IEC 24734) colour	9 ppm
Time to first page (black, normal)	14 s
Time to first page (colour, normal)	16 s
Borderless printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	23 cpm
Copy speed (colour, normal quality, A4)	22 cpm
Maximum number of copies	99 copies
Copier resize	25 - 400%
ID-card copy function	Yes
Auto fit function	Yes
Scanning	
Scanning	Colour scanning
Duplex scanning	No

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Optical scanning resolution	1200 x 1200 DPI
Scanner type	Flatbed scanner
Maximum scan resolution	1200 x 1200 DPI
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	Software
Image formats supported	JPG, PNG, TIFF
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Fax

Faxing	Colour faxing
Duplex faxing	Yes
Fax resolution (black)	300 x 300 DPI
Fax resolution (colour)	200 x 200 DPI
Fax transmission speed	4 sec/page
Modem speed	33.6 Kbit/s
Fax memory	100 pages
Auto-redialing	Yes
Speed dialling	Yes
Fax forwarding	Yes
Fax delayed sending	Yes
Auto reduction	Yes

Features

Maximum duty cycle	6000 pages per month
Duplex functions	Fax
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	400 - 1200 pages per month
Page description languages	PCL 3 GUI
All-In-One-multitasking	Yes
Country of origin	China, Thailand

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Replacement cartridges	HP 32XL 135-ml Black bottle (~6200 pages), HP 31 70-ml Cyan bottle (~9100 pages), HP 31 70-ml Magenta bottle (~9100 pages), HP 31 70-ml Yellow bottle (~9100 pages); For more information about fill and yield see https://www.hp.com/go/learnaboutsupplies
HP segment	Home

Input & output capacity

Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	100 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	35 sheets
Maximum number of input trays	1
Maximum input capacity	250 sheets
Maximum output capacity	100 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Photo paper, Recycled paper, Matte paper, Lightweight paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 355.6 mm
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Hagaki card
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	C5, C6, DL
Borderless printing media sizes	A4, Letter
Custom media width	88.9 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 250 g/m²
Envelope feeder	No

Ports & interfaces

Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1

Network

Wi-Fi	Yes
Ethernet LAN	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Wi-Fi Direct	Yes
Bluetooth	Yes
Mobile printing technologies	Apple AirPrint
Performance	
Internal memory	256 MB
Maximum internal memory	256 MB
Card reader integrated	No
Built-in processor	Yes
Processor frequency	800 MHz
Sound power level (printing)	6.5 dB
Design	
Product colour	Grey
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display diagonal	7.62 cm (3")
Control type	Buttons, Touch
Colour display	No
Power	
Power consumption (sleep)	1.1 W
Power consumption (off)	0.1 W
Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Other operating systems supported	ChromeOS
Operational conditions	
Operating relative humidity (H-H)	15 - 80%
Storage temperature (T-T)	-40 - 60 °C
Operating temperature (T-T)	5 - 40 °C
Storage relative humidity (H-H)	5 - 90%

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Recommended humidity operating range	20 - 80%
Recommended operating temperature range (T-T)	15 - 30 °C
Non-operating relative humidity (non-condensing)	5 - 90%

Certificates

Certification	CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2

Sustainability

Sustainability certificates	Blue Angel, EPEAT
Sustainable technologies and materials	25% post-consumer recycled plastic; Recyclable through HP Planet Partners
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	52
Carbon emissions, manufacturing (kg of CO2e)	43
Carbon emissions, logistics (kg of CO2e)	2
Carbon emissions, end-of-life (kg of CO2e)	3
Total carbon emissions, w/o use phase (kg of CO2e)	4

Weight & dimensions

Width	427.5 mm
Depth	364 mm
Height	240.3 mm
Weight	7.7 kg

Packaging data

Package width	484 mm
Package depth	284 mm
Package height	410 mm
Package weight	10.7 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	12000 pages
Included cartridge capacity (CMY)	8700 pages
Cables included	AC
Warranty card	Yes
Bundled software	HP Printer Software, available online

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Logistics data	
Harmonized System (HS) code	84433100
Pallet gross width	122 cm
Pallet gross length	101.6 cm
Pallet gross height	2.59 m
Pallet gross weight	428 kg
Layers per pallet	6 pc(s)
Products per pallet	48 pc(s)

Technical details	
Master (outer) cases per pallet layer	8 pc(s)
Compliance certificates	CECP
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-smart-tank-7600-series/model/2100178920?sku=28C02A
Other EU Hazard statement(s)	EUH208: Contains sensitizing substance. May produce an allergic reaction
Box contents	HP Smart Tank 7605 All-in-One; 2 x HP 32XL Black Original Ink Bottle; HP 31 Cyan Original Ink Bottle; HP 31 Magenta Original Ink Bottle; HP 31 Yellow Original Ink Bottle; HP Black Printhead; HP Tri-color Printhead; Ink caution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; PT flyer; RoH-EAC Regulatory flyer; Power cord; Extended warranty flyer. For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies

Other features	
Number of users	3 user(s)
Power supply type	Internal
Recommended system requirements	Windows 11; Windows 10; 1 GHz processor; 2 GB SSD; Internet; Chrome OS. macOS Tahoe 26; macOS Sequoia 15; macOS Sonoma 14; 2 GB SSD; Internet.
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Chrome OS
PictBridge	No
Number of print heads	2
Manufacturer warranty	Up to 3 years extended warranty upon registration at http://www.hp.com/go/SmartTank3yearswarranty. User replaceable parts have separate warranty periods.
Electromagnetic compatibility	CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2
Custom media sizes	88.9 x 127 mm to 215.9 x 355.6 mm
Pallet dimensions (W x D x H)	1220 x 1016 x 2590 mm
Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2590.8 mm (48 x 40 x 102")

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Typical electricity consumption (TEC) number	0.20 kWh/Week
UNSPSC-code	43212104
Brand-specific features	
HP GTIN (EAN/UPC) with options	(622) 198828246349; (BHC) 195908302643
HP GTIN (EAN/UPC)	198828246349, 195908302643
Matmenys ir svoris	
Matmenys (I × P × A)	41,00cm × 48,00cm × 29,00cm
Svoris	10,20kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

› Vaizdo įrašas objects.icecat.biz/objects/91417259_65415329.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Įspėjimai

- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

Saugos dokumentai

› Gamintojo saugos informacija