

ATEN 2-Port USB FHD HDMI Cable KVM Switch

Gamintojas: **ATEN** · Modelis: **CS22HF-AT** · EAN: **4710469341304** · Prekės kodas: **716280**



34,90 €

Kaina su PVM

Be PVM: **28,84 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ One KVM console controls two computers with USB and HDMI interface
- ✓ Superior video quality & up to 1920 x 1080 @ 60 Hz / 1920 x 1200 @ 60 Hz
- ✓ Computer selection via Remote Port Selector
- ✓ HDMI compliant; HDCP 1.4 compliant
- ✓ Multiplatform support & Windows, Mac, and Linux
- ✓ The console USB ports can be used for USB peripheral sharing
- ✓ Supports USB hot-plugging
- ✓ Bus-powered



Aprašymas

The CS22HF 2-Port USB FHD HDMI Cable KVM Switch is a control unit that allows access to two computers from a single USB and HDMI console while offering video quality up to 1920 x 1080 @ 60 Hz / 1920 x 1200 @ 60 Hz. With the CS22HF, you can quickly and effortlessly switch between two USB HDMI computers via the pushbutton on the remote port selector. The CS22HF supports multiplatform operations which allow you to switch between two different operating system PCs. Moreover, the compact and bus-powered design allows for an efficient and tidy installation, providing an ideal space-saving solution to keep your desk well-organized. This plug and play switch is ideal for people who need quick control to multitask between two computers on a desktop in any environment.

Techninė specifikacija

Specifications

Sandėlio grupė	Data Input Devices [+85][−839]
----------------	--------------------------------

Ports & interfaces

Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	HDMI
Console ports	HDMI, USB A
HDMI ports quantity	1
USB connector type	USB Type-A
DC-in jack	Yes

Performance

HD type	Full HD
Maximum resolution	1920 x 1200 pixels
Video bandwidth	60 Hz
HDCP	Yes

Design

Rack mounting	No
Product colour	Black
Housing material	Plastic
Cable length	1.2 m
Remote switch cable length	1.8 m
LED indicators	Yes

Display

Built-in display	No
------------------	----

Power

Input voltage	5 V
Power consumption (typical)	1.518 W

System requirements

Windows operating systems supported	Yes
Linux operating systems supported	Yes
Mac operating systems supported	Yes

Operational conditions

Operating temperature (T-T)	0 - 50 °C
-----------------------------	-----------

Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 80%
Weight & dimensions	
Width	66.5 mm
Depth	82.4 mm
Height	25.2 mm
Weight	260 g
Packaging data	
Package width	55 mm
Package depth	155 mm
Package height	223 mm
Package volume	1982.18 cm ³
Package weight	360 g
Package type	Box
Packaging content	
Packaging content	1x CS22HF 2-Port USB FHD HDMI Cable KVM Switch 1x user instructions
Logistics data	
Harmonized System (HS) code	85176200
Master (outer) case width	328 mm
Master (outer) case length	389 mm
Master (outer) case height	330 mm
Master (outer) case gross weight	7.9 kg
Master (outer) case volume	42192.1 cm ³
Products per master (outer) case	20 pc(s)
Country of origin	Taiwan
Matmenys ir svoris	
Matmenys (I × P × A)	16,00cm × 23,00cm × 6,00cm
Svoris	0,40kg