

Dahua Technology PFT1300 network extender Network transmitter White 10, 100 Mbit/s

Gamintojas: **DAHUA** · Modelis: **PFT1300** · EAN: **6939554913044** · Prekės kodas: **716770**



29,90 €

Kaina su PVM

Be PVM: **24,71 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Support passive PoE cascade power supply and Ethernet data exchange
- ✓ Support IEEE 802.3af/at standard power supply IP Camera
- ✓ Cooperate with High PoE Midspan (PFT1200), able to cascade level 2 PoE Extender, connect to 3 IPC (power consumption <=8W), max transmission distance 300m
- ✓ 1*RJ45 10/100M PoE power supply input; 1*RJ45 10/100M supply power for IP Cam; 1*RJ45 10/100M supply power for the next extender
- ✓ Installation mode: junction box internal mounting, DIN rail mounting

Aprašymas

The **Dahua PFT1300** is a highly efficient **3-Port PoE Extender** designed to enhance the connectivity and power supply capabilities for your network. Featuring **2-Port PoE Out** and **1-Port PoE In**, this model supports passive PoE cascade power supply and Ethernet data exchange, making it ideal for various applications including IP cameras. It adheres to the **IEEE 802.3af/at** standard, ensuring reliable power delivery while accommodating up to three IP cameras with a total power consumption of $\leq 25\text{W}$.

One of the standout features of the **Dahua PFT1300** is its impressive capability to work with high PoE Midspan (PFT1200), enabling cascading of level 2 PoE extenders. This allows users to extend the transmission distance up to **300 meters**, effectively optimizing their surveillance and monitoring setups without compromising performance. Its versatile installation modes, including junction box internal mounting and DIN rail mounting, provide flexibility to fit various environment requirements.

Constructed with a robust design, the **Dahua PFT1300** is a reliable choice for expanding network capabilities while ensuring sustained performance across multiple devices. With one **RJ45 10/100M PoE power supply input**, along with additional outputs for IP cameras and subsequent extenders, this product exemplifies the reliability and sophistication associated with the **Dahua** brand.

Techninė specifikacija

Specifications	
Sandėlio grupė	Networking [+782][-3085]
Performance	
Type	Network transmitter
Maximum transfer distance	300 m
Ethernet LAN data rates	10,100 Mbit/s
Network	
Cabling technology	10/100Base-T(X)
Networking standards	IEEE 802.3af, IEEE 802.3at
Ports & interfaces	
Power over Ethernet (PoE) ports quantity	3
Design	
Product colour	White
Power	
Power consumption (typical)	3 W
Power over Ethernet (PoE)	Yes
Operational conditions	
Operating temperature (T-T)	-30 - 65 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	79 mm

Depth	52 mm
Height	23 mm
Weight	57 g
Matmenys ir svoris	
Matmenys (l × P × A)	7,00cm × 10,00cm × 3,00cm
Svoris	0,10kg