

TP-Link VIGI 5MP Full-Color Dome Network Camera

Gamintojas: **TP-LINK** · Modelis: **VIGI C250(2.8mm)** · EAN: **4895252503081** · Prekės kodas: **716868**



87,89 €

Kaina su PVM

Be PVM: **72,64 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **5MP Super-High Definition:** The camera comes with 5MP—more than enough pixels to pick up some of the more discrete details
- ✓ **24h Full-Color:** Obtain 24-hour color details, even in pitch-black conditions, with its large-aperture lens, high-sensitivity sensor, and attached supplemental lights
- ✓ **Human & Vehicle Classification:** Distinguishes humans and vehicles from other objects, so you receive more accurate event notifications
- ✓ **Smart Detection:** Actively detects abnormal events like area intrusion and line-crossing, sending notifications to you instantly
- ✓ **People & Vehicle Analytics:** Quickly find people and vehicles of interest using a series of attributes, allowing you to improve search efficiency
- ✓ **Built-In Microphone:** Features a built-in microphone to record anything going on within a 15-ft radius of the camera
- ✓ **IK10 Vandal-Proof & IP67 Waterproof:** With vandal-resistant, rugged housing and waterproof design, this VIGI dome camera is built tough to withstand vandalism and harsh environments with rain and dust for constant security anywhere and anytime
- ✓ **H.265+:** Without using any extra bandwidth, your cameras transmit compressed crystal-clear video to save disk space, ease network loads, and reduce monitoring costs without sacrificing image quality
- ✓ **Smart Video Enhancement:** VIGI's professional technologies process videos to greatly improve their quality that is vital to your monitoring, including Smart IR, True WDR, 3D DNR, and Night Vision
- ✓ **PoE/12V DC:** Two types of power supply not only give you more convenience but also make your wiring remarkably easy



Aprašymas

All The Colors, All The Time

5MP Full-Color Dome Network Camera

24/7 Stunning Visual Experience

5MP Super-High Definition

Monitor 24-hour clear and colorful details even in pitch dark night. VIGI Full-Color camera provides maximum 5MP resolutions and ensures colorful monitoring with its large-aperture lens, high-sensitivity sensor, and attached supplemental lights.

SmartVid-Smart Video Enhancement

VIGI's professional technologies process videos to greatly improve their quality that is vital to your monitoring, including WDR, 3D DNR, Smart IR, and Night Vision.

Human & Vehicle Classification

Integrated AI chips support advanced algorithms to distinguish humans and vehicles from other objects. You can flexibly customize alarm rules to match your monitoring needs and receive more accurate event notifications.

Comprehensive AI Detection with Pre-Set Rules Supported

By setting the detection rules in advance, VIGI AI-powered cameras can accurately capture various abnormal events. This will greatly reduce false alarms and cover your specified monitoring needs in different scenarios.

People & Vehicle Analytics

Quickly find people and vehicles of interest using a series of attributes.

People Analytics

Filter people of interest by various attributes, such as gender, hair length, and clothing, allowing you to improve search efficiency.

Vehicle Analytics

Identify and search for vehicles of interest based on vehicle color and type for targeting meaningful events in a short time.

No More Silent Surveillance

Built-In Microphone

The VIGI camera features a built-in microphone to record anything going on within a 15-ft radius of the camera. This gives you more detailed monitoring for greater peace of mind.

IK10 Vandal-Proof & IP67 Waterproof

With vandal-resistant, rugged housing and waterproof design, this VIGI dome camera is built tough to withstand vandalism and harsh environments with rain and dust for constant security anywhere and anytime.

Smart Video Coding by H.265+

Compresses the video size without sacrificing video quality, easing the network load and saving disk space.

Flexible Storage

Local storage is available for each method, as well as onboard storage with an SD card slot (up to 256 GB).

PoE/12V DC

Two power supply ways not only give you more convenience but also make your wiring remarkably easy.

Flexible Installation

Easily route your camera's cable into a dropped ceiling or avoid drilling by slotting it through the camera's side outlet.

Remote Management

Take full control over your security anytime and anywhere on the VIGI app or client.

One system. Full security.

Run your business with peace of mind.

The VIGI professional surveillance system by TP-Link is dedicated to protecting the business you’ve worked hard to build — whenever, wherever. Our outstanding functions, reliable quality guarantees, and simplified installation work together to ensure your business stays safe and sound.

Techninė specifikacija

Specifications	
Sandėlio grupė	Surveillance Systems [+315][-2956]
Performance	
Type	IP security camera
Placement supported	Indoor & outdoor
Connectivity technology	Wired
Wide Dynamic Range (WDR)	Yes
Day/night mode	Yes
Infrared (IR) cut-off filter	Yes
Built-in light	Yes
Dynamic range	120 dB
Certification	CE, NTRA, VCCI, KC, BSMI, FCC, IC
Design	
Mounting type	Ceiling
Product colour	White, Black
Form factor	Dome
Housing material	Plastic
International Protection (IP) code	IP67
IK code	IK10
Weatherproof	Yes
Camera	
Minimum illumination	0.005 lx
Field of view (FOV) angle	128°
Lens viewing angle, horizontal	109°
Lens viewing angle, vertical	57°
Lens viewing angle, diagonal	128°
Tilt angle range	0 - 85°
Pan range	0 - 360°

Camera shutter speed	1/3 - 1/10000 s
Number of Privacy masking areas	4
Image sensor	
Sensor type	CMOS
Number of sensors	1
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")
Progressive scan	Yes
Lens system	
Number of lenses	1
Detect distance	64 m
Observe distance	27 m
Recognize distance	13 m
Maximum aperture number	1.6
Identify distance	6 m
Fixed focal length	2.8 mm
Night vision	
Night vision	Yes
Night vision distance	30 m
Number of illumination LEDs	1
Infra-red wavelength	850 nm
Video	
Maximum resolution	2880 x 1620 pixels
Total megapixels	5 MP
Video formats supported	H.264, H.264+, H.265, H.265+
Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2688 x 1520, 2880 x 1620
Supported video modes	720p, 1080p, 2560p, 2880p
Video recording	Yes
Frame rate	30 fps
Video streaming	Yes
Noise reduction	Yes
Bit rate control	Variable Bit Rate (VBR)
Bit rate	256 Kbps - 6 Mbps
Back Light Compensation (BLC)	Yes
Highlight Compensation (HLC)	Yes

Region of Interest (ROI) encoding	Yes
Smart IR	Yes
Audio	
Sample rate	8 kHz
Signal-to-Noise Ratio (SNR)	52 dB
Built-in microphone	Yes
Voice codecs	G.711
Network	
Ethernet LAN	Yes
Wi-Fi	No
Bluetooth	No
Ethernet interface type	Fast Ethernet
Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP UDP, SSL/TLS
Storage	
Built-in HDD	No
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
DC-in jack	Yes
Management features	
Reset button	Yes
Power	
Power source type	DC
Power consumption (typical)	1.5 W
Power consumption (max)	7 W
Operational conditions	
Operating temperature (T-T)	-30 - 60 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Weight & dimensions	
Height	85.7 mm
Diameter	11.5 cm

Weight	280 g
--------	-------

Packaging data

Package width	153 mm
---------------	--------

Package depth	193 mm
---------------	--------

Package height	120 mm
----------------	--------

Package weight	470 g
----------------	-------

Package type	Box
--------------	-----

Packaging content

Number of cameras	1
-------------------	---

Matmenys ir svoris

Matmenys (l × p × a)	19,00cm × 16,00cm × 12,00cm
----------------------	-----------------------------

Svoris	0,50kg
--------	--------