

ATEN MINI USB VGA KVM Extender (100m)

Gamintojas: **ATEN** · Modelis: **CE100-AT-G** · EAN: **4710423773462** · Prekės kodas: **716928**



114,90 €

Kaina su PVM

Be PVM: **94,96 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extends local PC VGA/keyboard/Mouse to Remote side
- ✓ Uses Cat 5e cable to connect the local and remote units
- ✓ Easily add or remove computers connected to the installation
- ✓ Supports real time DDC communication
- ✓ Superior video quality – up to 1920 x 1200
- ✓ Allow access to a computer from the remote console up to 100 m distance
- ✓ Support manual compensation adjustment for better video quality
- ✓ No external power supply needed for local unit
- ✓ Built-in 8KV/15KV ESD protection (Contact voltage 8KV; Air voltage 15KV)
- ✓ Wall mountable



Aprašymas

The CE100 USB KVM Extender with superior video quality and built-in ESD protection allows access to a computer system from a remote USB console (USB keyboard, USB mouse, and monitor).

- 1x CE100L Mini USB KVM Extender (Local Unit)
- 1x CE100R Mini USB KVM Extender (Remote Unit)
- 1x LIN5-21X1-X27G USB/VGA Cable (1.8m)
- 1x OAD6-1705-10EG Power Adapter (for Remote Unit)
- 1x Mounting Kit

1x User Instructions

Techninė specifikacija

Specifications	
Sandėlio grupė	Data Input Devices [+85][−839]
Features	
Type	Transmitter & receiver
Connectivity technology	Wired
Maximum transfer distance	100 m
Cable types supported	Cat5
Maximum digital resolution	1920 x 1200 pixels
Product colour	Black
Material	Metal
LED indicators	Link, Power
Ports & interfaces	
USB port type	USB Type-B/ USB Type-A
USB 2.0 ports quantity	3
RJ-45 ports quantity	2
Weight & dimensions	
Transmitter width	5.74 cm
Transmitter depth	9.1 cm
Transmitter height	2.4 cm
Transmitter weight	170 g
Receiver width	5.74 cm
Receiver depth	9.1 cm
Receiver height	2.4 cm
Receiver weight	170 g
Packaging data	
Package width	59 mm
Package depth	239 mm
Package height	160 mm
Package weight	745 g
Packaging content	
Cables included	USB, VGA

Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Technical details	
Weight	603 g
Logistics data	
Master (outer) case net weight	12.1 kg
Harmonized System (HS) code	84733080
Master (outer) case width	315 mm
Master (outer) case length	490 mm
Master (outer) case height	338 mm
Master (outer) case gross weight	15 kg
Products per master (outer) case	20 pc(s)
Matmenys ir svoris	
Matmenys (l × p × a)	28,00cm × 17,00cm × 10,00cm
Svoris	0,74kg