

Canon imageFORMULA DR-S350NW Driveless USB & Networking document scanner

Gamintojas: **CANON** · Modelis: **6897C003** · EAN: **4528472112138** · Prekės kodas: **717061**



620,90 €

Kaina su PVM

Be PVM: **513,14 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scanner type: ADF scanner 600 x 600 DPI
- ✓ Duplex scanning
- ✓ LCD Built-in display
- ✓ A4
- ✓ Sensor type: CIS
- ✓ USB port Wi-Fi Ethernet LAN
- ✓ Power supply type: AC



Aprašymas

Canon imageFORMULA DR-S350NW

Simplify scanning with large colour touch screen operation and flexible connectivity options including driverless and PC-less operation.

A powerful tool for hybrid working

Support hybrid working with a powerful and easy-to-use scanner. Connect easily to other devices and enhance efficiency across various working environments while benefiting from 100ipm scan speed.

Techninė specifikacija

Specifications	
Sandėlio grupė	Printers & Scanners [+138][-3456]
Scanning	
Optical scanning resolution	600 x 600 DPI
Duplex scanning	Yes
ADF scan speed (b/w, A4)	50 ppm
Duplex ADF scan speed (b/w, A4)	100 ipm
Design	
Scanner type	ADF scanner
Built-in display	Yes
Product colour	Black
Display	LCD
Display diagonal	10.9 cm (4.3")
Performance	
Sensor type	CIS
Daily duty cycle (max)	9000 pages
Scan to	FTP
Input capacity	
Auto document feeder (ADF) input capacity	60 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Long-paper mode	Yes
Media thickness (min)	0.04 mm
Card thickness (max)	0.3 mm
Maximum scan width	21.6 cm
Maximum scan length	35.6 cm
Ports & interfaces	
USB port	Yes
USB version	2
USB connector type	USB Type-A
Network	
Wi-Fi	Yes

Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Ethernet LAN	Yes
Power	
Power supply type	AC
Power consumption (off)	0.3 W
AC input frequency	50 - 60 Hz
Sleep mode	Yes
Input voltage	220 - 240 V
Power consumption (sleep)	2 W
Weight & dimensions	
Width	291 mm
Depth	267 mm
Height	242 mm
Weight	3.4 kg
Sustainability	
Sustainability certificates	EPEAT
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Operating relative humidity (H-H)	20 - 80%
Matmenys ir svoris	
Matmenys (I × P × A)	32,00cm × 39,00cm × 32,00cm
Svoris	4,80kg